



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: November 6, 2018

To,
Mr. Yashashvi Drolia
at Plot No : L-30, Addl. Mahad MIDC

Subject: Environment Clearance for Proposed Expansion Project of M/s D.R. Coats Ink & Resins Pvt. Ltd., located at Plot No : L-30, Additional Mahad MIDC, Amshet Village, Mahad, District Raigad, Mahatashtra.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 154th, Day-1th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 143rd meetings.


2. It is noted that the proposal is considered by SEAC-I under screening category 5(f) Category : B-1 as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	D.R. Coats Ink & Resins Pvt. Ltd.
2.Type of institution	Private
3.Name of Project Proponent	Mr. Yashashvi Drolia
4.Name of Consultant	Sadekar Enviro Engineers Pvt Ltd.
5.Type of project	Not applicable
6.New project/expansion in existing project/modernization/diversification in existing project	Expansion for manufacturing of new products with existing resin blending activity.
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Environmental Clearance was not required , since company is engaged in formulation/blending of resins.
8.Location of the project	Plot No : L-30, Addl. Mahad MIDC
9.Taluka	Mahad
10.Village	Amshet
Correspondence Name:	Unit no. 203, New Sonal link industrial estate, Bld. No. 2, second floor, Link road, Malad (W), Mumbai-64
Room Number:	Unit no. 203
Floor:	second floor
Building Name:	New Sonal link industrial estate, Bld. No. 2
Road/Street Name:	Link road
Locality:	Malad (W)
City:	Mumbai-64
11.Whether in Corporation / Municipal / other area	Addl. Mahad MIDC

SEIAA Meeting No: 143 Meeting Date: October 19, 2018 (SEIAA-STATEMENT-000000976)
SEIAA-MINUTES-000000709
SEIAA-EC-000000500

Page 1 of 15


Shri. Anil Diggikar (Member Secretary SEIAA)

12.IOD/IOA/Concession/Plan Approval Number	NA
	IOD/IOA/Concession/Plan Approval Number: NA
	Approved Built-up Area: 7090.39
13.Note on the initiated work (If applicable)	NA
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	NA
15.Total Plot Area (sq. m.)	16675 sq.m.
16.Deductions	Not applicable
17.Net Plot area	Not applicable
18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable
	Non FSI area (sq. m.): Not applicable
	Total BUA area (sq. m.): 7090.39
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.):
	Approved Non FSI area (sq. m.):
	Date of Approval:
19.Total ground coverage (m2)	Not applicable
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21.Estimated cost of the project	33000000



Government of Maharashtra

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Resin (Blending)	630	490	1120
2	Polyamides Resins	0	1300	1300
3	Ketonic Resin	0	10	10
4	Phenolic Resin	0	300	300
5	Acrylic Resin	0	1000	1000
6	Polyster Resin	0	1000	1000
7	Amino Resin	0	300	300
8	Polyurethane	0	1500	1500
9	Rosin Esters	0	300	300
10	Alkyd Resin	0	600	600

23. Total Water Requirement

Dry season:	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	Not applicable
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable

Government of
Maharashtra

Wet season:	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	Not applicable
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
Excess treated water	Not applicable	
Details of Swimming pool (If any)	Not applicable	



Government of Maharashtra

24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	1.98	1.17	3.15	0.4	0.23	0.63	1.58	0.94	2.52
Industrial Process	1	1	2	0	0	0	1	6.12	7.12
Cooling tower & thermopack	5.54	41.32	46.86	4.92	36.46	41.38	0.62	4.86	5.48
Gardening	0	27.5	27.5	0	27.5	27.5	0	0	0

25.Rain Water Harvesting (RWH)	Level of the Ground water table:	NA
	Size and no of RWH tank(s) and Quantity:	NA
	Location of the RWH tank(s):	NA
	Quantity of recharge pits:	NA
	Size of recharge pits :	NA
	Budgetary allocation (Capital cost) :	NA
	Budgetary allocation (O & M cost) :	NA
	Details of UGT tanks if any :	NA

26.Storm water drainage	Natural water drainage pattern:	Storm water drainage of adequate capacity will be provided
	Quantity of storm water:	10.35 M3/Hr
	Size of SWD:	The SWD will be designed as per the quantity of storm water expected to be received during rainy season

27.Sewage and Waste water	Sewage generation in KLD:	2.52
	STP technology:	Sewage from domestic activity will be treated in aeration tank of ETP.
	Capacity of STP (CMD):	NA
	Location & area of the STP:	NA
	Budgetary allocation (Capital cost):	NA
	Budgetary allocation (O & M cost):	NA

28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	Construction waste such as left off concrete, stone, aggregates, wooden piles, excavation material etc.
	Disposal of the construction waste debris:	The solid waste generated during construction phase will be disposed off through local body.
Waste generation in the operation Phase:	Dry waste:	Office waste such as paper and other domestic waste
	Wet waste:	NA
	Hazardous waste:	Chemical sludge from wastewater treatment : 1.45 MT/M, Used/ spent oil: 5 Kg/M, Discarded containers barrels/liners/ plastic bags/ PPE etc contaminated with hazardous chemicals /waste : 4800 Nos/M, Evaporation Residue from waste water treatment unit : 0.141 MT/D
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	NA
	Others if any:	E-Waste from office (as per Schedule 1 of E-waste management rule,2016) : 10 Kg/M, HDPE drums/Paper bags (Non-Contaminated) : 2000 Nos/M
Mode of Disposal of waste:	Dry waste:	Through local municipal waste disposal facility
	Wet waste:	NA
	Hazardous waste:	Chemical sludge from wastewater treatment & Evaporation Residue from waste water treatment unit will be disposed through CHWTSDF And Used/ spent oil, Discarded containers barrels/liners/ plastic bags/ PPE etc contaminated with hazardous chemicals /waste will be sold to MPCB authorized recycler
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	NA
	Others if any:	Sale to MPCB approved scrap dealer
Area requirement:	Location(s):	Dedicated area for storage of SHW is provided near to ETP
	Area for the storage of waste & other material:	20 sq.m.
	Area for machinery:	NA
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	2 Lakh
	O & M cost:	10.4 Lakh

29. Effluent Characteristics

Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	pH	-	4.5	6.5-7.5	6.5-7.5
2	COD	mg/l	15000	<250	<250
3	BOD	mg/l	6043	<100	<100
4	TDS	mg/l	1000	<1000	<2100
5	TSS	mg/l	200	<100	<100
Amount of effluent generation (CMD):		15.12 CMD			
Capacity of the ETP:		30 CMD			
Amount of treated effluent recycled :		It will be ZLD unit			
Amount of water send to the CETP:		It will be ZLD unit			
Membership of CETP (if require):		It will be ZLD unit			
Note on ETP technology to be used		Company will utilized existing ETP of 30 CMD capacity, comprises of Primary, Secondary & Tertiary treatment facility. addition to this installation of RO and Evaporator system will be done to achieve complete ZLD			
Disposal of the ETP sludge		Disposal of ETP sludge will be done through CHWTSDF			



**Government of
Maharashtra**

30.Hazardous Waste Details							
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Chemical sludge from wastewater treatment	34.3	MT/M	0.2	1.25	1.45	Through CHWTSDF
2	Used/ spent oil	5.1	Kg/m	5	0	5	Through MPCB authorized recycler
3	Discarded containers barrels/liners/ plastic bags/ PPE etc contaminated with hazardous chemicals /waste	33.1	Nos/M	4800	0	4800	Through MPCB authorized recycler
4	Evaporation Residue from waste water treatment unit	37.3	MT/D	0	0.141	0.141	Through CHWTSDF
5	E-Waste from office	as per Schedule 1 of E-waste management rule,2016	Kg/M	0	10	10	Through MPCB approved vendor
31.Stacks emission Details							
Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases	
1	Common stack attached to Boiler & Thermopack	FO	01	30	0.4	150 Deg C	
2	Stack Attached to DG set	HSD	02	3 m above roof	0.1	190 Deg C	
3	Stack attached to scrubber	-	03	11	0.1	35 Deg C	
32.Details of Fuel to be used							
Serial Number	Type of Fuel	Existing	Proposed	Total			
1	FO	0.96 KLD	1.99 KLD	2.95 KLD			
2	HSD	25 L/Hr	8 L/hr	33 L/Hr			
33.Source of Fuel		Local Vendor					
34.Mode of Transportation of fuel to site		By Road					
35.Energy							

Power requirement:	Source of power supply :	MSEDCL
	During Construction Phase: (Demand Load)	50 KVA
	DG set as Power back-up during construction phase	200 KVA
	During Operation phase (Connected load):	135 KW
	During Operation phase (Demand load):	150 KVA
	Transformer:	135 KW
	DG set as Power back-up during operation phase:	200 KVA
	Fuel used:	HSD
	Details of high tension line passing through the plot if any:	NA

Energy saving by non-conventional method:

NA

36.Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	NA	NA

37.Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
Process Emissions	NA, Since it is only blending process	1 nos scrubber of 1000 CFM capacity will be installed
Boiler & Thermopack	Stack of 21 meter height is provided	Common stack of 30 meters height will be provided
D.G. Set	3 m above roof	3 m above roof

Budgetary allocation (Capital cost and O&M cost):	Capital cost:	NA
	O & M cost:	NA

38.Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	Air Emission	Dust Suppression	1
2	Water Environment	Existing sanitation facilities will be utilized	0

3	Solid Hazardous waste	Handling, transportation and disposal of non hazardous solid waste	1
4	Noise Environment	PUC certified vehicles etc, PPE	0.5

b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Air Environment	Construction of common stack of 30 meters and Installation of new scrubber	18	2.5
2	Noise Environment	Noise Pollution Control, Installation of anti-vibration pads, & Enclosures.	1.2	0.25
3	Water Environment	Up gradation of existing ETP by installation of RO & Evaporator for treatment of RO reject.	45	3
4	Environment Monitoring & Management	Quarterly Environment Monitoring	0	3.5
5	Occupational Health	Glares, Breathing Masks, Gloves, Boots, Helmets, Ear Plugs etc. & annual healthmedical checkup of workers	3	0.7
6	Green Belt	Installation of water drip , Greenbelt development and its maintenance	3.065	2.225
7	Solid Waste Management	Solid Waste Management	2	10.4

39.Storage of chemicals (inflamable/explosive/hazardous/toxic substances)


Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Dimer Acid	Liquid	Tanks	60	60	778	Local	By Road
Ethylenediamine	Liquid	Drums	7.5	7.5	186	Local	By Road
Diethylenetriamine	Liquid	Drums	7.5	7.5	186	Local	By Road
Tetraethylenepentamine	Liquid	Drums	7.5	7.5	186	Local	By Road
Triethylenetetramine	Liquid	Drums	7.5	7.5	186	Local	By Road
Fatty Acid	Liquid	Tank	30	30	240	Local	By Road

Cyclohexanone	Liquid	Drums	2	2	5	Local	By Road
Paraformaldehyde	Solid	Bags	8	8	95	Local	By Road
Phenol	Liquid	Tank	30	30	243.66	Local	By Road
Rosin	Liquid	Drums	25	25	289	Local	By Road
Bisphenol-A	Solid	Bags	1	1	15	Local	By Road
Maleic Anhydride	Solid	Bags	12	12	160.75	Local	By Road
Pentaerythritol	Solid	Bags	1	1	9	Local	By Road
Oxalic Acid	Solid	Bags	0.1	0.1	0.99	Local	By Road
Acrylates	Liquid	Drums	2.9	2.9	75	Local	By Road
Methyl Methacrylate	Liquid	Drums	2.9	2.9	75	Local	By Road
Butyl Acrylate Monomer	Liquid	Drums	2.9	2.9	75	Local	By Road
N-butyl Methacrylate	Liquid	Drums	2.9	2.9	75	Local	By Road
2-Hydroxyethyl Methacrylate	Liquid	Drums	2.9	2.9	75	Local	By Road
Ethyl Acrylate	Liquid	Drums	2.9	2.9	75	Local	By Road
Methacrylates	Liquid	Drums	2.9	2.9	75	Local	By Road
Styrene	Liquid	Tank	25	25	173	Local	By Road
Xylene	Liquid	Tank	50	50	170.13	Local	By Road
Toluene	Liquid	Tank	25	25	170.13	Local	By Road
Cellosolve Acetate	Liquid	Tank	30	30	80	Local	By Road
Butyl Acetate	Liquid	Tank	30	30	80	Local	By Road
Solvent Naphtha	Liquid	Tank	25	25	80	Local	By Road
Initiators	Liquid	Carboy	0.5	0.5	5	Local	By Road
Pthalic Anhydride	Solid	Bags	20.5	20.5	354.75	Local	By Road
Isophthalic acid	Solid	Bags	10	10	128.75	Local	By Road
Poly Acid	Liquid	Drums	13.5	13.5	191.75	Local	By Road
Mono Glycol	Liquid	Drums	10	10	66.66	Local	By Road
Di Glycol	Liquid	Drums	10	10	66.66	Local	By Road
Poly Glycol	Liquid	Drums	10	10	66.66	Local	By Road
Benzoic Acid	Solid	Bags	2	2	42	Local	By Road
Solvent CIX	Liquid	Tank	30	30	98	Local	By Road
Butyl Cellosolve	Liquid	Tank	30	30	98	Local	By Road
Butanol	Liquid	Tank	30	30	56.66	Local	By Road
Octanol	Liquid	Tank	30	30	56.66	Local	By Road
Methanol	Liquid	Tank	25	25	56.66	Local	By Road
Melamine	Solid	Bags	2.5	2.5	33	Local	By Road
Urea	Solid	Bags	2.5	2.5	33	Local	By Road
Epoxy Resins	Liquid	Drums	40	40	430	Local	By Road
Mineral Terpentine Oil	Liquid	Tank	50	50	90.13	Local	By Road
Benzyl Alcohol	Liquid	Drums	1	1	170	Local	By Road
C12-C14 / Ortho Cresol	Liquid	Drums	1	1	73.33	Local	By Road
Monoethylene Glycol	Liquid	Drums	8	8	180	Local	By Road
Diethylene Glycol	Liquid	Drums	8	8	180	Local	By Road
Terephthalic Acid	Liquid	Drums	8	8	180	Local	By Road
Adepic Acid	Liquid	Drums	8	8	180	Local	By Road
Methylene diphenyl diisocyanate	Liquid	Drums	1.33	1.33	30	Local	By Road
Toluene diisocyanate	Liquid	Drums	1.33	1.33	30	Local	By Road
Isophorone diisocyanate	Liquid	Drums	1.33	1.33	30	Local	By Road

Chain extender & cross linkers (Polypropylene Glycol)	Liquid	Drums	2	2	75	Local	By Road
Chain extender & cross linkers (1:4 Butanediol)	Liquid	Drums	2	2	75	Local	By Road
Chain extender & cross linkers (Neopentyl glycol)	Liquid	Drums	2	2	75	Local	By Road
Ethyl Acetate (Thinner)	Liquid	Tank	30	30	263	Local	By Road
Catalyst (TPP / TMP)	Liquid	Carboy	1	1	23	Local	By Road
Glycerin/ Penta Polyol	Liquid	Drum	5	5	115	Local	By Road
Vegetable Oil	Liquid	Drum	10	10	117	Local	By Road
C9 Solvent	Liquid	Tank	25	25	46.8	Local	By Road
White Spirit	Liquid	Tank	25	25	46.8	Local	By Road

40. Any Other Information

No Information Available



Government of Maharashtra

	CRZ/ RRZ clearance obtain, if any:	NA
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	NA
	Category as per schedule of EIA Notification sheet	5(f) Category : B-1
	Court cases pending if any	NA
	Other Relevant Informations	NA
	Have you previously submitted Application online on MOEF Website.	Yes
	Date of online submission	14-02-2018

3. The proposal has been considered by SEIAA in its 143rd meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to take utmost care with respect to the safety and hygiene of the employees.
II	PP to provide new and renewable energy source for the illumination of office building and street lights.
III	PP to submit revised disaster management plan including SoP for all possible hazards.
IV	PP shall not drill new bore without permission from GSDA.
V	PP shall comply with the conditions mentioned with ANNEXURE XXIII of the Office Memorandum issued MoEF&CC vide F.No.22034/2018-IA.III dt. 09.08.2018.

General Conditions:

I	(i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP.
II	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
III	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
IV	Proper Housekeeping programmes shall be implemented.
V	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.
VI	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
VII	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
VIII	Arrangement shall be made that effluent and storm water does not get mixed.
IX	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
X	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
XI	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.

XII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XIII	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
XV	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
XVI	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XVII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XVIII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XIX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in
XXI	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XXIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXIV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

Maharashtra

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

1. SECRETARY MOEF & CC
2. IA- DIVISION MOEF & CC
3. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
4. REGIONAL OFFICE MOEF & CC NAGPUR
5. REGIONAL OFFICE MPCB RAIGAD
6. REGIONAL OFFICE MIDC RAIGAD
7. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
8. COLLECTOR OFFICE RAIGAD

Government of
Maharashtra