



# STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,  
Room No. 217, 2nd floor,  
Mantralaya, Annexe,  
Mumbai- 400 032.  
Date: November 9, 2020

To,  
**Water Resource Department**  
at Across River Uma Near Village Borta

**Subject:** Environment Clearance for Uma Barrage Project

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 176th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 190th meetings.

2. It is noted that the proposal is considered by SEAC-I under screening category Not applicable as per EIA Notification 2006.

## Brief Information of the project submitted by you is as below :-

1.Name of Project	Uma Barrage Project
2.Type of institution	Government
3.Name of Project Proponent	Water Resource Department
4.Name of Consultant	NEERI Nagpur
5.Type of project	Irrigation Project
6.New project/expansion in existing project/modernization/diversification in existing project	New Project
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Not Applicable
8.Location of the project	Across River Uma Near Village Borta
9.Taluka	Murtizapur
10.Village	Borta
11.Whether in Corporation / Municipal / other area	Other
12.IOD/IOA/Concession/Plan Approval Number	Not Applicable
	IOD/IOA/Concession/Plan Approval Number: Not Applicable
	Approved Built-up Area:
13.Note on the initiated work (If applicable)	Not Applicable
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	Not Applicable
15.Total Plot Area (sq. m.)	Not applicable
16.Deductions	Not applicable
17.Net Plot area	Not applicable

SEIAA Meeting No: 190 Meeting Date: March 5, 2020 ( SEIAA-STATEMENT-000000266 )  
SEIAA-MINUTES-0000003089  
SEIAA-EC-0000002333

Page 1 of 11

*M. Patankar*

Manisha Patankar Mhaikar (Member Secretary SEIAA)


18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable
	Non FSI area (sq. m.): Not applicable
	Total BUA area (sq. m.): Not applicable
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.):
	Approved Non FSI area (sq. m.):
	Date of Approval:
19.Total ground coverage (m2)	Not applicable
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21.Estimated cost of the project	2372300000




# Government of Maharashtra

*M. Patankar*

22. Production Details				
Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Dam / Barrage	0.00	20.79 McuM	20.79 MCuM
23. Total Water Requirement				
Dry season:	Source of water	River		
	Fresh water (CMD):	51		
	Recycled water - Flushing (CMD):	Not applicable		
	Recycled water - Gardening (CMD):	Not applicable		
	Swimming pool make up (Cum):	Not applicable		
	Total Water Requirement (CMD) :	Not applicable		
	Fire fighting - Underground water tank(CMD):	Not applicable		
	Fire fighting - Overhead water tank(CMD):	Not applicable		
	Excess treated water	Not applicable		
Wet season:	Source of water	River		
	Fresh water (CMD):	51		
	Recycled water - Flushing (CMD):	Not applicable		
	Recycled water - Gardening (CMD):	Not applicable		
	Swimming pool make up (Cum):	Not applicable		
	Total Water Requirement (CMD) :	Not applicable		
	Fire fighting - Underground water tank(CMD):	Not applicable		
	Fire fighting - Overhead water tank(CMD):	Not applicable		
	Excess treated water	Not applicable		
Details of Swimming pool (If any)		Not applicable		




24.Details of Total water consumed									
Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
Water Requirement	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Fresh water requirement	51	51	51	0	0	0	0	0	0
25.Rain Water Harvesting (RWH)	Level of the Ground water table:		Not applicable						
	Size and no of RWH tank(s) and Quantity:		Not applicable						
	Location of the RWH tank(s):		Not applicable						
	Quantity of recharge pits:		Not applicable						
	Size of recharge pits :		Not applicable						
	Budgetary allocation (Capital cost) :		Not applicable						
	Budgetary allocation (O & M cost) :		Not applicable						
	Details of UGT tanks if any :		Not applicable						
26.Storm water drainage	Natural water drainage pattern:		Not Applicable						
	Quantity of storm water:		Not Applicable						
	Size of SWD:		Not Applicable						
27.Sewage and Waste water	Sewage generation in KLD:		Not applicable						
	STP technology:		Not applicable						
	Capacity of STP (CMD):		Not applicable						
	Location & area of the STP:		Not applicable						
	Budgetary allocation (Capital cost):		Not applicable						
	Budgetary allocation (O & M cost):		Not applicable						



28.Solid waste Management		
Waste generation in the Pre Construction and Construction phase:	Waste generation:	Not applicable
	Disposal of the construction waste debris:	Not applicable
Waste generation in the operation Phase:	Dry waste:	Not applicable
	Wet waste:	Not applicable
	Hazardous waste:	Not applicable
	Biomedical waste (If applicable):	Not applicable
	STP Sludge (Dry sludge):	Not applicable
	Others if any:	Not applicable
Mode of Disposal of waste:	Dry waste:	Not applicable
	Wet waste:	Not applicable
	Hazardous waste:	Not applicable
	Biomedical waste (If applicable):	Not applicable
	STP Sludge (Dry sludge):	Not applicable
	Others if any:	Not applicable
Area requirement:	Location(s):	Not applicable
	Area for the storage of waste & other material:	Not applicable
	Area for machinery:	Not applicable
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Not applicable
	O & M cost:	Not applicable

Government of  
Maharashtra



29.Effluent Charecterestics					
Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Amount of effluent generation (CMD):		Not applicable			
Capacity of the ETP:		Not applicable			
Amount of treated effluent recycled :		Not applicable			
Amount of water send to the CETP:		Not applicable			
Membership of CETP (if require):		Not applicable			
Note on ETP technology to be used		Not applicable			
Disposal of the ETP sludge		Not applicable			



# Government of Maharashtra

*M. Patankar*



30.Hazardous Waste Details							
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

31.Stacks emission Details						
Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

32.Details of Fuel to be used				
Serial Number	Type of Fuel	Existing	Proposed	Total
1	Diesel	Not applicable	Not applicable	Not applicable

33.Source of Fuel	Fuel Station
34.Mode of Transportation of fuel to site	Utility Vehicle

35.Energy		
<b>Power requirement:</b>	Source of power supply :	Diesel Gnerator Set
	During Construction Phase: (Demand Load)	Not applicable
	DG set as Power back-up during construction phase	Not applicable
	During Operation phase (Connected load):	Not applicable
	During Operation phase (Demand load):	Not applicable
	Transformer:	Not applicable
	DG set as Power back-up during operation phase:	Not applicable
	Fuel used:	Diesel
	Details of high tension line passing through the plot if any:	Not applicable
<b>Energy saving by non-conventional method:</b>		
Not applicable		
<b>36.Detail calculations &amp; % of saving:</b>		
Serial Number	Energy Conservation Measures	Saving %
1	Not applicable	Not applicable

37.Details of pollution control Systems							
Source	Existing pollution control system			Proposed to be installed			
Not applicable	Not applicable			Not applicable			
Budgetary allocation (Capital cost and O&M cost):	Capital cost:		Not applicable				
	O & M cost:		Not applicable				
38.Environmental Management plan Budgetary Allocation							
a) Construction phase (with Break-up):							
Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)				
1	Not applicable	Not applicable	Rs. 10.00				
b) Operation Phase (with Break-up):							
Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)			
1	Not applicable	Not applicable	Not applicable	Not applicable			
39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)							
Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
40.Any Other Information							
No Information Available							

Government of  
Maharashtra



	<b>CRZ/ RRZ clearance obtain, if any:</b>	Not applicable
	<b>Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries</b>	Not applicable
	<b>Category as per schedule of EIA Notification sheet</b>	Not applicable
	<b>Court cases pending if any</b>	Not applicable
	<b>Other Relevant Informations</b>	Not applicable
	<b>Have you previously submitted Application online on MOEF Website.</b>	No
	<b>Date of online submission</b>	-

**3. The proposal has been considered by SEIAA in its 190th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:**

**Specific Conditions:**


<b>I</b>	PP to ensure to dispose of all kinds of waste/excess earth/muck as per prevailing rules
<b>II</b>	PP to ensure proper maintenance and protection of tree plantation and achieve maximum possible survival
<b>III</b>	PP to provide noise barriers during operation of the various machineries on site to avoid nuisance of the noise to the surrounding environment
<b>IV</b>	PP to ensure that submergence area to be cleared before impounding of water in the reservoir to ensure the quality of water.
<b>V</b>	PP to take utmost care to reduce air & noise pollution by adopting standard procedures to control or mitigate the air and noise pollution.
<b>VI</b>	PP to ensure that the excavated material is stored on pre designated place and no nuisance is created to the flora and fauna in the vicinity.
<b>VII</b>	PP to ensure adequate ecological flow of water in the downstream of the river.
<b>VIII</b>	PP to prepare and implement CER plan in consultation with the District Authority as per OM issued by MoEF&CC dated 01.05.2018.
<b>IX</b>	PP to identify the potential sources of the water pollution in the tank from nearby habitation and provide adequate treatment system like STP for entering water in the storage tank from the CER and EMP funds to control the water borne diseases.
<b>X</b>	PP to submit a bank guarantee of Rs. 1543.22 Lakhs ( Rs. 15.4322 Crores to Maharashtra Pollution Control Board towards effective implementation of the EMP comprising remediation plan and Natural and Community Resource augmentation Plan.
<b>XI</b>	PP to submit CER as applicable as per MOEF & CC circular dated 1.5.2018 in consultation with District Collector.
<b>XII</b>	PP to ensure to comply with the conditions stipulated in the Office Memorandum issued by MoEF& CC dated 9th August, 2018.

**General Conditions:**

<b>I</b>	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
<b>II</b>	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
<b>III</b>	Proper Housekeeping programmes shall be implemented.
<b>IV</b>	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.


**SEIAA Meeting No: 190 Meeting Date: March 5, 2020 ( SEIAA-STATEMENT-000000266 )  
SEIAA-MINUTES-0000003089  
SEIAA-EC-0000002333**

**Page 9 of 11**



**Manisha Patankar Mhaikar (Member Secretary SEIAA)**

V	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
VI	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
VII	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
VIII	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
IX	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
X	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
XI	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
XII	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
XIII	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XIV	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XV	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XVI	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise break-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
XVII	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <a href="http://ec.maharashtra.gov.in">http://ec.maharashtra.gov.in</a>
XVIII	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XIX	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XX	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXI	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXII	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.



4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

  
Manisha Patankar Mhaiskar (Member Secretary SEIAA)

**Copy to:**

1. SECRETARY MOEF & CC
2. IA- DIVISION MOEF & CC
3. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
4. REGIONAL OFFICE MOEF & CC NAGPUR
5. REGIONAL OFFICE MPCB AMRAVATI
6. REGIONAL OFFICE MIDC AMRAVATI
7. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
8. COLLECTOR OFFICE AKOLA
9. COLLECTOR OFFICE AMRAVATI
10. COLLECTOR OFFICE BULDHANA
11. COLLECTOR OFFICE WASHIM
12. COLLECTOR OFFICE YAVATMAL