

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:May 14, 2018

To.

M/S. Vijay Associates Wadhwa

at Plot Bearing New S. No. 37/1, 37/2, 37/3, 37/4, 37/5, 37/6, 37/7, 37/8, 37/9, 37/10, 37/11, 37/12, 37/13 - 283-A(old), New S.No. 38/1, 38/2 - 283-B(old) , New S.No. 36/1, 36/2A, 36/2B - 146/1, 146/2 (Pt), 146/2(Pt) (old) , New S.No. 10/2 - 147/2 (old), New S.No. 27/2A, 27/2B - 163/2 of Village Dhokali , Taluka. & Dist. Thane

Subject:

Environment Clearance for Amendment in EC Proposed Residential Development 'Everest World' Plot Bearing New S. No. 37/1, 37/2, 37/3, 37/4, 37/5, 37/6, 37/7, 37/8, 37/9, 37/10, 37/11, 37/12, 37/13 - 283-A(old), New S.No. 38/1, 38/2 - 283-B(old) , New S.No. 36/1, 36/2A, 36/2B - 146/1, 146/2 (Pt), 146/2(Pt) (old) , New S.No. 10/2 - 147/2 (old), New S.No. 27/2A, 27/2B - 163/2 of Village Dhokali , Taluka. & Dist. Thane

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 53rd rd meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 128th meetings.

2. It is noted that the proposal is considered by SEAC-II under screening category 8 b (B1) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below:

1.Name of Project	Amendment in EC Proposed Residential Development 'Everest World'		
2.Type of institution	Private		
3.Name of Project Proponent	M/S. Vijay Associates Wadhwa		
4.Name of Consultant	M/s. Enviro Analysts and Engineers Pvt. Ltd		
5.Type of project	housing project		
6.New project/expansion in existing project/modernization/diversification in existing project	amendment project		
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	yes.		
8.Location of the project	Plot Bearing New S. No. 37/1, 37/2, 37/3, 37/4, 37/5, 37/6, 37/7, 37/8,37/9, 37/10, 37/11, 37/12, 37/13 - 283-A(old), New S.No. 38/1, 38/2 - 283-B(old) , New S.No. 36/1, 36/2A, 36/2B - 146/1, 146/2 (Pt), 146/2(Pt) (old) , New S.No. 10/2 - 147/2 (old), New S.No. 27/2A, 27/2B - 163/2 of Village Dhokali , Taluka. & Dist. Thane		
9.Taluka	Thane		
10.Village	Dhokali		
11.Whether in Corporation / Municipal / other area	Thane Municipal Corporation		
	LOI from TMC		
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: Ref. No TMC/TDD/7344 dated 26th oct, 2016		
	Approved Built-up Area: 134122.97		
13.Note on the initiated work (If applicable)	There are existing operating residential building on the plot which have been constructed as per previous EC.		

SEIAA Meeting No: 128 Meeting Date: May 5, 2018 (SEIAA-STATEMENT-0000000298) SEIAA-MINUTES-0000000412 SEIAA-EC-0000000299 - Con-

Shri. Anil Diggikar (Member Secretary SEIAA)

Page 1 of 13

14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	LOI from TMC
15.Total Plot Area (sq. m.)	Total plot area- 90607.52 Sq.m. Plot area considered in expansion: 52797.52 Sq.m
16.Deductions	15% deduction for RG on Plot A and C
17.Net Plot area	52797.52 Sq.m.
	FSI area (sq. m.): For plot A- 77444.89 Sq.m For plot C- 10426.32 Sq.m.
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): 72978.25Sq.m.
1021 1021,	Total BUA area (sq. m.): 160849.46 Sq.m.
	Approved FSI area (sq. m.):
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.):
	Date of Approval:
19.Total ground coverage (m2)	- \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	33.53
21.Estimated cost of the project	3040000000



22.Production Details								
Serial Number	Product	Existing	(MT/M)	Proposed (MT/M)	Total (MT/M)			
1	Not applicable	Not ap	plicable	Not applicable	Not applicable			
	2	23.Tota	l Wate	r Requirement	,			
	Source of	water	TMC/Recyc	cled water				
	Fresh water	er (CMD):	787					
	Recycled v Flushing (393					
	Recycled v Gardening		8	HM F.A.				
	Swimming make up (340	Tef- OZ				
Dry season:	Total Wate Requirement:		1188		Z			
	Undergrou	Fire fighting - Underground water tank(CMD):		for expansion - 150 and 300 Cum				
	Overhead	Fire fighting - Overhead water tank(CMD):		for expansion - 25 Cum each building				
	Excess tre	ated water	457 KLD					
	Source of	water	TMC/Recycled water					
	Fresh water	Fresh water (CMD): 787						
	Recycled v Flushing (393					
	Recycled v Gardening		o dred d'x					
	Swimming make up (340					
Wet seasons	Requireme:	ent (CMD)						
	Fire fighti Undergrou tank(CMD	ınd water	for expansion - 150 and 300 Cum					
	Fire fighti Overhead tank(CMD	water	for expansion - 25 Cum each building					
	Excess treated water			457 KLD				
Details of Sopool (If any)		oove.						

	24.Details of Total water consumed									
Particula rs	Consumption (CMD)			Loss (CMD)			Effluent (CMD)			
Water Require ment	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total	
Domestic	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
		Level of th	e Ground	Ground wat	ter table was	observed at	depths bety	veen 0.5m to	3.5m	
		water table			nd surface ir					
		Size and not tank(s) and Quantity:		NA	HOZ	7/7				
		Location o tank(s):	f the RWH	NA do	TELEOT		7			
25.Rain V		Quantity o pits:	f recharge	4 No's of refor expansi		and 3 No's o	f roof top un	its have been	n proposed-	
Harvesting (RWH)		Size of rec	harge pits	3.5 Mt x 3.5	Mt x 4.0Mt	3	8			
		Budgetary (Capital co	allocation st) :	Rs. 40 lakh						
			allocation st) :	Rs. 50000 per annum						
		Details of if any:	UGT tanks	For expasion - Domestic Water Tank - 85 KLD and 130 KLD Flush Water Tank - 47 KLD and 65 KLD						
		2/	710		0	4	1			
		Natural wa drainage p		as per natural contours						
26.Storm drainage	water	Quantity o water:	165 cum - surface runoff foe expansion							
		Size of SW	D:	450 mm an	d 900 mm wi	ide SWD				
		Sewage ge in KLD:	neration	945						
		STP techno	ology:	MBBR						
27.Sewa	hae and	Capacity o (CMD):	f STP	1.07 MLD						
Waste w	•	Location & the STP:	area of	ground						
		Budgetary (Capital co	allocation ost):	Rs. 125 lak	h					
		Budgetary (O & M cos		rs. 1.25 Lal	khs/annum					

	28.Solid waste Management					
Waste generation in the Pre Construction	Waste generation:	Steel- 2.6 MT, Block Work - 4393 Sq.m., Internal Gypsum - 2636 Sq.m., Extenal plaster - 4393 Sq.m., Internal shaft-4393 Sq.m., Flooring / tiling - 4393 Sq.m.				
and Construction phase:	Disposal of the construction waste debris:	steel- Shall be sold to recycler, Block Work - Shall be used for paving, Iternal Gypsum, internal shaft, external plaster- Plastering waste Shall be used for raft foundation, Floorin/tiling - Tiles shall be used for china mosaic water proofing of terraces.				
	Dry waste:	449 Kg/day - considered for expansion				
	Wet waste:	673 Kg/day -considered for expansion				
Waste generation	Hazardous waste:	if any shall be disposed off as per norms				
in the operation Phase:	Biomedical waste (If applicable):	NA				
T IMOO!	STP Sludge (Dry sludge):	generated fro STP				
	Others if any:					
	Dry waste:	shall be handed over to authorized vendor				
	Wet waste:	shall be treated in OWC				
	Hazardous waste:	if any shall be disposed off as per norms				
Mode of Disposal of waste:	Biomedical waste (If applicable):	NA NA				
	STP Sludge (Dry sludge):	used as manure				
	Others if any:	5				
	Location(s):	Ground				
Area requirement:	Area for the storage of waste & other material:	7.5 Sq.m.				
	Area for machinery:	6 Sq.m.				
Budgetary allocation	Capital cost:	Rs. 20 Lakhs				
(Capital cost and O&M cost):	O & M cost:	Rs.1 Lakh per annum				

Page 5 of 13

	29.Effluent Charecterestics						
Serial Number	Parameters	Unit	Unit Inlet Effluent Outlet Effluent Charecterestics		Effluent discharge standards (MPCB)		
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
Amount of effluent generation (CMD):		Not applicable					
Capacity of	the ETP:	Not applicable					
Amount of t recycled:	reated effluent	Not applicable					
Amount of v	water send to the CETP:	Not applicable					
Membership of CETP (if require):		Not applicable					
Note on ETP technology to be used		Not applicable					
Disposal of	the ETP sludge	Not applicable					



30.Hazardous Waste Details										
Serial Number	Descr	iption	Cat	UOM	Existing	Proposed	Total	Method of Disposal		
1	Not ap	plicable	Not applicable	Not applicable	Not applicabl	Not applicable	Not applicable	Not applicable		
			31.St	acks em	ission 1	Details				
Serial Number	Section	& units	Fuel Us Quar		Stack No	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases		
1	Not ap	plicable	Not app	plicable	Not applicabl	Not applicable	Not applicable	Not applicable		
			32.De	tails of I	uel to	be used				
Serial Number	Туг	e of Fuel	4	Existing	tero	Proposed	5	Total		
1	Not	applicable	9 N	lot applicabl	е	Not applicab	le	Not applicable		
33.Source o		7	2	pplicable	20	199	V'II			
34.Mode of	Transportat	ion of fuel to	site Not a	pplicable		12	()			
图片 人。0克0. 人 当层										
			×	35.Eı	nergy	1	13			
		Source of supply:	power	MSEDCL						
		During Co Phase: (De Load)		100 KVA						
		DG set as i back-up di constructi	uring	रेज्यस्य मुद्रा व्यक्						
Doz		During Op phase (Cor load):		7233.16 KW						
Pov require	_	During Op phase (Der load):		3298.02 KW						
		Transform	er:	5548 kVA						
		DG set as back-up du operation	uring	 DG Selection For Residential Common Area Building no. 14 -625KW DG Selection For Residential Common Area Building no. 15 and 625KW 						
		Fuel used:		HSD	O F					
	Details of high tension line passing through the plot if any:		NA							
		Ener	gy saving	by non-	conver	tional me	thod:			
% Savings t	hrough Ren	ewable energ	gy - 9 %							
		3	6.Detail	calculati	ons &	% of savin	g:			
Serial Number	E	nergy Cons				Saving %				
1	% Sav	ings through	Renewable	enerav - 9 %		% Savings th	rough Rene	wable energy - 9 %		

SEIAA Meeting No: 128 Meeting Date: May 5, 2018 (SEIAA-STATEMENT-000000298)
SEIAA-MINUTES-0000000412
SEIAA-EC-0000000299

Page 7 of 13 Shri. Anil Diggikar (Member Secretary SEIAA)

37.Details of pollution control Systems					
Source	Ex	isting pollution contro	Proposed to be installed		
Not applicable		Not applicable		Not applicable	
Budgetary allocation		Capital cost:	Rs. 100 Lakh		
(Capital cost and O&M cost):		O & M cost:	Rs. 2 Lakh		

38. Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	land environment	Water for Dust Suppression	2
2	Health and Safety	Site Sanitation	2
3	Environmental Monitoring	Environmental Monitoring - Air, Noise, Water, soil	6
4	Health and Safety	Disinfection	1.5
5	Health and Safety	Health Check Up	3.6

b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Water Environment	RWH	40	0.5
2	Water Environment	STP	125	12.5
3	Land Environment	MSW	20	1
4	Energy System	Energy System	100	2

39.Storage of chemicals (inflamable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

40.Any Other Information

No Information Available

SEIAA Meeting No: 128 Meeting Date: May 5, 2018 (SEIAA-STATEMENT-0000000298) SEIAA-MINUTES-0000000412 SEIAA-EC-0000000299 Chri Anil Diggillar (

Page 8 of 13

Shri. Anil Diggikar (Member Secretary SEIAA)

CRZ/ RRZ clearance obtain, if any:	NA
Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	Not Applicable as per ESZ notification dated 5th dec, 2016
Category as per schedule of EIA Notification sheet	8 b (B1)
Court cases pending if any	NA
Other Relevant Informations	there is expansion for only 3 buildings in layout. rest of all buildings have been constructed as per previous EC and OC has been received.
Have you previously submitted Application online on MOEF Website.	Yes
Date of online submission	06-10-2016

3. The proposal has been considered by SEIAA in its 128th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	Committee observed that, RG as per the plans approved in 2007 is about 13199.38 Sq.m and out of it RG on ground is 1876.42 Sq.m. Now proposal is for vertical expansion, PP stated that there is no change in RG approved in the earlier EC which becomes inadequate in terms of RG area on the ground as stipulated by Hon'ble Supreme Court (Civil Appeal No. 11150 of 2013 and SLP (Civil) No. 33402/2012) dated 17th December 2013. This may be rectified
II	PP to submit performance report of existing STP.
III	PP to upload EC compliance report.
IV	PP to achieve 10% energy savings through renewable component (use of solar PV panels) & submit revised energy calculations indicating the same.
v	PP to ensure that width of the road for fire tender movement from all sides should be more than 6 m and turning radius should be 9 meters. PP to submit revised plans indicating the same.
VI	PP to upload the approved plans of the project/ plans submitted for approval to the local body, Disaster Management Plan, Environmental Management Plan, traffic study and other above said compliances etc on the website of ec.mpcb.in
VII	PP, if applicable, PP to leave clear cut side margin of 6 m from the boundary of the plot and open space and non-paved RG area should be on ground as per the orders of Hon'ble Supreme Court (Civil Appeal No. 11150 of 2013 and SLP (Civil) No. 33402/2012) dated 17th December 2013.

General Conditions

General Conditions.	
I	E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
II	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
ш	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
IV	PP has to abide by the conditions stipulated by SEAC& SEIAA.
v	The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.

houohtuo

SEIAA Meeting No: 128 Meeting Date: May 5, 2018 (SEIAA-STATEMENT-0000000298) SEIAA-MINUTES-0000000412 SEIAA-EC-0000000299 Con.

Shri. Anil Diggikar (Member Secretary SEIAA)

VI	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
VII	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
VIII	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
IX	The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
X	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
XI	Arrangement shall be made that waste water and storm water do not get mixed.
XII	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
XIII	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
XIV	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XV	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
XVI	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
XVII	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
XVIII	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
XIX	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
XX	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
XXI	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
XXII	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
XXIII	Ready mixed concrete must be used in building construction.
XXIV	Storm water control and its re-use as per CGWB and BIS standards for various applications.
XXV	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
XXVI	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
XXVII	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
XXVIII	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
XXIX	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
XXX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.

XXXI	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
XXXII	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
XXXIII	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.
XXXIV	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
XXXV	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
XXXVI	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
XXXVII	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
xxxvIII	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
XXXIX	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
XL	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
XLI	Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB,
XLII	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
XLIII	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
XLIV	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
XLV	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
XLVI	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
XLVII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XLVIII	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
XLIX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.
L	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.

LI	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
LII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
LIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
LIV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.



- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

- 1. SECRETARY MOEF & CC
- 2. IA- DIVISION MOEF & CC
- 3. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 4. REGIONAL OFFICE MOEF & CC NAGPUR
- 5. MUNICIPAL COMMISSIONER THANE
- 6. REGIONAL OFFICE MPCB THANE
- 7. REGIONAL OFFICE MIDC AMBERNATH
- 8. REGIONAL OFFICE MIDC THANE
- 9. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- 10. COLLECTOR OFFICE THANE

Maharashtra