



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: July 8, 2021

To,
Jawaharlal Nehru Port Trust
at Survey Nos. 25 of Javasgaon and 318 of Daregaon Villages in Jalna District, Maharashtra

Subject: Environment Clearance for Proposed Development of Dry Port (Inland Container Depot)

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-III, Maharashtra in its 113th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 222nd meetings.

2. It is noted that the proposal is considered by SEAC-III under screening category 8(b) - Township and Area Development Project as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	Proposed Development of Dry Port (Inland Container Depot) at Javasgaon and Daregaon Villages in Jalna District, Maharashtra by JNPT
2.Type of institution	Government
3.Name of Project Proponent	Jawaharlal Nehru Port Trust
4.Name of Consultant	Sri Sai Manasa Nature Tech Private Limited
5.Type of project	Townships and Area Development Project
6.New project/expansion in existing project/modernization/diversification in existing project	New Project
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	This is new Project
8.Location of the project	Survey Nos. 25 of Javasgaon and 318 of Daregaon Villages in Jalna District, Maharashtra
9.Taluka	Jalna
10.Village	Javasgaon & Daregaon
Correspondence Name:	Sri. S.V. Madabhavi, Chief Manager, PDD, JNPT
Room Number:	CM Chamber
Floor:	Second Floor
Building Name:	JNPT Administrative Building
Road/Street Name:	JNPT Road
Locality:	Sheva
City:	Uran
11.Whether in Corporation / Municipal / other area	Other Area
12.IOD/IOA/Concession/Plan Approval Number	This is not building Project-NA IOD/IOA/Concession/Plan Approval Number: Not Applicable Approved Built-up Area: 87600

SEIAA Meeting No: 222 Meeting Date: July 15, 2021 (SEIAA-STATEMENT-000001681)
SEIAA-MINUTES-0000003381
SEIAA-EC-0000002352

Page 1 of 12

Manisha Patankar Mhaiskar (Member Secretary SEIAA)


13.Note on the initiated work (If applicable)	DPR prepared for Development of Dry Port
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	This is not building Project-Not Applicable
15.Total Plot Area (sq. m.)	181.89 Hectare
16.Deductions	This is not building Project-Not Applicable
17.Net Plot area	181.89 Hectare
18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): This is not building Project-Not Applicable
	Non FSI area (sq. m.): Not applicable
	Total BUA area (sq. m.): 181.89
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.): This is not building Project-Not Applicable
	Approved Non FSI area (sq. m.): This is not building Project-Not Applicable
	Date of Approval: 01-01-1900
19.Total ground coverage (m2)	243100
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	13.37
21.Estimated cost of the project	5604700000



Government of Maharashtra

M. Patankar

22. Production Details				
Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Proposed project is a development of dry port	Not Applicable	Not Applicable	Not Applicable
23. Total Water Requirement				
Dry season:	Source of water	MIDC		
	Fresh water (CMD):	918		
	Recycled water - Flushing (CMD):	4		
	Recycled water - Gardening (CMD):	10		
	Swimming pool make up (Cum):	Not applicable		
	Total Water Requirement (CMD) :	918		
	Fire fighting - Underground water tank(CMD):	No underground Tank is proposed		
	Fire fighting - Overhead water tank(CMD):	No overhead tank is proposed		
	Excess treated water	Nil		
Wet season:	Source of water	MIDC		
	Fresh water (CMD):	918		
	Recycled water - Flushing (CMD):	14		
	Recycled water - Gardening (CMD):	Not applicable		
	Swimming pool make up (Cum):	Not applicable		
	Total Water Requirement (CMD) :	918		
	Fire fighting - Underground water tank(CMD):	No underground Tank is proposed		
	Fire fighting - Overhead water tank(CMD):	No overhead tank is proposed		
	Excess treated water	Nil		
Details of Swimming pool (If any)	Not applicable- Proposed project is a liquid Cargo Jetty.			



24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Fresh water requirement	0	918	918	0	904	904	0	14	14

25.Rain Water Harvesting (RWH)	Level of the Ground water table:	20 to 25 m below ground level
	Size and no of RWH tank(s) and Quantity:	1 No. 100 x 50 x 2 = 10000 m ³
	Location of the RWH tank(s):	South corner of the proposed project area
	Quantity of recharge pits:	Nil
	Size of recharge pits :	Nil
	Budgetary allocation (Capital cost) :	Naturally available at site shall be used as a RWH pit
	Budgetary allocation (O & M cost) :	Nil
	Details of UGT tanks if any :	NOT APPLICABLE


26.Storm water drainage	Natural water drainage pattern:	South and east of the proposed project area
	Quantity of storm water:	2376.4 m ³
	Size of SWD:	Width -1 m & Depth - 1.5 m (Average Depth)

27.Sewage and Waste water	Sewage generation in KLD:	14
	STP technology:	Waste water treatment using SBR Technology.
	Capacity of STP (CMD):	1 - 25 KLD
	Location & area of the STP:	South corner of the proposed project area. Will be provide in EIA.
	Budgetary allocation (Capital cost):	14290000
	Budgetary allocation (O & M cost):	500000

28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	None
	Disposal of the construction waste debris:	Not Applicable
Waste generation in the operation Phase:	Dry waste:	36 kg/day
	Wet waste:	72 kg/day
	Hazardous waste:	None
	Biomedical waste (If applicable):	None
	STP Sludge (Dry sludge):	1.5 kg/day
	Others if any:	None
Mode of Disposal of waste:	Dry waste:	Recyclable
	Wet waste:	Composting
	Hazardous waste:	Not Applicable
	Biomedical waste (If applicable):	Not Applicable
	STP Sludge (Dry sludge):	Shall be used as a manure for greenbelt
	Others if any:	Not Applicable
Area requirement:	Location(s):	Not Applicable
	Area for the storage of waste & other material:	Not Applicable
	Area for machinery:	Not applicable
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Not applicable
	O & M cost:	Not Applicable

Government of
Maharashtra



29.Effluent Charecterestics

Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)
1	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Amount of effluent generation (CMD):		Not Applicable			
Capacity of the ETP:		Not Applicable			
Amount of treated effluent recycled :		Not Applicable			
Amount of water send to the CETP:		Not Applicable			
Membership of CETP (if require):		Not Applicable			
Note on ETP technology to be used		Not Applicable			
Disposal of the ETP sludge		Not Applicable			



Government of Maharashtra

30. Hazardous Waste Details

Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	None	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

31. Stacks emission Details

Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	DG Set	Diesel 240 lph	1	18.9	0.5	NA

32. Details of Fuel to be used

Serial Number	Type of Fuel	Existing	Proposed	Total
1	None	NA	NA	NA

33. Source of Fuel: NA

34. Mode of Transportation of fuel to site: NA

35. Energy

Power requirement:	Source of power supply :	MSTCL, Maharashtra Govt.
	During Construction Phase: (Demand Load)	Construction phase power supply will be met by DG sets. 2000 KVA
	DG set as Power back-up during construction phase	None
	During Operation phase (Connected load):	214 MVA
	During Operation phase (Demand load):	214 MVA
	Transformer:	214 MVA
	DG set as Power back-up during operation phase:	2 x 1000 KVA
	Fuel used:	Diesel
	Details of high tension line passing through the plot if any:	Two high tension lines are passing through the proposed project area

Energy saving by non-conventional method:

Southern edge of each plot will have solar panel to harness solar energy. Also, building roofs have photovoltaic solar panels as a energy saving by non conventional method.

36. Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	Yes, detail will give in EIA report	Yes, detail will give in EIA report

37.Details of pollution control Systems							
Source	Existing pollution control system			Proposed to be installed			
2 x 1000 KVA DG Set	Not Applicable			Available latest technology will be used			
Budgetary allocation (Capital cost and O&M cost):	Capital cost:		Detail will give in EIA report				
	O & M cost:		Detail will give in EIA report				
38.Environmental Management plan Budgetary Allocation							
a) Construction phase (with Break-up):							
Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)				
1	Construction	Construction of STP & STP conveying pipelines and other environmental related works	18000000				
b) Operation Phase (with Break-up):							
Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)			
1	Dust Suppression on internal approach roads and site connecting road	Water tankers will be used	Not Applicable	5.0			
2	Sewage Treatment Plant	Operation and Maintenance	142.9	5.0			
3	Greenbelt Development	Leveling and developing	18.0	10.0			
4	Environmental Monitoring	Monitoring of Environmental parameters	Not Applicable	4.0			
5	Site Housekeeping	Housekeeping of proposed project area	Not Applicable	11.52			
6	Miscellaneous Environmental Works	Environmental related works	20.0	5.0			
39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)							
Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
None	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
40.Any Other Information							
No Information Available							

	CRZ/ RRZ clearance obtain, if any:	Not Applicable
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	No protected area is falling in 10 km radius of the proposed project site
	Category as per schedule of EIA Notification sheet	8(b) - Township and Area Development Project
	Court cases pending if any	No
	Other Relevant Informations	No
	Have you previously submitted Application online on MOEF Website.	Yes
	Date of online submission	01-01-1900


3. The proposal has been considered by SEIAA in its 222nd meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to undertake Miyawaki plantation of native and indigenous trees such as Banyan, Peepal, Neem, Jamun and other suitable trees as per the Forest Department, Govt. of Maharashtra circular no SaVaVi-2019/C.R.3/F-11, dated 25th June, 2019. The said plantation to be completed in the first year of operation of Environment Clearance under expert guidance of Miyawaki experts / arborist.
II	PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
III	PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
IV	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
V	EIAA after deliberation decided to grant Environment Clearance for- FSI- 62711.40 m ² , Non FSI- 6503.93 m ² , Total BUA- 69215.33 m ² (Plan Approval dated 03.10.2019).

General Conditions:

Government of Maharashtra



I	<p>a) Construction Phase :- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material. II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority. III. Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board. IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured. V. Arrangement shall be made that waste water and storm water do not get mixed. VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices. VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority. VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project. IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control. X. The Energy Conservation Building code shall be strictly adhered to. XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site. XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved. XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants. XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance. XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards. XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance. XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages. XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB. XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board. XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.</p>
---	--

Government of Maharashtra

II	<p>Operation phase:- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material. II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016. III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this. IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement. V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms. VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized. VII. PP to provide adequate electric charging points for electric vehicles (EVs). VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept. IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards. X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes. XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://parivesh.nic.in XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year. XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent. XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.</p>
III	<p>General EC Conditions:- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA. II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site. III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance. IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail. VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA. as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any. VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.</p>

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.


6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Manisha Patankar Mhaiskar (Member Secretary SEIAA)

Copy to:

1. SECRETARY MOEF & CC
2. IA- DIVISION MOEF & CC
3. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
4. REGIONAL OFFICE MOEF & CC NAGPUR
5. MUNICIPAL COMMISSIONER AURANGABAD
6. REGIONAL OFFICE MPCB AURANGABAD
7. REGIONAL OFFICE MIDC AURANGABAD
8. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
9. COLLECTOR OFFICE JALNA
10. COLLECTOR OFFICE AURANGABAD
11. COLLECTOR OFFICE LATUR
12. COLLECTOR OFFICE NANDED
13. COLLECTOR OFFICE OSMANABAD
14. COLLECTOR OFFICE HINGOLI
15. COLLECTOR OFFICE PARBHANI
16. COLLECTOR OFFICE BEED

