



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date:February 18, 2019

To,
District Mining Officer, Nagpur
at Adj. Kh No.: 532/1,532/2,541,542, Chikna Village, Mauda Tehsil, Nagpur District,N21° 06' 38.40" E79° 24' 06.10",N21° 06' 46.16" E79° 23' 48.96", N21° 06' 43.74" E79° 23' 47.19", N21° 06' 35.95" E79° 24' 04.39"

Subject: Environment Clearance for Environmental Clearance for Chiknaghat River Bed Sand Mine / Sand Ghat
Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 160th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 155th meetings.

2. It is noted that the proposal is considered by SEAC-I under screening category 1(a) B2 as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-


1.Name of Project	Chiknaghat River Bed Sand Mine / Sand Ghat
2.Type of institution	Government
3.Name of Project Proponent	District Mining Officer, Nagpur
4.Name of Consultant	Mantras Green Resources Limited
5.Type of project	Mining
6.New project/expansion in existing project/modernization/diversification in existing project	New project
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Not Applicable
8.Location of the project	Adj. Kh No.: 532/1,532/2,541,542, Chikna Village, Mauda Tehsil, Nagpur District,N21° 06' 38.40" E79° 24' 06.10",N21° 06' 46.16" E79° 23' 48.96", N21° 06' 43.74" E79° 23' 47.19", N21° 06' 35.95" E79° 24' 04.39"
9.Taluka	Mauda
10.Village	Chiknaghat
Correspondence Name:	Mr. Milind Prabhakar Baranpurkar
Room Number:	NA
Floor:	NA
Building Name:	Khanikarma vibhag, District Collectorate
Road/Street Name:	Ravindra Nath Tagore Marg
Locality:	Civil Lines
City:	Nagpur
11.Whether in Corporation / Municipal / other area	Not applicable
12.IOD/IOA/Concession/Plan Approval Number	Not applicable IOD/IOA/Concession/Plan Approval Number: Not applicable Approved Built-up Area:

SEIAA Meeting No: 155 Meeting Date: February 7, 2019 (SEIAA-STATEMENT-000001986)
SEIAA-MINUTES-000001011
SEIAA-EC-000000707

Page 1 of 13


Shri. Anil Diggikar (Member Secretary SEIAA)

13.Note on the initiated work (If applicable)	Not applicable
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	Mine Plan Approved by DGM, Nagpur
15.Total Plot Area (sq. m.)	4.95 Ha
16.Deductions	Not applicable
17.Net Plot area	Not applicable
18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable
	Non FSI area (sq. m.): Not applicable
	Total BUA area (sq. m.):
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.): Not applicable
	Approved Non FSI area (sq. m.): Not applicable
	Date of Approval: 12-09-2018
19.Total ground coverage (m2)	Not applicable
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21.Estimated cost of the project	8055000



Government of Maharashtra

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Sand	Nil	8746 Brass	8746 Brass

23. Total Water Requirement

Dry season:	Source of water	Tanker water from nearby village
	Fresh water (CMD):	5
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	5
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable
Wet season:	Source of water	Surface Water and Borewells
	Fresh water (CMD):	5
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	5
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable
Details of Swimming pool (If any)	Not applicable	

24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	0	0.50	0.50	0	0.50	0.50	0	0	0
Gardening	0	0.40	0.40	0	0.40	0.40	0	0	0
Industrial Process	0	1.10	1.10	0	1.10	1.10	0	0	0

25.Rain Water Harvesting (RWH)	Level of the Ground water table:	8-10m during pre monsoon
	Size and no of RWH tank(s) and Quantity:	Not applicable
	Location of the RWH tank(s):	Not applicable
	Quantity of recharge pits:	Not applicable
	Size of recharge pits :	Not applicable
	Budgetary allocation (Capital cost) :	Not applicable
	Budgetary allocation (O & M cost) :	Not applicable
	Details of UGT tanks if any :	Not applicable

26.Storm water drainage	Natural water drainage pattern:	Not applicable. Rain water will flow along the slopes and seep through the sand bed to meet the river stream.
	Quantity of storm water:	Nil
	Size of SWD:	Not applicable

27.Sewage and Waste water	Sewage generation in KLD:	Nil
	STP technology:	Not applicable
	Capacity of STP (CMD):	Not applicable
	Location & area of the STP:	Not applicable
	Budgetary allocation (Capital cost):	Not applicable
	Budgetary allocation (O & M cost):	Not applicable

28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	Not applicable
	Disposal of the construction waste debris:	Not applicable
Waste generation in the operation Phase:	Dry waste:	Solid wastes not applicable as small mines & impacts are negligible
	Wet waste:	Nil
	Hazardous waste:	Not applicable
	Biomedical waste (If applicable):	Not applicable
	STP Sludge (Dry sludge):	Not applicable
	Others if any:	Not applicable
Mode of Disposal of waste:	Dry waste:	Solid wastes not applicable as small mines & impacts are negligible
	Wet waste:	Not applicable
	Hazardous waste:	Not applicable
	Biomedical waste (If applicable):	Not applicable
	STP Sludge (Dry sludge):	Not applicable
	Others if any:	Not applicable
Area requirement:	Location(s):	Sand is mined
	Area for the storage of waste & other material:	Not applicable
	Area for machinery:	Not applicable
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Not applicable
	O & M cost:	Not applicable

Government of
Maharashtra

29. Effluent Characteristics

Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Amount of effluent generation (CMD):		Not applicable			
Capacity of the ETP:		Not applicable			
Amount of treated effluent recycled :		Not applicable			
Amount of water send to the CETP:		Not applicable			
Membership of CETP (if require):		Not applicable			
Note on ETP technology to be used		Not applicable			
Disposal of the ETP sludge		Not applicable			



Government of Maharashtra

30.Hazardous Waste Details

Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Not applicable						

31.Stacks emission Details

Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

32.Details of Fuel to be used

Serial Number	Type of Fuel	Existing	Proposed	Total
1	Not applicable	Not applicable	Not applicable	Not applicable

33.Source of Fuel Not applicable

34.Mode of Transportation of fuel to site Not applicable

35.Energy

Power requirement:	Source of power supply :	Electricity Not required. Day time working only.
	During Construction Phase: (Demand Load)	Not Applicable
	DG set as Power back-up during construction phase	Not Applicable
	During Operation phase (Connected load):	Not Applicable
	During Operation phase (Demand load):	Not Applicable
	Transformer:	Not Applicable
	DG set as Power back-up during operation phase:	Not Applicable
	Fuel used:	Not Applicable
	Details of high tension line passing through the plot if any:	Not Applicable

Energy saving by non-conventional method:

Not Applicable

36.Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	Not applicable. Day time working only.	Not applicable

37.Details of pollution control Systems		
Source	Existing pollution control system	Proposed to be installed
Not applicable	Not applicable	Not applicable
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Not applicable
	O & M cost:	Not applicable

38.Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	Air Pollution Control	Water for dust suppression	Not applicable
2	Haul Road Maintenance	Haul Road Maintenance	Not Applicable
3	Green belt & Maintenance	Green belt & Maintenance	Not Applicable
4	Pollution Monitoring	Air, noise, water & soil	Not Applicable

b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Environmental Monitoring programme	Monitoring for Air, water, noise & groundwater	0	0.50
2	Air Pollution Control	Water sprinkling during mining activities	0	4.50
3	Water Pollution Control	Construction of bund along lease boundary	0.50	0
4	Noise pollution	Plantation including tree guard	1.00	0.50
5	Occupational Health & safety	Periodic Health Checkups of workers	0	0.50

39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

40.Any Other Information

No Information Available

	CRZ/ RRZ clearance obtain, if any:	Not Applicable
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	Not Applicable
	Category as per schedule of EIA Notification sheet	1(a) B2
	Court cases pending if any	Not Applicable
	Other Relevant Informations	Not Applicable
	Have you previously submitted Application online on MOEF Website.	No
	Date of online submission	-

3. The proposal has been considered by SEIAA in its 155th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to ensure no stream is diverted due to sand mining activity.
II	PP shall carry out sand mining by manual method only. No mechanical/electrical/power driven devices shall be used for sand mining.
III	PP to ensure that mining/ loading activity shall be restricted to day hours' time only. No mining activity shall be carried out after sunset and before sun rise.
IV	PP to adhere to the provisions stipulated in the Sustainable Sand Mining Guidelines issued by MoEF&CC, Maharashtra Minor Mineral Extraction (Development and Regulation) Rules, 2013 and Sand Extraction Policy issued by Maharashtra Government in Revenue and Forest Department.
V	PP to ensure strict compliance of all conditions stipulated in the Environmental Clearance. The District Collector and District Mining Officer shall be held responsible for the noncompliance of the conditions.
VI	PP to ensure that there is no damage to any fauna and its nesting close to the sand mining.
VII	PP to ensure that adequate measures like maintenance of roads, sprinkling of water and plantation is carried out to reduce the dust particulate matter pollution.
VIII	The District Collector and District Mining Officer shall ensure that there is no violation of any order with respect to the sand mining passed by the Competent Court. (Particularly, the directions given by Hon'ble Supreme Court of India vide order dated 27.02.2012 in Deepak Kumar case [SLP (C) Nos. 19628-19629 of 2009] and order dated 05.08.2013 of the Hon'ble National Green Tribunal in application No. 171/2013 be strictly followed.
IX	9. PP to provide movable toilets to the workers working in the area and the sewage generated shall be properly collected and treated so as to conform to the standards prescribed by MoEF&CC and CPCB.
X	PP to ensure that no wild life habitat is infringed.
XI	PP to ensure that parking shall not be made on Public roads or in the river bed.
XII	The sand transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.
XIII	PP to provide First Aid facility at the proposed mining site.
XIV	The digital processing of the entire lease area in the district using remote sensing technique including GPS shall be monitored regularly.

XV	District Collector and District Mining Officer to ensure the directions given by Hon'ble National Green Tribunal, Pune in Appeal No 10/2013 (WZ) dated 1st October 2013 as bellow- ".....However, we direct that when further auctioning process is required to be conducted, ordinarily, the sand beds falling between the sand beds which are now already auctioned shall be avoided unless there is special certification issued by the competent authority which would indicate absence of any environmental damage, having regard to precautionary principle which is required to be adopted. We mean to say, it should not happen that presently the sand beds are auctioned by keeping distance of 1 k.m. from each other and gap is filled up subsequently under one or another pretext." Distance between lease area to be marked as per actual shape and size, on Village Map or authenticated map available with Revenue Authority and ensure provisions regarding distance between two lease area and total lease area in the OM dated 24th December 2013 issued by MoEF. The validity of EC to the above mentioned sand block satisfying stipulated conditions is up to 30th September, 2019 only. This Environmental Clearance given is subject to the final order of application no. 520/2016 (Vikrant Tongad Vs Union of India & Oths) pending before Hon'ble NGT, Project proponent to follow the standard environmental conditions for sand mining, as per the sustainable sand mining management guidelines 2016, issued by MoEF & CC. Project proponent to ensure the strictly implementation of Environment management plan.
-----------	---

General Conditions:

I	District Collector and District Mining Officer to ensure the directions given by Hon'ble National Green Tribunal, Pune in Appeal No 10/2013 (WZ) dated 1st October 2013 as bellow- However, we direct that when further auctioning process is required to be conducted, ordinarily, the sand beds falling between the sand beds which are now already auctioned shall be avoided unless there is special certification issued by the competent authority which would indicate absence of any environmental damage, having regard to precautionary principle which is required to be adopted. We mean to say, it should not happen that presently the sand beds are auctioned by keeping distance of 1 k.m. from each other and gap is filled up subsequently under one or another pretext.
II	Distance between lease area to be marked as per actual shape and size, on Village Map or authenticated map available with Revenue Authority and ensure provisions regarding distance between two lease area and total lease area in the OM dated 24th December 2013 issued by MoEF
III	The validity of EC to the above mentioned sand block satisfying stipulated conditions is up to 30th September, 2019 only.
IV	Project proponent to follow the standard environmental conditions for sand mining of sustainable sand mining management guidelines 2016, issued by MoEF & CC.
V	Project proponent to ensure the strictly implementation of Environment management plan.
VI	District Collector to ensure that conditions stipulated in the Government Resolution (G.R.) dated 31.01.2018 issued by Revenue and Forest Department, Government of Maharashtra (GoM) is implemented in letter and spirit.
VII	Sand excavation is allowed only for the Reti Guts having sand deposition more than 2 m and excavation should be for layers above 2 m of sand deposit as recommended by GSDA.
VIII	The instructions of MoEF & CC in the Sustainable sand mining guidelines 2016 [regarding sand mining approval and tracking system and transport of excavated sand] should be followed.
IX	District Collector to ensure that every receipt given is serially scanned and registration number so generated must be written on such receipt to avoid duplication and unauthorized transportation of the sand.
X	Project Proponent to ensure that vehicles transporting sand should not be overloaded beyond stated capacity.
XI	The District collector should ensure that mining will be done strictly up to the depth recommended by GSDA.
XII	The green belt development /tree plantation will be made either on river bank or along road side.
XIII	Measures for prevention & control of soil erosion and management of silt shall be undertaken.
XIV	Project Proponent to ensure that there is no violation of the Supreme Court order and orders of the National Green Tribunal given in the related matters.
XV	Project Proponent & District Mining Officer will be held individually responsible for non compliance of the conditions stipulated in the Environmental clearance and shall be liable for legal action under Environment (Protection) Act of 1986.
XVI	Transport of sand should be through vehicle which is properly covered with Tarpaulin and it should not be overloaded.
XVII	Project Proponent to ensure that the mining plan is approved by Director of Geology and Mining comprising study to show that annual replenishment of sand in the mining lease area is sufficient to sustain the mining operations at levels prescribed in the mining plan and that the transport infrastructure is adequate to transport the mined material.
XVIII	Provisions stipulated in Maharashtra Minor Minerals Extraction (development and Regulation) Rules 2013 and Government Resolution of Revenue and Forest Department dated 03.01.2018 shall be strictly followed by Project proponent.

XIX	The depth of sand layer to be mined, after retaining 2 m minimum layer below, should not be more than 2 meters as per Government Resolution of Revenue Department dated 03.01.2018 e.g. if the total depth of sand is 3 m, only up to one meter of sand shall be mined.
XX	Project Proponent or District Collector will take bank guarantee up to 2% of the total auction cost for the given auction period from the Lessee to ensure the compliance of the conditions stipulated. In case of violation of stipulated conditions by the Lessee, bank guarantee so obtained shall be forfeited and legal action under the law should initiated against such Lessee.
XXI	The distance 3 m or 10 % of the width of river whichever is more will be kept intact as a no mining zone.
XXII	No cutting of the trees shall be done while excavating the sand or while constructing the access road to sand ghat.
XXIII	All mining shall be carried out manually.
XXIV	Underwater mining shall not be permitted without the specific expert sanction of the State Government only for prevention of flood and increasing the capacity of reservoir if any
XXV	It shall be ensured that excavation of minor mineral does not disturb or change the underlying soil characteristics of the river bed /basin, where mining is carried out.
XXVI	It shall be ensured that mining does not in any way disturb the turbidity, velocity and flow pattern of the river water.
XXVII	It shall be ensured that there is no fauna dependent on the river bed or areas close to mining for its nesting is disturbed.
XXVIII	Turtle nesting units conservation is very important. Therefore sand mining in such areas is to be prohibited.
XXIX	Precise mining area will be jointly demarcated at site by officials of Mining/Revenue department prior to mining operations for all proposals under consideration. Such site plan, duly verified by competent authority shall be submitted to Environment Department.
XXX	All necessary statutory clearances shall be obtained before start of mining operations.
XXXI	No mining shall be carried out in the live streams.
XXXII	Mining shall be limited to day hours time only.
XXXIII	No mining shall be carried out in the safety zone of any bridge and/or embankment.
XXXIV	No mining shall be carried out in the vicinity of natural/ manmade archaeological sites.
XXXV	The lease holder shall obtain necessary prior permission of the competent authorities for drawal of requisite quantity of water (surface water and groundwater), if required for the project.
XXXVI	Waste water, if any, shall be properly collected and treated so as to conform to the standards prescribed by MoEF/CPCB.
XXXVII	No wildlife habitat will be infringed.
XXXVIII	Environmental clearance is subject to obtaining clearance under the Wildlife (Protection) Act, 1972 from the competent authority, if applicable to this project.
XXXIX	Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Horticulture Officer.
XL	Parking of vehicles should not be made on public places.
XLI	Transportation of materials shall be done by covering the trucks / tractors with tarpaulin or other suitable mechanism so that no spillage of mineral/dust takes place.
XLII	It shall be ensured that there is no leakage of oil and grease from the vehicles used for transportation.
XLIII	Special Measures shall be adopted to prevent the nearby settlements from the impacts of mining activities. Maintenance of roads through which transportation of minor minerals is to be undertaken, shall be carried-out regularly.
XLIV	Provision for first-aid, medical health care safe drinking water, and sanitation etc. shall be provided at site.
XLV	Ambient air quality will be monitored at the site and the nearest habitation regularly. Ambient air quality at the boundary of the precise mining area shall conform to the norms prescribed by MoEF & CC, GOI.
XLVI	Measures shall be taken for control of noise level to the limits prescribed by CPCB
XLVII	Any change in mining area, khasra /Gat numbers, entailing capacity addition with change in process and or mining technology, modernization and scope of working shall again require prior Environmental Clearance as per provisions of EIA Notification, 2006 (as amended).
XLVIII	SEAC appraised the proposals on the basis of information submitted by concerned District Mining Officer. Mining Officer shall submit the list of blocks satisfying conditions stipulated above to Revenue & Environment dept. The list of blocks and conditions stipulated above shall be made available in public domain.

XLIX	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Honi2½ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
L	In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
LI	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason after consultation with SEIAA.
LII	In case of any deviation or alteration in the project proposal from the one submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
LIII	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
LIV	Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010



Government of Maharashtra

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

1. SECRETARY MOEF & CC
2. IA- DIVISION MOEF & CC
3. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
4. REGIONAL OFFICE MOEF & CC NAGPUR
5. MUNICIPAL COMMISSIONER NAGPUR
6. REGIONAL OFFICE MPCB NAGPUR
7. REGIONAL OFFICE MIDC NAGPUR
8. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
9. COLLECTOR OFFICE BHANDARA
10. COLLECTOR OFFICE NAGPUR
11. COLLECTOR OFFICE WARDHA
12. COLLECTOR OFFICE GADCHIROLI

Government of
Maharashtra