

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:May 7, 2019

To, **Mr. Sachin Lodha** at Survey no. 109/110

Subject: Environment Clearance for Proposed Residential and Commercial Project

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-III, Maharashtra in its 81st meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 165th meetings.

2. It is noted that the proposal is considered by SEAC-III under screening category B as per EIA Notification 2006.

Brief Information of the project submitted by you is as below:-

1.Name of Project	Aditya Garden City					
2.Type of institution	Private					
3.Name of Project Proponent	Mr. Sachin Lodha					
4.Name of Consultant	Mr. Rajesh Shrivastava Pollution & Ecology Control Services (PECS)					
5.Type of project	Residential and Commercial Project					
6.New project/expansion in existing project/modernization/diversification in existing project	Expansion in Existing Project					
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Environmental Clearance vide No. 21- 848/2007-1A. III dated 8th April 2008 obtained and construction completed as per obtained EC.					
8.Location of the project	Survey no. 109/110					
9.Taluka	Haveli					
10.Village	Warje					
Correspondence Name:	Mr. Sachin Lodha					
Room Number:	619					
Floor:	analaonta					
Building Name:	Mayanagri					
Road/Street Name:	Bajirao Road					
Locality:	Sadashiv Peth					
City:	Pune					
11.Whether in Corporation / Municipal / other area	Corporation Area					
	Pune Municipal Corporation					
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: CC/3247/14 dated 31.12.2014					
E E	Approved Built-up Area: 106225.43					
13.Note on the initiated work (If applicable)	EC Previously granted vide No. 21- 848/2007-1A. III dated 8th April 2008 for 75021.37 Sqm. The construction is completed & occupancy is given for BUA- 74911.97 Sqm.					

SEIAA Meeting No: 165 Meeting Date: April 25, 2019 (SEIAA-STATEMENT-0000001132) SEIAA-MINUTES-0000001857 SEIAA-EC-0000001502 Con.

Shri. Anil Diggikar (Member Secretary SEIAA)

Page 1 of 14

14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	NA
15.Total Plot Area (sq. m.)	131300 Sqm
16.Deductions	71969.33 Sqm
17.Net Plot area	59330.67 Sqm
	FSI area (sq. m.): 92347.4 Sqm
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): 15768.00 Sqm
	Total BUA area (sq. m.): 108115.40
10.0	Approved FSI area (sq. m.): 106225.43 Sqm
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.): -
	Date of Approval: 31-12-2014
19.Total ground coverage (m2)	16896.27 Sqm
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	28.48%
21.Estimated cost of the project	486500000



	22.Production Details								
Serial Number	Pro	educt Existing		(MT/M)	Proposed (MT/M)	Total (MT/M)			
1	Not app	plicable	Not app	plicable	Not applicable	Not applicable			
		2	23.Tota	l Wate	r Requiremen	t			
		Source of	water	PMC					
		Fresh water	er (CMD):	589.15					
		Recycled w Flushing (289.57					
		Recycled w Gardening		66.20	HM II.				
		Swimming make up (20	Tefa Jz				
Dry season	ı:	Total Wate Requirement:		964.92		2			
		Fire fighting - Underground water tank(CMD):		600					
		Fire fighting - Overhead water tank(CMD):		380					
		Excess trea	ated water	365.5					
		Source of	water	PMC	AS R				
		Fresh water	7 72	589.15		ST.			
		Recycled v Flushing (289.57	24	7			
		Recycled v Gardening		0	Jan Div				
		Swimming make up (20					
Wet season	n:	Total Wate Requirement:		898.72 2 2 3 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6					
		Fire fighting Undergrout tank(CMD)	ınd water						
		Fire fighting Overhead tank(CMD)	water	380 rasntra					
		Excess trea	ated water	431.7					
Details of pool (If an			Pool Size: Ar ize: Area - 4		sqm Depth - 1.25 m - 0.6 m				

Page 3 of 14

	24.Details of Total water consumed									
Particula rs	Consumption (CMD)			Loss (CMD)			Effluent (CMD)			
Water Require ment	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total	
Domestic	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
		Level of th		12 M BGL						
		Size and notank(s) and Quantity:		Not Propos	ed	77				
		Location o tank(s):	f the RWH	Not propos	ed et a		7			
	25.Rain Water Harvesting		Quantity of recharge pits:		Nos. Propo	sed 1 No.	3			
(RWH)		Size of rec:	harge pits	2.0 m X 2.0	m X 3.0 m	C.	(3)			
		Budgetary (Capital co		Rs. 40000						
		Budgetary allocation (O & M cost): Rs. 100000 per year								
		Details of if any:	UGT tanks	Domestic UGT Capacity - 1323 cum Fire UGT Capacity - 600 cum						
		1	125			D. E	57			
26 64 0 000		Natural wa drainage p	/ //	West to Eas	महा क	4	7			
26.Storm drainage	water	Quantity o water:	f storm	35 Cum/Hr						
		Size of SW	D:	450 mm to 650 mm						
					•					
		Sewage ge in KLD:	neration	721.28 KLD						
	27.Sewage and		ology:	MBBR						
27 Sows			f STP	Existing STP - 600 Cum Proposed STP- 125 Cum						
Waste w		Location & the STP:	area of	Shown on plan						
		Budgetary (Capital co		Rs. 330000	0					
		Budgetary (O & M cos		Rs. 236400	0 per year					

	28.Soli	d waste Management	
Waste generation in	Waste generation:	5 kg/day	
the Pre Construction and Construction phase:	Disposal of the construction waste debris:	Handed over to authorized agency - Elaborated in Debris Management Plan	
	Dry waste:	1132.32 kg/day	
	Wet waste:	1854.30 kg/day	
Waste generation	Hazardous waste:	Negligible	
in the operation Phase:	Biomedical waste (If applicable):	NA	
	STP Sludge (Dry sludge):	65.25 kg/day	
	Others if any:	NA Z	
	Dry waste:	Handed over to Authorized agency, SWACH	
	Wet waste:	In-situ Composting	
	Hazardous waste:	N.A.	
Mode of Disposal of waste:	Biomedical waste (If applicable):	N.A.	
	STP Sludge (Dry sludge):	In- situ composting	
	Others if any:	NA	
	Location(s):	Shown on the plan	
Area requirement:	Area for the storage of waste & other material:	60 sqm	
	Area for machinery:	Considered in Above Area	
Budgetary allocation (Capital cost and	Capital cost:	Rs. 570000	
O&M cost):	O & M cost:	Rs. 1512000 per year	

	29.Effluent Charecterestics						
Serial Parameters				Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)		
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
Amount of e (CMD):	effluent generation	Not applicable					
Capacity of	the ETP:	Not applicable					
Amount of t recycled:	Amount of treated effluent recycled:		Not applicable				
Amount of v	water send to the CETP:	Not applicable					
Membership	p of CETP (if require):	Not applicable					
Note on ETI	P technology to be used	Not applicable					
Disposal of	the ETP sludge	Not applicable					



	30.Hazardous Waste Details									
Serial Number	Descr	iption	Cat	UOM	Existing	Proposed	Total	Method of Disposal		
1	Not app	plicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
	31.Stacks emission Details									
Serial Number	Section	& units	Fuel Us Qua	ed with ntity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases		
1	Not app	plicable	Not app	olicable	Not applicable	Not applicable	Not applicable	Not applicable		
			32.De	tails of I	uel to b	e used				
Serial Number	Тур	e of Fuel	43	Existing	विधिक्य	Proposed	7	Total		
1	Not	applicable	Y CYN	lot applicabl	e N	Not applicabl	е	Not applicable		
33.Source of		40	70	pplicable	200	192	VII.			
34.Mode of 7	Transportat	ion of fuel to	site Not a	pplicable		S. C.				
		B	A A	.0.9	20,	1 3	E			
			Á	35.Eı	nergy	y.	13			
		Phase: (De	nstruction	MSEDCL 45 KW		TE REAL				
		DG set as back-up diconstructi	uring	30 KVA- 1 N	Vo. H.S.	A THE	3			
Dov	ZON.	During Op phase (Cor load):	eration nnected	6488 KW	10)H	M,				
	requirement: ph		During Operation phase (Demand load):		5980 KVA					
		Transform	er:	630 KVA- 1	630 KVA- 10 Nos.					
		DG set as back-up do operation	uring	100 KVA- 5 Nos. 125 KVA- 1 Nos.						
		Fuel used:		HSD						
	_	Details of tension lin through th any:	e passing	N.A.						
		Ener	gy saving	by non-	convent	ional me	thod:			

SEIAA Meeting No: 165 Meeting Date: April 25, 2019 (SEIAA-STATEMENT-0000001132) SEIAA-MINUTES-0000001857 SEIAA-EC-0000001502 Chri Anil Diggillar (

Page 7 of 14 Shri. Anil Diggikar (Member Secretary SEIAA)

Following Measures are proposed:

- 1. Timers and contactors will be used to switch on / off common are & external landscape and facade lighting.
- 2. Light Emitting Diode (LED) will be used for corridors ,Lobbies and common areas.
- 3. All fluorescent light fixtures are specified to incorporate electronic chokes which have less watt-loss compared to electro-magnetic chokes and result in superior operating power factor. This indirectly saves energy. Electronic chokes also improves life of the fluorescent lamps.
- 4. Energy efficient cfl/t5/led lamps which give approx. 30% more light output for the same watts consumed and therefore require less nos. Of fixtures and corresponding lower point wiring costs. LPD of 7.5 W/sq.mtr. in Residential areas & 10.8 W/sq.mtr. in Office areas is proposed.
- 5. All cables will be derated to avoid heating during use. This also indirectly reduces losses and improves reliability. To achieve the same we have considered current carrying capacity of all the cables laid through ground/air whichever is minimum.
- 6. 125 Ltrs Solar water is provided for each flat.
- 7. Solar PV panel system is proposed for Street lighting & Building common lighting.

	36.Detail calculations & % of saving:						
Serial Number Energy Conservation Measures Saving %							
1	Solar Water Heater	1852354.97 KWH/Annum					
2	Energy Efficient Light Fittings	1616.22 KWH/Annum					
3	Total Energy Saving	1869331.19 KWH/Annum					
	37.Details of pollution control Systems						
Source	Evicting pollution control system	Proposed to be installed					

Source	Existing pollution control system	Proposed to be installed
Not applicable	Not applicable	Not applicable

	Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Rs. 4573125
		O & M cost:	Rs. 2248612.50 per year (Including Manpower Cost)

38. Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	Water for Dust Suppression	Air pollution Control	1.0
2	Site Sanitation & Safety	Health & Safety	ment 1.2) t
3	Environmental Monitoring	Pollution Control	1.8
4	Disinfection	Health & safety	0.5
5	Health Check up	Health & safety	0.5

b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Rain Water Harvesting	RWH Pits	0.40	1.0
2	Sewage Treatment Plant	WAste water treatment	33	23.64
3	Organic Waste Composting	Solis waste management	5.70	15.12
4	Tree Plantation	Landscape development	0.0	4.5

SEIAA Meeting No: 165 Meeting Date: April 25, 2019 (SEIAA-STATEMENT-0000001132) SEIAA-MINUTES-0000001857 SEIAA-EC-0000001502 - Con-

Shri. Anil Diggikar (Member Secretary SEIAA)

Page 8 of 14

5	Energy saving	Non conventional use of energy	45.73	22.48
6	Environment Monitoring	Pollution monitoring & mitigation	0.0	1.8

39.Storage of chemicals (inflamable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

40.Any Other Information

No Information Available



CRZ/ RRZ clearance obtain, if any:	NA
Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	NA
Category as per schedule of EIA Notification sheet	В
Court cases pending if any	N.A.
Other Relevant Informations	NA NA
Have you previously submitted Application online on MOEF Website.	No aalgometer
Date of online submission	

3. The proposal has been considered by SEIAA in its 165th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to submit details of CER activities in consultation with the affected people in the project area as per MoEF & CC circular dated 1/05/2018 along with details of fund utilization & agreement or consent of executor.	
II	PP to submit water supply NOC.	
III	PP to upload traffic circulation analysis report mentioning evacuation time.	
IV PP to submit CER plan to the Commissioner, Pune Municipal Corporation and submit the acknow to the Member Secretary, SEIAA.		
V SEIAA decided to grant EC for FSI: 106225.43 m2, Non-FSI: 15768.00 m2 and Total BUA:108115.43 IOD no-CC/2347/14, Date-31.12.2014)		

General Conditions:

I	E-waste shall bedisposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.			
П	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.			
Ш	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.			
IV	PP has to abide by the conditions stipulated by SEAC& SEIAA.			
V	The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.			
VI	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.			
VII	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.			

Shri. Anil Diggikar (Member Secretary SEIAA)

VIII	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
IX	The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
X	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
XI	Arrangement shall be made that waste water and storm water do not get mixed.
XII	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
XIII	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
XIV	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XV	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
XVI	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
XVII	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
XVIII	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
XIX	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
XX	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
XXI	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
XXII	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
XXIII	Ready mixed concrete must be used in building construction.
XXIV	Storm water control and its re-use as per CGWB and BIS standards for various applications.
XXV	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
XXVI	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
XXVII	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
XXVIII	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
XXIX	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
XXX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
XXXI	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
XXXII	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.

XXXIII	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.
XXXIV	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
XXXV	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
XXXVI	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
XXXVII	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
XXXVIII	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
XXXIX	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
XL	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
XLI	Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
XLII	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
XLIII	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
XLIV	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
XLV	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
XLVI	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
XLVII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XLVIII	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
XLIX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.
L	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
LI	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.

LII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
LIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
LIV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.



Shri. Anil Diggikar (Member Secretary SEIAA)

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

- 1. SECRETARY MOEF & CC
- 2. IA- DIVISION MOEF & CC
- 3. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 4. REGIONAL OFFICE MOEF & CC NAGPUR
- 5. MUNICIPAL COMMISSIONER PUNE
- 6. MUNICIPAL COMMISSIONER SATARA
- 7. REGIONAL OFFICE MPCB PUNE
- 8. REGIONAL OFFICE MIDC PUNE
- 9. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- 10. COLLECTOR OFFICE PUNE
- 11. COLLECTOR OFFICE SATARA
- 12. COLLECTOR OFFICE SOLAPUR

aharashtra

Shri. Anil Diggikar (Member Secretary SEIAA)