

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:May 7, 2019

To.

RUPEN A. CHOKSI

at PLOT NO. 3-A, TALOJA INDUSTRIAL ESTATE OF MIDC, DISTRICT - RAIGAD, PIN - 410208

Environment Clearance for EXPANSTION OF SYNTHETIC RESINS CAPACITY FROM 5100 MT/A (100% Subject: SOLIDS) i.e. 6375 MT/A AS IT IS IN SOLUTION FORM TO 30000 MT/A (100 % SOLIDS) i.e. 37500 MT/A AS

IT IS IN SOLUTION FORM

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 159th (A) - Day-1th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 165th meetings.

2. It is noted that the proposal is considered by SEAC-I under screening category B1 (5 F) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below:-

1.Name of Project	RESINS AND PLASTICS LTD.				
2.Type of institution	Private				
3.Name of Project Proponent	RUPEN A. CHOKSI				
4.Name of Consultant	MANTRAS GREEN RESOURCES LTD.				
5.Type of project	INDUSTRIAL ESTATE				
6.New project/expansion in existing project/modernization/diversification in existing project	EXPANSTION IN EXISTING PROJECT				
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	wernment of				
8.Location of the project	PLOT NO. 3-A, TALOJA INDUSTRIAL ESTATE OF MIDC , DISTRICT - RAIGAD, PIN - 410208				
9.Taluka	PANVEL				
10.Village	MIDC TALOJA				
Correspondence Name:	SHRI RUPEN A. CHOKSI				
Room Number:	PLOT NO. 3-A, TALOJA INDUSTRIAL ESTATE OF MIDC ,				
Floor:	NA				
Building Name:	RESINS AND PLASTICS LTD				
Road/Street Name:	NA				
Locality:	TALUKA - PANVEL, DISTRICT - RAIGAD, PIN - 410208, NAVI MUMBAI.				
City:	PANVEL				
11.Whether in Corporation / Municipal / other area	MIDC TALOJA				
40 YOU (10 A (0)	MIDC LAYOUT				
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: DE/TLJ/SPA NO C92420 DATED 08/09/2016				
	Approved Built-up Area:				

SEIAA Meeting No: 165 Meeting Date: April 26, 2019 (SEIAA-STATEMENT-0000001162) SEIAA-MINUTES-0000001853 SEIAA-EC-0000001499 Con-

Shri. Anil Diggikar (Member Secretary SEIAA)

Page 1 of 13

13.Note on the initiated work (If applicable)	NA
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	NA
15.Total Plot Area (sq. m.)	18166.55 SQM
16.Deductions	4576.74 SQM
17.Net Plot area	13589.81 SQM
	FSI area (sq. m.): 4854.321 SQM
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): 8735.48 SQM
	Total BUA area (sq. m.):
10.4) 4	Approved FSI area (sq. m.):
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.):
	Date of Approval:
19.Total ground coverage (m2)	2605.503 SQM
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	19.20
21.Estimated cost of the project	105000000



	22.Production Details								
Serial Number	Proc	duct	ct Existing		Proposed (MT/M)	Total (MT/M)			
1	SYNTHET	SYNTHETIC RESINS 531.		Solids) i.e. 2075 (100% Solids) i.e.2593.75 as it is in solution form		2500 (100% Solids) i.e. 3125 as it is in Solution form			
		2	23.Tota	l Wate	r Requiremen	t			
		Source of	water	MIDC TALC)JA				
		Fresh wate	er (CMD):	96.4					
		Recycled w Flushing (0 1	M				
		Recycled v Gardening		45.1					
		Swimming make up (NA	Telegraph	7			
Dry season	:	Total Wate Requirement		141.5					
		Fire fighting Undergroutank(CMD	nd water	100					
		Fire fighting Overhead tank(CMD)	water						
		Excess tre	ated water	NA					
		Source of	water	MIDC TALOJA					
		Fresh water	er (CMD):	96.4					
		Recycled w Flushing (्र ज्यस्य मुद्रा					
		Recycled w Gardening		45.1					
		Swimming make up (NA					
Wet seasor	1:	Total Wate Requirement		141.5	ment	101			
		Fire fighting Undergrout tank(CMD	nd water	100	acht	ra			
			ng - water):	0	asiiti				
		Excess trea	ated water	NA					
Details of S pool (If any		Not applica	ble						

		24	.Detail	s of Tota	l water co	nsume	d				
Particula rs	Cons	sumption (CM	D)	Loss (CMD)			Effluent (CMD)				
Water Require ment	Existing Proposed Total Existing Proposed Total						Existing	Proposed	Total		
Industrial Process	16	19	35	2.2	2.5	4.7	16.7	19.3	36		
Domestic	8.5	2.5	11	1.5	0.5	2	7	2	9		
Cooling tower & thermopa ck	13.5	60	73.5	13	58	71	0.5	2	2.5		
Gardening	10	12	-22	10	12	22	0	0	0		
		N		न्तेवव	T8787	13M					
		Level of the water table:	Ground	1 M	3/3		/				
		Size and no (tank(s) and Quantity:		NIL AS GROUND WATER TABLE LEVEL IS LESS THAN ONE METER.							
		Location of t tank(s):	he RWH	NA) TO SOLUTION OF THE PROPERTY OF THE PROPERT							
		Quantity of r pits:	echarge	WATER TABLE LEVE IN OUR AREA IS LESS THAN ONE METER HENCE RECHARGE PITS NOT FEASIBLE							
25.Rain V	Vater	Size of recha:	rge pits	NA E							
Harvestir (RWH)	ng	Budgetary al (Capital cost		NA		S E	F.				
		Budgetary al (O & M cost)		NA	1143.						
		Details of UC if any :	T tanks	SR.No Tank No. ST-6 (Old UG-2) ST-5 (Old UG-1) 1 Type of Tank Horizontal Cylindrical Flat Ends Horizontal Cylindrical Flat Ends 2 Material of Construction M.S. M.S. 3 Avg.Internal Dia. 289.5 cm 232.4 cm 4 Internal length 1036.3 cm 609.6 cm 5 Safe Filling Height 265 cm 215 cm 6 Capacity 68007 liters 25863 liters 7 Liquid/Contents MTO Slop oil					ndrical		
20.00		Natural wate drainage pat		BY STORM	WATER DRAIN	IAGE					
26.Storm drainage	water	Quantity of s water:	torm		X 0.525 MTR X GTH OF SWD						
		Size of SWD:		0.450 MTR X 0.525 MTR X 565 MTR							

	Sewage generation in KLD:	EXISTING 7 KLD AND PROPOSED 2 KLD TOTAL 9 KLD
	STP technology:	NA
27.Sewage and	Capacity of STP (CMD):	NA
Waste water	Location & area of the STP:	NA
	Budgetary allocation (Capital cost):	NA
	Budgetary allocation (O & M cost):	NA



	28.Solid waste Management				
Waste generation in	Waste generation:	NA			
the Pre Construction and Construction phase:	Disposal of the construction waste debris:	NA			
	Dry waste:	NA			
	Wet waste:	NA			
Waste generation in the operation	Hazardous waste:	1) 35.3- CHEMICAL SLUDGE : 30 MT/A 2} 35.4- OIL AND GREASE SKIMMING RESIDUES : 1 MT/A 3) 33.31-DISCARDED CONTAINERS / BARRELS / LINERS / BAGS : 1,54,840 NO'S./A 4] 23.1-PROCESS WASTE / RESIDUES : 50 MT/A			
Phase:	Biomedical waste (If applicable):	NA NA			
	STP Sludge (Dry sludge):	NA aalso			
	Others if any:	NA			
	Dry waste:	NA NA			
	Wet waste:	NA NA			
	Hazardous waste:	CHWTSDF			
Mode of Disposal of waste:	Biomedical waste (If applicable):	NA .			
	STP Sludge (Dry sludge):	NA TE STATE OF THE			
	Others if any:	NA 5			
	Location(s):	EFFLUENT TREATMENT PLANT			
Area requirement:	Area for the storage of waste & other material:	40 SQM			
	Area for machinery:	800 SQM			
Budgetary allocation (Capital cost and	Capital cost:	90 LAKHS			
O&M cost):	O & M cost:	12 LAKHS / A			

29.Effluent Charecterestics							
Serial Number	Parameters	Unit	Effluent discharge standards (MPCB)				
1	PH	-	3-9.0	6-8.5	5.5 TO 9		
2	SUSPENDED SOLID	MG/L	100 - 150	60 - 90	100		
3	BOD (3 DAYS 27C)	MG/L	800-1050	60 - 90	100		
4	COD	MG/L 2000 - 2500 190 - 230 250					
5	OIL & GREASE	MG/L	9 - 13	6 - 9	10		
Amount of e	effluent generation	47.5					
Capacity of	the ETP:	50	MINH				
Amount of trecycled:	reated effluent	45.1	MODIO	(Oz			
Amount of v	water send to the CETP:	0	नुवववाधरक	CAN'T			
Membershi	p of CETP (if require):	YES	37	35.			
Note on ETP technology to be used TREATMENT PLANT FOLLOWED BY ADVANCED RO SYSTEM WITH ME TREATMENT.							
Disposal of	the ETP sludge	CHWTSDF	.050.	1 当年			

		30.Ha	azardous	Waste D	Details		
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	PROESS WASTE /RESIDUE	23.1	23.1 MT/A		23.6	50	CHWTSDF
2	CHEMICAL SLUDGE, OIL AND GREASE SKIMMING RESIDUES	35.3	MT/A	17.5	12.5	30	CHWTSDF
3	DISCARDED CONTAINERS / BARRELS / LINER S / BAGS	33.1	NO'S/A	54840	100000	1,54,840	SALE TO AUTHORISED PARTY
4	OIL & GREASE SKIMMING	35.4	MT/A	0.5	0.5	1	CHWTSDF
	7	31.S	tacks em	ission D	etails	7	
Serial Number	Section & units		sed with ntity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	THERMOPACK NO. 4 OF CAPACITY - 10 LAKH KCAL/HR	FUEL - NATURAL GAS (PNG) , QUANTITY - 1500 SCM/DAY			24.0	430	170
2	THERMOPACK NO.6 (STANDBY) OF CAPACITY - 6 LAKH KCAL/HR	FUEL - FURNACE OIL, QUANTITY - 1.4 TON/DAY		2	24.0	430	200
3	THERMOPACK NO .7 OF CAPACITY - 10 LAKH KCAL/HR	(PNG), Q	FUEL - NATURAL GAS (PNG) , QUANTITY - 1500 SCM/DAY		24.0	430	200
4	OIL HEATING SYSTEM	QUANT	- LDO , TTY - 30 /DAY	4	10.0	200	120
5	DG SET (325 KVA)	QUANT	DIESEL, TTY - 15 VHR	5	2.5	150	320
6	SCRUBBER VENT R & D PLANT	Ve	JA TO	6	7	250 X 150	30
7	THERMOPACK NO. 8 OF CAPACITY - 20 LAKH KCAL/HR	(PNG), Q	TURAL GAS UANTITY - CM/DAY	7	24	750	200
	IVI	32.De	tails of I	uel to b	e used		
Serial Number	Type of Fuel		Existing		Proposed		Total
1	NATURAL GAS (PNO	3)	2000 SCMD		5000 SCMD		7000 SCMD
2	FURNACE OIL	1	.40 TON./ DA	AY	0		1.40 TON./ DAY
33.Source o	f Fuel	MAH	ANAGAR GA	S LIMITED			
34.Mode of Transportation of fuel to site BY PIPED NATRURAL GAS							

35.Energy

SEIAA Meeting No: 165 Meeting Date: April 26, 2019 (SEIAA-STATEMENT-0000001162) SEIAA-MINUTES-0000001853 SEIAA-EC-0000001499

Shri. Anil Diggikan Page 8 of 13 SEIAA)

	Source of power supply:	MSEDCL
	During Construction Phase: (Demand Load)	NA
	DG set as Power back-up during construction phase	NA
Power	During Operation phase (Connected load):	750 KVA
requirement:	During Operation phase (Demand load):	340 KVA
	Transformer:	315 KVA
	DG set as Power back-up during operation phase:	320 KVA
	Fuel used:	DIESEL
	Details of high tension line passing through the plot if any:	NO SOLUTION OF THE PROPERTY OF

Energy saving by non-conventional method:

- 1. REPLACED FLAME PROOF CLF LIGHTS TO FLAME PROOF LED LIGHTS IN THE PLANT AND OFFICE.
- 2. CHANGE OVER TO PNG FUEL INSTED OF FURANCE OIL FOR RUNNING OVER THERMOPACS.
- 3. INSTALLED TIMER FOR THE BLENDER STIRRERS TO SAVE ELECTRICITY.
- 4. OPTIMIZED REACTOR STIRRER MOTOR RATING,
- 5. REPLACED OLD DIESEL GENERATOR WITH NEW ENERGY EFFICIENT DG SET.

36.Detail	calculations	& %	of saving:
-----------	--------------	-----	------------

Number Energy Conservati	on Measures	17XX 12	Saving %			
1 %	444	4.44	10			
37.Details of pollution control Systems						

Source	Existing pollution control system			- Proposed to be installed
FUMES		SCRUBBING SYSTE	M	NA
Budgetary allocation (Capital cost and O&M cost):		Capital cost:	10 LAKHS (REPLA EFFICIENT NEW	ACEMENT OF OLD ELECRTIC MOTORS BY ENERGY MOTORS.)
		O & M cost:	18 LAKHS / A	

38. Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	NA	NA	0

b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)	
1	ZLD	R.O. SYSTEM + EVAPORATOR	70	12	

SEIAA Meeting No: 165 Meeting Date: April 26, 2019 (SEIAA-STATEMENT-0000001162) SEIAA-MINUTES-0000001853 SEIAA-EC-0000001499

Page 9 of 13

2	ETP	MEMBRANE DIFFUSERS, BLOWER	10	2
3	EMISSION	FUGITIVE EMISSION HANDALLING SYSTEM	10	2

39.Storage of chemicals (inflamable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumptio n / Month in MT	Source of Supply	Means of transportatio n
MMA	IN USE	SOLVENT YARD	वर्धा	10	23	MANUFACTURER / TRADERS	BY ROAD
OCTANOL	IN USE	SOLVENT GODOWN	1	1.5	5.5	MANUFACTURER / TRADERS	BY ROAD
BASONAT	IN USE	SOLVENT GODOWN	3	a 4	1.6	MANUFACTURER / TRADERS	BY ROAD
STYRENE	IN USE	SOLVENT YARD	7	15	98	MANUFACTURER / TRADERS	BY ROAD
STYRENE	IN USE	SOLVENT YARD	7	15	98	MANUFACTURER / TRADERS	BY ROAD
BUTANOL	IN USE	SOLVENT YARD	3	20	134	MANUFACTURER / TRADERS	BY ROAD
BUTYL CELLOSOLVE	IN USE	SOLVENT GODOWN	2.5	3	7	MANUFACTURER / TRADERS	BY ROAD
TOLUENE	IN USE	SOLVENT GODOWN	3.5	4	9.5	MANUFACTURER / TRADERS	BY ROAD
SOLVENT C-9	IN USE	SOLVENT GODOWN	3.5	$\frac{4}{}$		MANUFACTURER / TRADERS	BY ROAD
AROMAX	IN USE	SOLVENT GODOWN	3	3.5	6.5	MANUFACTURER / TRADERS	BY ROAD
ETHYL ACETATE	IN USE	SOLVENT GODOWN	/2	2.5	9	MANUFACTURER / TRADERS	BY ROAD
TODI	IN USE	SOLVENT GODOWN	3	4	22	MANUFACTURER / TRADERS	BY ROAD
MPA	IN USE	SOLVENT GODOWN	2	2.5	0.35	MANUFACTURER / TRADERS	BY ROAD
DIESEL	IN USE	SOLVENT GODOWN	2	2.5	0.8	MANUFACTURER / TRADERS	BY ROAD
XYLENE	IN USE	SOLVENT YARD	120	120	655	MANUFACTURER / TRADERS	BY ROAD

40.Any Other Information

No Information Available

CRZ/ RRZ clearance obtain, if any:	NA
Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	NA
Category as per schedule of EIA Notification sheet	B1 (5 F)
Court cases pending if any	NA
Other Relevant Informations	1.WE ARE CERTIFIED WITH ISO 9001 - 2015 BY CERTIFICATION BODY TUV NORD. 2. WE ARE GOING TO IMPLIMENT ISO 14001 & 18001 IN COMING YEAR 2019- 2020. 3. OUR R & D TEAM WORKING ON TO REDUCE POLLUTION LOAD
Have you previously submitted Application online on MOEF Website.	No Solo Solo Solo Solo Solo Solo Solo So
Date of online submission	-04840-0 三层

3. The proposal has been considered by SEIAA in its 165th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to upload revised structural stability certificate so as to bear proposed additional construction/equipments load.	
II	PP to prepare and implement CER plan in consultation with District Authority as per OM issued by MoEF&CC dated 01.05.2018.	
III	PP to ensure to comply with the conditions stipulated in the Office Memorandum issued by MoEF&CC dated 9th August, 2018.	
IV	PP to submit CER plan to District Collector and submit the acknowledgement to Member Secretary, SEIAA.	

General Conditions:

I	(i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP.	
П	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.	
Ш	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.	
IV	Proper Housekeeping programmers shall be implemented.	
v	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.	
VI	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).	
VII	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.	
VIII	Arrangement shall be made that effluent and storm water does not get mixed.	
IX	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.	
X	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.	

XI	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.		
XII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.		
XIII	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.		
XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.		
XV	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.		
XVI	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.		
XVII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.		
XVIII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.		
XIX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department		
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in		
XXI	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.		
XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.		
XXIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sectorai parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.		
XXIV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.		
XXV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.		

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

- 1. SECRETARY MOEF & CC
- 2. IA- DIVISION MOEF & CC
- 3. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 4. REGIONAL OFFICE MOEF & CC NAGPUR
- 5. REGIONAL OFFICE MPCB RAIGAD
- 6. REGIONAL OFFICE MIDC RAIGAD
- 7. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- 8. COLLECTOR OFFICE RAIGAD

Maharashtra