

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:March 25, 2020

To, Marvel Sigma Homes Pvt Ltd. at At F. P. Nos. 385 & 386, Plot No. 1

Subject: Environment Clearance for Proposed Residential Development "Marvel Basilo" Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-III, Maharashtra in its 74th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 194th meetings.

2. It is noted that the proposal is considered by SEAC-III under screening category 8(a) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below:-

1.Name of Project	"Marvel Basilo" . P. Nos. 385 & 386, Plot No. 1, Sangamwadi T. P. Scheme, Ghorpadi, Dist- Pune, State- Maharashtra
2.Type of institution	Private
3.Name of Project Proponent	Marvel Sigma Homes Pvt Ltd.
4.Name of Consultant	ULTRATECH
5.Type of project	Housing
6.New project/expansion in existing project/modernization/diversification in existing project	Not applicable
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Not applicable
8.Location of the project	At F. P. Nos. 385 & 386, Plot No. 1
9.Taluka	Pune city
10.Village	Pune
Correspondence Name:	Vishwajeet Subash Jhavar
Room Number:	NA
Floor:	6th Floor
Building Name:	Arthavishwa Bldg
Road/Street Name:	Lane- No. 5
Locality:	Koregaonpark
City:	Pune
11.Whether in Corporation / Municipal / other area	Pune Municipal Corporation
40.700.700	CC/0262/14
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: CC/0262/14
	Approved Built-up Area: 5377.02

SEIAA Meeting No: 194 Meeting Date: March 13, 2020 (SEIAA-STATEMENT-0000001168) SEIAA-MINUTES-0000003128 SEIAA-EC-0000002234 Com-

| Shri. Anil Diggikar (Member Secretary | SEIAA)

Page 1 of 14

13.Note on the initiated work (If applicable)	Yes, We have constructed two building as per sanction received from PMC which is below 20,000 Sq. m. As per new rule FSI, TDR and paid FSI got increased due to which construction area cross threshold limit.
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	NA
15.Total Plot Area (sq. m.)	6069.27 Sq. m
16.Deductions	220.06 Sq. m (Road widening- 145.30 Sq. m, Encroachment - 74.76 Sq. m)
17.Net Plot area	5849.21 Sq. m
	FSI area (sq. m.): 11963.84 Sq. m
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): 14195.01 Sq. m
Ton 151)	Total BUA area (sq. m.): 26158.85
	Approved FSI area (sq. m.): 4272.18 Sq. m
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.): 10441.79 Sq. m
	Date of Approval: 29-04-2014
19.Total ground coverage (m2)	747.70 Sq. m
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	15%
21.Estimated cost of the project	49000000

Government of Maharashtra

	22.Production Details								
Serial Number	Pro	duct	Existing	(MT/M)	Proposed (MT/M)	Total (MT/M)			
1	Not app	olicable	Not app	plicable	Not applicable	Not applicable			
		2	3.Tota	l Wate	r Requirement				
		Source of v	water	PMC					
		Fresh wate	er (CMD):	56					
		Recycled w Flushing (28					
		Recycled w Gardening		9	HMF				
		Swimming make up (Cum):	10	Tef Oz				
Dry season:		Total Wate Requireme :		103		Z <u>E</u>			
		Fire fighting - Underground water tank(CMD):		200	200				
			Fire fighting - Overhead water tank(CMD):		20(14()24()				
		Excess trea	ated water	31					
		Source of v	water	PMC					
		Fresh wate	water (CMD): 56						
		Recycled w Flushing (28					
		Recycled w Gardening	(CMD):						
		Swimming make up (0	Cum):	10-					
Wet season:		Total Wate Requireme		94	mont	of			
		Fire fighting Undergroutank(CMD)	nd water						
	Fire fightin Overhead v tank(CMD)	water	20	ashtr	' a				
		Excess trea	ated water	39					
Details of Sy pool (If any)		 Main Pool (1 nos): 7.6 m X 18.2 m X 1.2 m Kids Pool (1 nos): 6.4 m X7 m X 0.6 m Private pool (5 nos): 8.35 m X 3.15m Total water Requirement in KL: 351 Water requirement for make up in cum: 10 							

	24.Details of Total water consumed									
Particula rs	Cons	umption (CM	D)	Loss (CMD)			Effluent (CMD)			
Water Require ment	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total	
Fresh water requireme nt	0	56	56	0	6	6	0	50	50	
Domestic	0	28	28	0	0	0	0	28	28	
Gardening	0	9	9	0	0	0	0	0	0	
			M	41())]	III Itan	И				
		Level of the 0 water table:	Ground	6.5 bgl Pre l	Monsoon & 5.5	bgl Post	Monsoon			
		Size and no o tank(s) and Quantity:	of RWH	NA	273		3			
		Location of tank(s):	he RWH	NA C		3	3			
25.Rain Water Harvesting (RWH)		Quantity of r pits:	echarge	2 nos.						
		Size of recharge pits :		2 m X 2 m X 2 m below storm water Inlet level with 60 mtr Bore well						
		Budgetary al (Capital cost		2.0 Lacs						
		Budgetary al (O & M cost)		0.25 Lacs						
		Details of UG if any:	T tanks	NA NA						
			7			F				
20.01		Natural wate drainage pat		North to East						
26.Storm drainage		Quantity of storm 62 m3/day						ļ.		
		Size of SWD:		450 mm dia						
		Sewage gene in KLD:	ration	78 KLD 4 G G G G G G G G G G G G G G G G G G						
		STP technolo	gy:	MBBR						
27.Sewa	na and	Capacity of S (CMD):	TP	1 No. of 85 KLD						
Waste w		Location & at	rea of	As per layout 46.12 m2						
		Budgetary al (Capital cost		25 Lacs						
			location :	6.46 Lacs/ar	6.46 Lacs/annum					

Page 4 of 14

	28.Soli	d waste Management
Waste generation in	Waste generation:	25 kg/day
the Pre Construction and Construction phase:	Disposal of the construction waste debris:	within the site
	Dry waste:	125 kg/day
	Wet waste:	187 kg/day
Waste generation	Hazardous waste:	not any
in the operation Phase:	Biomedical waste (If applicable):	not any
1 Maser	STP Sludge (Dry sludge):	8 Kg/day
	Others if any:	not any
	Dry waste:	Handed over to authorized recyclers
	Wet waste:	Composting machine
	Hazardous waste:	not any
Mode of Disposal of waste:	Biomedical waste (If applicable):	not any
	STP Sludge (Dry sludge):	Used as Manure after treatment in OWC.
	Others if any:	not any
	Location(s):	As per layout
Area requirement:	Area for the storage of waste & other material:	39.13 Sq. m
	Area for machinery:	20
Budgetary allocation (Capital cost and	Capital cost:	8.15 Lacs
O&M cost):	O & M cost:	5.97 lacs/annum

Government of Maharashtra

	29.Effluent Charecterestics						
Serial Number	Parameters	Unit	Unit Inlet Effluent Outlet Effluent Charecterestics Charecterestics Effluent standards				
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
Amount of effluent generation (CMD):		Not applicable					
Capacity of the ETP:		Not applicable					
Amount of treated effluent recycled:		Not applicable					
Amount of v	water send to the CETP:	Not applicable					
Membership of CETP (if require):		Not applicable					
Note on ET	P technology to be used	Not applicable					
Disposal of	the ETP sludge	Not applicable					



Government of Maharashtra

			30.Ha	zardous	Waste D	etails				
Serial Number	Desci	ription	Cat	UOM	Existing	Proposed	Total	Method of Disposal		
1	Not ap	plicable	Not applicable	Not Not applicable applicab		Not applicable	Not applicable	Not applicable		
	31.Stacks emission Details									
Serial Number	Section	Section & units Fuel Use Quar			Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases		
1	Not ap	plicable	HSD 46	.2 lit/hr	2 No.	2.5 Mtr above habitable space	125 mm	543 degree C		
·		7	32.De	tails of I	uel to b	e used				
Serial Number	Tyj	pe of Fuel	7:55	Existing	7	Proposed	2	Total		
1		HSD	N N	lot applicabl	е	HSD		HSD		
33.Source of	f Fuel	3	Near	by pump		3				
34.Mode of	Transportat	tion of fuel to	site By ro	ad	20	1 7	H			
			×			<i>y</i>	6			
		国	t	35.Eı	nergy	to	F			
		Source of supply:	power	MSEDCL		5	B			
		During Co Phase: (De Load)	nstruction emand	50 KW						
		DG set as back-up de constructi	uring	1 Nos. x 62.5 kVA						
Pow	von	During Opphase (Conload):		1276 KW						
require		During Opphase (Deployed):		696 KW						
		Transform	er:	1 X 630 kV	A					
	DG set as Power back-up during operation phase: Fuel used: Details of high tension line passing through the plot if any:		uring	1 X 62.5 kV	A S	ht	ra			
				H.S.D.						
			No							
	Energy saving by non-conventional method:									
Solar Energ Auto. Timer Electronic V Solar Water	Logic Cont VF drive fo	roller								

Page 7 of 14

		3	6.Detail calculati	ons & % of savin	g:		
Serial Number	Е	nergy Cons	ervation Measures		Saving %		
1		Solar Ene	rgy (PV Panels)		0.68 %		
2		Auto. Time	r Logic Controller		2.48 %		
3		Electronic '	VVF drive for Lifts		5.25 %		
4		Solar	Water heater		11.33 %		
		37	.Details of pollut	ion control Syste	ms		
Source	Ex	isting pollu	tion control system	Pro	posed to be installed		
Sewage		Not	applicable	M	STP		
Emmision		Not	applicable	III Tem	DG set with stack		
MSW		Not	applicable	7 100	OWC		
	allocation	Capital co	st: 19.42 Lacs	18 600 CAN	7		
(Capital O&M	cost and cost):	O & M cos	t: 1.17 Lacs	3.35	久		
38	.Envir	onmen	tal Manageme	ent plan Budg	etary Allocation		
		a)	Construction pha	se (with Break-u	p);		
Serial Number	Attributes		Parameter	Total Cost p	er annum (Rs. In Lacs)		
1	Air Environment		Water For Dust Suppression Air & Noise monitoring	1.08			
2	Water Environment		Tanker water for construction Water monitoring	ion Water 2.76			
3	Land Env	rironment	Site Sanitation	2.7			
4		ogical onment	Gardening	COMO P	1.0		
5	Socio- Economic Environment		Disinfection- Pest Control First Aid Facilities Health Check Up Creche for children Personal protective equipment	meni	6.05		
	b) Operation Phase (with Break-up):						
Serial Number	Comp	onent	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)		
1	S	ГР	treatment of sewage	25	6.46		
2	RV	VH	pits	2.0	0.25		
3	Lands	caping	gardening	25.0	4.25		
4		trical	energy saving	19.42	1.17		
5	VO	<i>N</i> C	wet garbage tretaement	8.15	5.97		
6	Swimm	ing Pool		20.0	2.0		
7		ventilation watering		6.0	2.0		

Page 8 of 14 | SEI

39. Storage of chemicals (inflamable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

40.Any Other Information

No Information Available



Government of Maharashtra

Page 9 of 14

CRZ/ RRZ clearance obtain, if any:	Not applicable
Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	Not applicable
Category as per schedule of EIA Notification sheet	8(a)
Court cases pending if any	Not applicable
Other Relevant Informations	Not applicable
Have you previously submitted Application online on MOEF Website.	No aalgo
Date of online submission	

3. The proposal has been considered by SEIAA in its 194th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

_	
I	PP to ensure that CER plan gets approved from Municipal Commissioner.
II	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
III	SEIAA decided to grant EC for -FSI: 11323.46 m2, Non-FSI:13535.14 m2 and Total BUA:24858.60 m2(Plan Approval no-CC/0262/14, Date-18.01.2020)

General Conditions:

E-waste shall bedisposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
PP has to abide by the conditions stipulated by SEAC& SEIAA.
The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.

X	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
XI	Arrangement shall be made that waste water and storm water do not get mixed.
XII	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
XIII	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
XIV	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XV	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
XVI	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
XVII	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
XVIII	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
XIX	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
XX	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
XXI	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
XXII	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
XXIII	Ready mixed concrete must be used in building construction.
XXIV	Storm water control and its re-use as per CGWB and BIS standards for various applications.
XXV	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
XXVI	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
XXVII	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
XXVIII	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
XXIX	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
XXX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
XXXI	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
XXXII	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
XXXIII	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.

XXXIV	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
XXXV	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
XXXVI	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
XXXVII	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
XXXVIII	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
XXXIX	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
XL	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
XLI	Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
XLII	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
XLIII	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
XLIV	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
XLV	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
XLVI	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
XLVII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XLVIII	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
XLIX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.
L	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
LI	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
LII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
LIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.

LIV

The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.



Government of Maharashtra

SEIAA Meeting No: 194 Meeting Date: March 13, 2020 (SEIAA-STATEMENT-0000001168) SEIAA-MINUTES-0000003128 SEIAA-EC-0000002234

Page 13 of

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

- 1. SECRETARY MOEF & CC
- 2. IA- DIVISION MOEF & CC
- 3. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 4. REGIONAL OFFICE MOEF & CC NAGPUR
- 5. MUNICIPAL COMMISSIONER PUNE
- 6. MUNICIPAL COMMISSIONER SATARA
- 7. REGIONAL OFFICE MPCB PUNE
- 8. REGIONAL OFFICE MIDC PUNE
- 9. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- 10. COLLECTOR OFFICE PUNE
- 11. COLLECTOR OFFICE SATARA
- 12. COLLECTOR OFFICE SOLAPUR

aharashtra