



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: April 24, 2020

To,
Maharashtra Aldehydes and Chemicals Limited,
at Plot No. A-17, MIDC Mahad, Mahad

Subject: Environment Clearance for Regularization of Existing Manufacturing Unit & Proposed Expansion of Synthetic Organic Chemicals Facility at Plot No. A-17, MIDC Mahad, Mahad, Dist. Raigad by Maharashtra Aldehydes and Chemicals Ltd.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 177th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 190th meetings.


2. It is noted that the proposal is considered by SEAC-I under screening category 5 (f)- B as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	Regularization of Existing Violation and Proposed Expansion of Synthetic Organic Chemicals Facility at Plot No. A-17, MIDC Mahad, Mahad, Dist. Raigad by Maharashtra Aldehydes and Chemicals Ltd.
2.Type of institution	Private
3.Name of Project Proponent	Maharashtra Aldehydes and Chemicals Limited,
4.Name of Consultant	Aditya Environmental Services Pvt. Ltd.
5.Type of project	Industrial project
6.New project/expansion in existing project/modernization/diversification in existing project	Regularization of Existing violation and Proposed Expansion of existing Synthetic Organic Chemicals Manufacturing activity
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	No- proposal pertains to Regularization of Existing violation and Proposed Expansion of existing Synthetic Organic Chemicals Manufacturing activity
8.Location of the project	Plot No. A-17, MIDC Mahad, Mahad
9.Taluka	Mahad
10.Village	Kamble Turf Birwadi
Correspondence Name:	D N Patil (General Manager - Works)
Room Number:	NA
Floor:	NA
Building Name:	NA
Road/Street Name:	NA
Locality:	Maharashtra Aldehydes and Chemicals Limited, A-17, MIDC Mahad Mahad, Dist Raigad
City:	MIDC, Mahad
11.Whether in Corporation / Municipal / other area	MIDC

SEIAA Meeting No: 190 Meeting Date: March 5, 2020 (SEIAA-STATEMENT-000001212)
SEIAA-MINUTES-0000003077
SEIAA-EC-0000002254

Page 1 of 15


Shri. Anil Diggikar (Member Secretary SEIAA)

12.IOD/IOA/Concession/Plan Approval Number	MIDC plot approval
	IOD/IOA/Concession/Plan Approval Number: MIDC plot approval: SPA/MHD/A-64302/of'2019, Dtd:- 17/02/2019
	Approved Built-up Area: 6534.64
13.Note on the initiated work (If applicable)	2009-DEP & DMP capacity increased from 350 to 800 after obtaining Consent from MPCB 2011 - Product Mix changed with Consent from MPCB . For proposed expansion no work initiated at site .
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	MIDC approval
15.Total Plot Area (sq. m.)	20000 sq.m.
16.Deductions	--
17.Net Plot area	--
18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): 8799.90
	Non FSI area (sq. m.): --
	Total BUA area (sq. m.): 15404.753
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.): 20000
	Approved Non FSI area (sq. m.): --
	Date of Approval: 17-02-2019
19.Total ground coverage (m2)	7414.66
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	37%
21.Estimated cost of the project	500000000

Government of Maharashtra

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	A) Alkyl Esters of Phthalic acids	800	800	1600
2	B) Alkyl Esters of carboxylic acids	--	--	--
3	1. Ethyl Benzoate	30	0	30
4	2. Ethyl Butyrate	0	100	100
5	3. Ethyl Propionate	0	50	50
6	4. Ethyl Laurate	0	5	5
7	5. Ethyl Caprate	0	5	5
8	6. Ethyl Caproate	0	5	5
9	7. Ethyl Heptanoate	0	5	5
10	8. Ethyl 2-Methyl Butyrate	0	5	5
11	9. Ethyl Valerate	0	5	5
12	10. Ethyl Cinnamate	0	4	4
13	C) Alkyl Esters of Citric acid	--	--	--
14	1. Tri ethyl Citrate	0	100	100
15	2. Tri Butyl Citrate	0	15	15
16	3. Acetyl Tributyl Citrate	0	35	35
17	D) Phenol Derivatives	--	--	--
18	1. Syringaldehyde	1.5	0	1.5
19	2. Trimethyl Hydroquinone & its Formulations	20	0	20
20	3. Anisole	0	500	500
21	4. Anethole	0	300	300
22	5. 4-Methoxyl Acetophenone	0	260	260
23	6. 1-Piperidino 1-cyclohexene	0	40	40
24	7. Di hydro Anethole	0	20	20
25	8. Cis Anethole	0	10	10
26	9. 2-methoxy Acetophenone(2-MAP)	0	1	1
27	10. 2,4-Diacetyl Anisole	0	1	1
28	E) Cyclopentanone and its derivatives	--	--	--
29	1. Cyclopentanone	100	0	100
30	F) Absolute Alcohol	--	--	--
31	1. Anhydrous Alcohol	0	1200	1200
32	G) Distillation of Solvents	--	--	--

33	1. Ultrapurification of Solvents	165	235	400
34	H) Vitamin Formulations	--	--	--
35	1. Maxvit Vitamin Formulation	100	400	500
36	I) Sodium Sulphate	--	--	--
37	1. Sodium Sulphate	0	500	500
38	J) Acetic acid	--	--	--
39	1. Acetic acid	0	105	105
40	K) Propionic acid	--	--	--
41	1. Propionic acid	0	180	180
42	L) Sodium Pyrithione	--	--	--
43	1. Sodium Pyrithione	75	75	0 (product will be discontinued in proposed project)

23.Total Water Requirement

Dry season:	Source of water	MIDC
	Fresh water (CMD):	377
	Recycled water - Flushing (CMD):	33 (Cooling tower)
	Recycled water - Gardening (CMD):	Not Applicable
	Swimming pool make up (Cum):	Not Applicable
	Total Water Requirement (CMD) :	410
	Fire fighting - Underground water tank(CMD):	Not Applicable
	Fire fighting - Overhead water tank(CMD):	Not Applicable
	Excess treated water	Not Applicable

Government of
Maharashtra

Wet season:	Source of water	MIDC
	Fresh water (CMD):	352
	Recycled water - Flushing (CMD):	33 (Cooling tower)
	Recycled water - Gardening (CMD):	Not Applicable
	Swimming pool make up (Cum):	Not Applicable
	Total Water Requirement (CMD) :	385
	Fire fighting - Underground water tank(CMD):	Not Applicable
	Fire fighting - Overhead water tank(CMD):	Not Applicable
Excess treated water	Not Applicable	
Details of Swimming pool (If any)	Not applicable	



Government of Maharashtra

24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	10.5	4.5	15	2.5	0.5	3	8	4	12
Industrial Process	79	-4.0	75	4.1	-4.1	0	74.9	0.1	75
Cooling tower & thermopack	91	204	295	74.4	200.6	275	16.6	3.4	20
Gardening	8	17	25	8	17	25	0	0	0

25.Rain Water Harvesting (RWH)

Level of the Ground water table:	1 to 7 m pre-monsoon (CGWA report)
Size and no of RWH tank(s) and Quantity:	12 m3 capacity tank (1 No)
Location of the RWH tank(s):	Within site
Quantity of recharge pits:	Nil
Size of recharge pits :	Nil
Budgetary allocation (Capital cost) :	Rs. 3 Lakhs
Budgetary allocation (O & M cost) :	Rs. 0.5 Lakhs
Details of UGT tanks if any :	12 m3 capacity tank (1 No)

26.Storm water drainage

Natural water drainage pattern:	Towards south.
Quantity of storm water:	162.5 lit/second
Size of SWD:	0.3 m x 0.5 m (3 Nos)

27.Sewage and Waste water

Sewage generation in KLD:	12 cmd (Existing + Proposed)
STP technology:	Sewage will be treated in ETP at site
Capacity of STP (CMD):	It will be combinly treated in Effluent treatment plant
Location & area of the STP:	Not Applicable
Budgetary allocation (Capital cost):	Nil
Budgetary allocation (O & M cost):	Nil

28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	5500 cum substratum removed for new building 3500 cum Debris generated Miscellaneous scrap (glass, plastic, metals) - 5 Tons - to be sold for recycle and reuse
	Disposal of the construction waste debris:	Substratum/Debris/ site preparation waste will be reused for leveling of plot
Waste generation in the operation Phase:	Dry waste:	Coal ash - 3.1 TPD
	Wet waste:	Garden Trimming / Canteen Waste - 1 TPM
	Hazardous waste:	Details given in Sr No 39 below
	Biomedical waste (If applicable):	Not Applicable
	STP Sludge (Dry sludge):	0.2 TPM ETP Biological sludge
	Others if any:	Not Applicable
Mode of Disposal of waste:	Dry waste:	Sale to brick manufacturer or for landfilling
	Wet waste:	Composted sludge will be used as manure
	Hazardous waste:	CHWTSDF / Sale to authorized Parties
	Biomedical waste (If applicable):	Not Applicable
	STP Sludge (Dry sludge):	Mix with compost and used as Manure
	Others if any:	Not Applicable
Area requirement:	Location(s):	Within plot- Coal ash silo near Boiler house Canteen and wet waste - near ETP
	Area for the storage of waste & other material:	50 Sq. mtr.
	Area for machinery:	Not Applicable
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Existing Rs 10 Lacs + Proposed Rs 15 lakhs = Rs 25 lakhs
	O & M cost:	Existing Rs. 21.66 lakhs + Proposed Rs 25 Lacs per year

Government of
Maharashtra

29.Effluent Charecterestics					
Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)
1	pH	--	2 to 4	6.5 to 9	6.5 to 9
2	Chemical oxygen Demand	mg/L	9000 to 10000	< 150	250
3	Biological oxygen Demand	mg/L	3000 to 4000	< 30	30
4	Total suspended solids	mg/L	200 to 250	< 50	100
5	Total Dissolved solids	mg/L	3500 to 4000	< 1500	2100
6	Oil & Grease	mg/L	10 to 15	< 5	10
7	Sulphate	mg/L	300 to 350	< 800	1000
8	Total Ammonical nitrogen	mg/L	7 to 10	< 30	50
9	Chloride	mg/L	150 to 200	< 400	600
Amount of effluent generation (CMD):		107 cmd (Existing 99.5 cmd + Proposed additional 7.5 cmd)			
Capacity of the ETP:		110 cmd ETP (for biodegradable waste) 40 cmd RO (for utility effluents) and 45 cmd MEE (for high TDS effluents)			
Amount of treated effluent recycled :		33 cmd of treated effluent will be recycled for cooling purposes			
Amount of water send to the CETP:		67.5 cmd to CETP			
Membership of CETP (if require):		Yes, MACL is member of Mahad CETP			
Note on ETP technology to be used		Low Organic effluent from process will be segregated & treated along with sewage water Aerobic Biological process comprising Primary, Secondary & tertiary units. Wastewater from Utilities (CT, Boiler blowdown and DM Plant rinses) will be passed through RO and permeate reused for cooling. High COD/high TDS effluent will be treated in MEE and salts will be recovered, condensate will be treated in Aerobic biological ETP Process.			
Disposal of the ETP sludge		ETP Chemical sludge (including MEE salts) 10 TPM to CHWTSDF ETP Biological sludge 0.2 TPM will be disposed with Compost.			

Government of Maharashtra

30. Hazardous Waste Details

Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Chemical sludge form waste water treatment	35.3	TPM	10	200	210	CHWTSDF
2	Residue And wastes	28.1	KL/M	120	300	420	CHWTSDF
3	Spent Organic solvent	28.6	KL/M	270	0	270	Sale to MPCB authorized recycler/ CHWTSDF
4	Process sludge / residue	26.1	KL/M	60	150	210	CHWTSDF
5	Discarded barrels/liners	33.1	Nos/A	0	2200	2200	Sale to MPCB authorized recycler
6	Discarded Asbestos	15.2	Kg/A	0	250	250	CHWTSDF
7	Spent oil	5.1	Kg/M	0	230	230	Sale to MPCB authorized recycler
8	Oil soaked gaskets and cotton waste	5.2	Kg/M	0	5	5	CHWTSDF
9	Filter & Filter material	36.2	TPA	0	1	1	CHWTSDF
10	Spent catalyst	28.2	TPA	0	10	10	Recycle to catalyst manufacture / CHWTSDF

31. Stacks emission Details

Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	Boiler (existing) - 2 TPH	Coal- 7 TPD	1	32 mtr	0.8	142
2	TFH (Existing) - 3 Lakh Kcal/Hour	FO- 1.2 KL/day OR Coal- 2.8 TPD	1	20 mtr	0.45	148
3	Boiler (Proposed) - 6 TPH	Coal: 26 TPD	1	33 mtr	0.6	140
4	TFH (Proposed) - 8 lakh Kcal/hour	Coal: 7.2 TPD	1	30 mtr	0.35	150
5	DG set (Existing) - 62 KVA	HSD: 0.5 KL/day	1	2 mtr above roof	0.15	140
6	DG set (Proposed) - 250 KVA	HSD: 1.2 KL/day	1	3.5 mtr above roof	0.30	140
7	Process reactor (proposed)	--	1	15 mtr	0.1	Ambient

32. Details of Fuel to be used

Serial Number	Type of Fuel	Existing	Proposed	Total
1	Imported Coal (10 % Ash + 0.5 % Sulphur) / Briquette	9.8 TPD	33.2 TPD	43 TPD
2	Furnace oil (0.2 % Ash % & 4.5 % Sulphur)	1.2 KL/day	--	1.2 KL/day
3	HSD (0.01 Ash % & 1 % Sulphur)	0.5 KL/day	1.2 KL/day	1.7 KL/day

33.Source of Fuel	Coal Imported from Indonesia and other countries FO & HSD from Indian Refineries
34.Mode of Transportation of fuel to site	By road (Through Closed Vehicle)

35. Energy

Power requirement:	Source of power supply :	MSEDCL
	During Construction Phase: (Demand Load)	770 KVA (proposed)
	DG set as Power back-up during construction phase	2 DG set (Existing 1 No. 62 KVA + Proposed 1 No. 250 KVA)
	During Operation phase (Connected load):	770 KVA
	During Operation phase (Demand load):	770 KVA
	Transformer:	within plot
	DG set as Power back-up during operation phase:	2 DG set (Existing 1 No. 62 KVA + Proposed 1 No. 250 KVA)
	Fuel used:	HSD for DG sets
	Details of high tension line passing through the plot if any:	No HT line passing through plot.

Energy saving by non-conventional method:

It is proposed to install 31 KW solar energy panels.

36. Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	-	-

37. Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
Air pollution - Boiler (Existing)	Mechanical dust collector, bag filter, stack	-
Air pollution - TFH (Existing)	Mechanical dust collector, stack	-
Air pollution - DG Set (Existing)	Exhaust pipe height	-
Air pollution - Boiler (Proposed)	-	Stack height with cyclone separator & bag filter
Air pollution - TFH (Proposed)	-	Stack height with cyclone separator & bag filter

Air pollution - DG set (Proposed)	-	Exhaust pipe height
Air pollution - Process vent (Proposed)	-	Stack
Noise Pollution	PPE, acoustic enclosure	PPE, acoustic enclosure
Solid and hazardous waste management	Disposal to CHWTSDF / Recycling or sale to authorized party	Disposal to CHWTSDF / Recycling or sale to authorized party
Water Pollution	ETP (Combined treatment trade effluent with sewage)- primary, secondary and tertiary treatment	MEE & RO

Budgetary allocation (Capital cost and O&M cost):	Capital cost:	--
	O & M cost:	--

38.Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	Noise and dust	Barricading around construction site	Rs. 2.55 lakhs
2	Land environment	Top soil Management & Substratum disposal	Rs. 2.65 Lakhs
3	Safety	OHS Measures for labourers	Rs. 0.5 lakhs

b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Air Pollution Control	Provision of stacks and bag filters as per norm	13 (Existing) + 20 (Proposed)	1.3 (Existing) + 2 (Proposed)
2	Water Pollution Control	MEE unit for expansion to be installed in phases	0 (Existing) + 250 (Proposed)	-
3	Water Pollution Control	RO unit for expansion to be installed in phases	0 (Existing) + 30 (Proposed)	-
4	Water Pollution Control	ETP Upgradation	61 (Existing ETP) + 30 (Proposed)	21 (Existing) + 64 (Proposed)
5	Environmental Monitoring	Routine on site monitoring	2 (Existing) + 5 (Proposed)	1.5 (Existing) + 2 (Proposed)
6	Noise Control	Acoustic enclosure/ Anti vibration pads, PPE's (in built in equipment cost), PPEs	3 (Existing) + 5 (Proposed)	2 (Existing) + 3 (Proposed)
7	Hazardous waste & Solid Waste management	Storage & Disposal of Hazardous Waste & Non-Hazardous Waste	10 (Existing) + 15 (Proposed)	21.66 (Existing) + 25 (Proposed)
8	Occupational health, safety and fire protection	Fire (Fire hydrant network), safety and occupational health.	10 (Existing) + 32(Proposed)	3 (Existing) + 8 (Proposed)

9	Green Initiative (Solar energy)	Solar energy utilization for office building, Street lighting, Water heating	0 (Existing) + 25(Proposed)	0 (Existing) + 1.5(Proposed)
10	Rain Water Harvesting	Rain Water Harvesting	0 (Existing) + 3 (Proposed)	0 (Existing) + 0.5 (Proposed)
11	Green belt within site	Green belt within site	1.95 (390 Nos x 500 Rs per tree) (Existing) + 5.00 (1000 Nos x 500 Rs per tree) (Proposed)	1.0 (Existing) + 2 (Proposed)

39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
SDS	Existing + Proposed	within plot	100 KL + 3 x 100 KL	300 KL	1283	Local	Tanker
Methanol	Existing	within plot	46 KL	40 KL	755	Local	Tanker
Acetic Anhydride	Proposed	within plot	20 KL	16 KL	209	Local	Tanker
Hexane	Existing	within plot	12 KL	10 KL	444	Local	Tanker
2 Ethyl Hexanol	Proposed	within plot	2 x 100 KL	2 x 80 KL	300	Local	Tanker
Iso Nonyl Alcohol	Proposed	within plot	100 KL	80 KL	37	Local	Tanker
Propionic Anhydride	Proposed	within plot	20 KL	16 KL	328	Local	Tanker
Acetonitrile	Proposed	within plot	20 KL	16 KL	444	Local	Tanker
Ethyl Acetate	Proposed	within plot	20 KL	16 KL	444	Local	Tanker
Ethyl Acetoacetate	Proposed	within plot	20 KL	16 KL	444	Local	Tanker
Acetic acid	Proposed	within plot	20 KL	16 KL	444	Local	Tanker
Butanol	Proposed	within plot	20 KL	16 KL	59	Local	Tanker
Toluene	Proposed	within plot	20 KL	16 KL	444	Local	Tanker
Hydrogen	Proposed	within plot	2 cylinder trolley	2 cylinder trolley	7	Local	Trolley Truck

40.Any Other Information

No Information Available

	CRZ/ RRZ clearance obtain, if any:	Not applicable
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	Not applicable
	Category as per schedule of EIA Notification sheet	5 (f)- B
	Court cases pending if any	Not applicable
	Other Relevant Informations	Not applicable
	Have you previously submitted Application online on MOEF Website.	Yes
	Date of online submission	12-04-2018

3. The proposal has been considered by SEIAA in its 190th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to provide Zero Liquid Discharge Effluent Treatment Plant.
II	PP to provide mechanical sludge drying system to ensure proper drying of ETP sludge in rainy season.
III	PP to ensure compliance of the recommendations of the HAZOP and Risk assessment study.
IV	PP to include carbon and water foot print monitoring in their management plan.
V	PP to use briquettes as a fuel for boiler or use coal having ash content less than 10%.
VI	PP to provide new and renewable energy sources for the illumination of the office building and street lights.
VII	PP to submit a bank guarantee of Rs.124.40 lakhs (Rs.1,244 Crores) to Maharashtra Pollution Control Board towards effective implementation of the EMP comprising remediation plan and Natural and Community Resource augmentation Plan.
VIII	PP to submit CER as applicable as per MOEF & CC circular dated 1.5.2018 in consultation with Municipal Corporation.
IX	PP to ensure to comply with the conditions stipulated in the Office Memorandum issued by MoEF& CC dated 9th August, 2018.

General Conditions:

I	(i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP.
II	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
III	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
IV	Proper Housekeeping programmers shall be implemented.
V	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
VI	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
VII	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
VIII	Arrangement shall be made that effluent and storm water does not get mixed.
IX	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.

X	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
XI	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
XII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XIII	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
XV	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
XVI	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XVII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XVIII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XIX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in
XXI	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XXIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXIV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. REGIONAL OFFICE MPCB RAIGAD
10. REGIONAL OFFICE MIDC RAIGAD
11. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
12. COLLECTOR OFFICE RAIGAD