



## STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,  
Room No. 217, 2nd floor,  
Mantralaya, Annexe,  
Mumbai- 400 032.  
Date: February 5, 2020

To,  
**Mr. Abhijeet Birewar (Multi Organics Pvt. Ltd.)**  
at Plot No. A-1, MIDC Padoli, Chandrapur, Maharashtra

**Subject:** Environment Clearance for Environment Clearance for proposed expansion project for manufacturing of chemical intermediates & speciality chemicals by Multi Organics Pvt. Ltd., at Plot No. A-1, MIDC Industrial Area, Ghuggus Road, Padoli, Taluka & District Chandrapur, Maharashtra 442 406

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 168 - Bth meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 183rd meetings.


2. It is noted that the proposal is considered by SEAC-I under screening category 5(f) B1 as per EIA Notification 2006.

**Brief Information of the project submitted by you is as below :-**

1.Name of Project	Proposed expansion project for manufacturing of chemical intermediates & speciality chemicals Multi Organics Pvt. Ltd. At Plot No. A-1, MIDC Industrial Area, Ghuggus Road, Padoli, Taluka & District Chandrapur, Maharashtra 442 406.
2.Type of institution	Private
3.Name of Project Proponent	Mr. Abhijeet Birewar (Multi Organics Pvt. Ltd.)
4.Name of Consultant	Goldfinch Engineering Systems Private Limited
5.Type of project	Industrial - Chemical Intermediates & Speciality Chemicals
6.New project/expansion in existing project/modernization/diversification in existing project	Expansion
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	No
8.Location of the project	Plot No. A-1, MIDC Padoli, Chandrapur, Maharashtra
9.Taluka	Chandrapur
10.Village	Chinchala
Correspondence Name:	Abhijeet B. Birewar
Room Number:	503
Floor:	5TH
Building Name:	Keshava, Bandra-Kurla Complex
Road/Street Name:	NA
Locality:	Bandra
City:	Mumbai
11.Whether in Corporation / Municipal / other area	MIDC Chandrapur

**SEIAA Meeting No: 183 Meeting Date: December 12, 2019 (**  
**SEIAA-STATEMENT-000001271 )**  
**SEIAA-MINUTES-000002846**  
**SEIAA-EC-000002097**

Page 1 of 14

  
**Shri. Anil Diggikar (Member Secretary**  
**SEIAA)**

12.IOD/IOA/Concession/Plan Approval Number	NA
	IOD/IOA/Concession/Plan Approval Number: NA
	Approved Built-up Area: 20235
13.Note on the initiated work (If applicable)	NA
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	NA
15.Total Plot Area (sq. m.)	20235
16.Deductions	NA
17.Net Plot area	20235
18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): 20235
	Non FSI area (sq. m.): NA
	Total BUA area (sq. m.): 20235
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.): NA
	Approved Non FSI area (sq. m.): NA
	Date of Approval: 13-04-2018
19.Total ground coverage (m2)	7134.68
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	35.25
21.Estimated cost of the project	588500000



# Government of Maharashtra

## 22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Beta Naphthol	6300 TPA	4500 TPA	10800 TPA
2	Alpha Naphthol	1200 TPA	1800 TPA	3000 TPA
3	1-Fluoronaphthalene	300 TPA	300 TPA	600 TPA
4	Sodium Sulphate	6000 TPA	1500 TPA	7500 TPA
5	Sodium Sulphite	8700 TPA	6300 TPA	15000 TPA
6	Tar	1080 TPA	840 TPA	1920 TPA
7	Total	23580 TPA	15240 TPA	38820 TPA

## 23. Total Water Requirement

<b>Dry season:</b>	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	Not applicable
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable
<b>Wet season:</b>	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	Not applicable
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable
<b>Details of Swimming pool (If any)</b>	NA	

## 24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	40	10	50	08	02	10	32	08	40
Industrial Process	115	90	205	102	84	186	13	06	19
Cooling tower & thermopack	285	213	498	268	204	472	17	09	26
Gardening	00	40	40	00	40	40	00	00	00
Fresh water requirement	440	353	793	378	330	708	62	23	85

<b>25.Rain Water Harvesting (RWH)</b>	<b>Level of the Ground water table:</b>	5 to 10 m
	<b>Size and no of RWH tank(s) and Quantity:</b>	1 No. Tank of 100 m <sup>3</sup> 1 No Tank of 10 m <sup>3</sup>
	<b>Location of the RWH tank(s):</b>	Near stores building and admin office building
	<b>Quantity of recharge pits:</b>	NIL
	<b>Size of recharge pits :</b>	Not applicable as collected rain water will be reused. Extra rain water will be connected to natural drain
	<b>Budgetary allocation (Capital cost) :</b>	3 lac.
	<b>Budgetary allocation (O &amp; M cost) :</b>	Rs. 0.5 lac./ annum
	<b>Details of UGT tanks if any :</b>	Not Available

<b>26.Storm water drainage</b>	<b>Natural water drainage pattern:</b>	As per slope available at project site
	<b>Quantity of storm water:</b>	149.00 L/s
	<b>Size of SWD:</b>	0.3 m x 0.3 m x 0.3 m (196.00 L/s)

<b>27.Sewage and Waste water</b>	<b>Sewage generation in KLD:</b>	40
	<b>STP technology:</b>	Proposed STP
	<b>Capacity of STP (CMD):</b>	50
	<b>Location &amp; area of the STP:</b>	Near ETP area & 40 m2
	<b>Budgetary allocation (Capital cost):</b>	60.00 Lacs.
	<b>Budgetary allocation (O &amp; M cost):</b>	18.00 Lacs./annum



# Government of Maharashtra

## 28.Solid waste Management

<b>Waste generation in the Pre Construction and Construction phase:</b>	<b>Waste generation:</b>	Not Applicable
	<b>Disposal of the construction waste debris:</b>	Not Applicable
<b>Waste generation in the operation Phase:</b>	<b>Dry waste:</b>	Boiler ash- 13560.00 TPA
	<b>Wet waste:</b>	• Used Oil = 480.0 LPA • Chemical Sludge from ETP = 48.0 TPA • Spent carbon from ETP = 06.60 TPA
	<b>Hazardous waste:</b>	• Used Oil = 480.0 LPA • FSR Ash OR Residue = 108.00 TPA • Chemical Sludge from ETP = 48.00 TPA • Spent carbon from ETP = 06.60 TPA • Low Purity Sodium Sulphate = 1500 TPA • Calcium Sulphate = 3180.00 TPA
	<b>Biomedical waste (If applicable):</b>	Not Applicable
	<b>STP Sludge (Dry sludge):</b>	04,944 TPA
	<b>Others if any:</b>	Not Applicable
<b>Mode of Disposal of waste:</b>	<b>Dry waste:</b>	Send to Brick manufacturers & land filling
	<b>Wet waste:</b>	CHWTSDF/Sale
	<b>Hazardous waste:</b>	CHWTSDF/Sale
	<b>Biomedical waste (If applicable):</b>	Not Applicable
	<b>STP Sludge (Dry sludge):</b>	STP Sludge will be used for gardening as an manure
	<b>Others if any:</b>	Not Applicable
<b>Area requirement:</b>	<b>Location(s):</b>	Near Parking Area 02
	<b>Area for the storage of waste &amp; other material:</b>	15.00 m <sup>2</sup>
	<b>Area for machinery:</b>	Not Applicable
<b>Budgetary allocation (Capital cost and O&amp;M cost):</b>	<b>Capital cost:</b>	Rs. 5 lacs.
	<b>O &amp; M cost:</b>	Rs. 22 lacs./year

Government of  
Maharashtra



## 29. Effluent Characteristics

Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	pH	--	6 - 6.5	7.0 - 9.0	5.5 - 9.0
2	COD	Mg/Lit	1500 - 1800	< 250	< 250
3	BOD (3 DAYS AT 27 0C)	Mg/Lit	800 - 1000	< 100	< 100
4	TSS	Mg/Lit	400 - 500	< 100	< 100
5	TDS	Mg/Lit	1500 - 2100	< 2100	< 2100
Amount of effluent generation (CMD):		45			
Capacity of the ETP:		100			
Amount of treated effluent recycled :		76.0 CMD (36.00 CMD from RO permeate and 40 CMD from STP)			
Amount of water send to the CETP:		Not Applicable as this unit will be run as Zero Liquid Discharge (ZLD) Unit			
Membership of CETP (if require):		Not Applicable			
Note on ETP technology to be used		Effluent from industrial Processing (15 CMD), from washing (4 CMD), cooling tower & boiler (26 CMD) will be treated in ETP. Tertiary treated effluent (45 CMD) will be fed to RO. RO permeate (36 CMD) will be recycled and reused. RO reject (9 CMD) will be fed MEE & salts from MEE will be fed to sulphate recovery plant for further treatment & sodium sulphate recovery. Thus, unit will be Complete ZLD unit.			
Disposal of the ETP sludge		CHWTSDF			

**Government of  
Maharashtra**

30.Hazardous Waste Details							
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Low Purity Sodium Sulphate	26.1	TPA	0	1500	150	Sale / CHWTSDF
2	Calcium Sulphate*	26.1	TPA	2220	960	3180	Sale / CHWTSDF
3	Chemical Sludge from ETP	35.3	TPA	36	12	48	CHWTSDF
4	Spent carbon from ETP	35.3	TPA	00	6.6	6.6	CHWTSDF
5	Used Oil	5.1	LPA	300	180	480	Sale to authorized recycler
6	Final Sulphate Recovery Ash	26.1	TPA	54	54	108	CHWTSDF
7	Note - * CaSO4 quantity will reduce depending on quality of Input Raw Material.	--	--	--	--	--	--
8	Other wastes	--	--	--	--	--	--
9	E-Waste	--	Kg/A	--	24	24	Sale to authorized dismantlers / Recyclers.
10	Battery waste	--	Kg/A	--	24	24	Returned to battery manufacturer through authorized dealer on buy back procurement
11	Non- Hazardous waste	--	--	--	--	--	--
12	Boiler ash	--	TPA	5760	7800	13560	Send to authorised brick manufacturer & land filling
13	Discarded drums and containers	--	Kg/A	00	1200	1200	Recycler / sell to approved vendor
14	Polyethylene Bags	--	Kg/A	00	12000	12000	Recycler / sell to approved vendor
15	Paper Bags	--	Kg/A	00	120	120	Recycler / sell to approved vendor
16	Light density polyethylene bag	--	Kg/A	00	1200	1200	Recycler / sell to approved vendor

### 31.Stacks emission Details

Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	Boiler no 1 - 4.5 TPH (Existing, stand by)	Coal 700 Kg/hr	1	27	0.65	160 OC
2	Boiler no 2 - 4 TPH (Existing, stand by)	Coal 700 Kg/hr	1	27	0.65	160 OC
3	Boiler no 3- 9 TPH (Existing, stand by)	Coal 1600 Kg/hr	1	30	1.1	160 OC
4	Boiler no 4 - 20 TPH (Proposed)	Coal 3300 Kg/hr	1	42	1.2	160 OC



5	Thermopack no 1 8 LacKcal/hr (Existing, stand by)	FO/LDO/HSD 90 Kg/hr	1	27	0.6	160 OC
6	Thermopack no 2 6 LacKcal/hr (Existing, stand by)	Coal 180 Kg/hr	1	16	0.6	160 OC
7	Thermopack no 3 15 LacKcal/hr (Existing)	Coal 465Kg/hr	1	27	.65	160 OC
8	Thermopack no 4 10 LacKcal/hr (Proposed)	Coal 325Kg/hr	1	30	0.4	160 OC
9	DG Set 320 KVA (Existing)	HSD, 87 lit./hr.	1	9	--	--
10	DG Set 100 KVA (Existing)	HSD, 28 lit./hr.	1	6.5	--	--
11	FSR (Existing) (800 lit/hr)	Coal 60 kg/hr	1	27	--	90 OC

### 32.Details of Fuel to be used

Serial Number	Type of Fuel	Existing	Proposed	Total	
1	Coal	3705 Kg/Hr	3625 Kg/Hr	7330 Kg/Hr	
2	FO/LDO/HSD	90 Kg/hr	--	90 Kg/hr	
3	HSD for DG Set	115 lit./hr	--	115 lit./hr	
33.Source of Fuel		Local			
34.Mode of Transportation of fuel to site		By Road			

### 35.Energy

<b>Power requirement:</b>	Source of power supply :	MSEDCL
	During Construction Phase: (Demand Load)	NA
	DG set as Power back-up during construction phase	NA
	During Operation phase (Connected load):	3000 KVA
	During Operation phase (Demand load):	2215 KVA
	Transformer:	2500 KVA
	DG set as Power back-up during operation phase:	320 KVA (1 no.) & 100 KVA (1 no.)
	Fuel used:	HSD
	Details of high tension line passing through the plot if any:	No high tension line is passing through the plot

### Energy saving by non-conventional method:

NA

### 36.Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	Solar Power	1.15%

### 37.Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
Air	Stack of adequate height, multiple cyclone separators, Bag filter	Stack of adequate height, multiple cyclone separators, Bag filter
Water	MEE, ETP & RO	STP
Noise	Acoustic enclosure for DG set	--
Solid Waste	Disposal to CHWTSDF	Disposal to CHWTSDF/ Sale to authorized Dealer

Budgetary allocation (Capital cost and O&M cost):	Capital cost:	704.8Lacs
	O & M cost:	74.15 Lacs

### 38.Environmental Management plan Budgetary Allocation

#### a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	Dust	Air Pollution	12
2	Debris	Solid Waste	5
3	Construction motor	Noise Pollution	3

#### b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Air pollution control	Provision of Multi cyclone followed bag filter & stacks of height as recommended by CPCB, Process Scrubber	136.8	11
2	Water pollution control	ETP, MEE & RO, RWH	553	38.15
3	Noise pollution Control	Acoustic encl./ Ant vibration pads	10	3
4	Occupational Health	Medical checkup Health insurance policy Medical staff charges First aid facilities consumables Control of fugitive emissions Work Place monitoring	5	22
5	Environmental Monitoring Budget	Environment Monitoring	23.05	5
6	Hazardous waste Storage & disposal	Storage, Transportation and disposal	5	22
7	Green belt	Development & Maintenance	5	7

8	Mitigation Measures for LCA	(Installation of Solar Panels)	16.22	0.178
9	Carbon Footprint Monitoring (Measures taken to reduce carbon footprint)	Installation of solar Panels* for reduction of consumption of electricity which indirectly reduce carbon footprint. Tree plantation*, Reduction of fuel consumption by using well efficient insulation to heating equipment.	0.50	0.015
10	Water Footprint Monitoring (Measures taken to reduce water footprint)	Rain water harvesting & use of rain water in utilities & domestic Recycle & reuse of treated waste water** in utilities Regular maintenance of equipments to reduce wastage of water due to leaks	1.5	0.55
11	Total	--	756.07	108.893
12	Note - *Cost for Tree plantation & solar panel is already considered in sr. no. 7 & 8. ** Cost for recycle & reuse of water is already considered in sr. no. 2. We will recycle water (36.00 CMD) by using reverse osmosis.	--	--	--

### 39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Naphthalene	Solid	Godown	2000	2000	1500	Imported /Local	Road
Sulphuric Acid	Liquid	tank	175	170	1800	Local	Road
Caustic Soda Lye	Liquid	tank	30	25	300	Local	Road
Caustic Soda Flakes	Solid	Godown	500	400	1000	Local	Road
Lime Power	Solid	Godown	50	50	100	Local	Road
1-naphthalamine	Solid	Godown	50	50	100	Imported	Road
Sodium nitrite	Solid	Godown	10	10	50	Local	Road
Sodium tetrafluoroborate	Solid	Godown	50	50	100	Local	Road

### 40.Any Other Information

No Information Available

	<b>CRZ/ RRZ clearance obtain, if any:</b>	NA
	<b>Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries</b>	No Protected area within 10 km radius circle.
	<b>Category as per schedule of EIA Notification sheet</b>	5(f) B1
	<b>Court cases pending if any</b>	NA
	<b>Other Relevant Informations</b>	NA
	<b>Have you previously submitted Application online on MOEF Website.</b>	Yes
	<b>Date of online submission</b>	13-04-2018

**3. The proposal has been considered by SEIAA in its 183rd meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:**

**Specific Conditions:**

<b>I</b>	PP to explore possibility to convert waste steam generated from pressure reducing valve into the energy.
<b>II</b>	PP to submit ash balance calculations along with MoU made with different agencies. PP also to submit undertaking for not disposing any waste ash out side the premises without permission from the competent Authority.
<b>III</b>	At few places ambient air parameters PM10 & 2.5 are exceeding the limits including the proposed site. PP to carry out random air sampling in the study area to identify the potential particulate matter source till the project site and submit the findings.
<b>IV</b>	PP to implement CER plan in consultation with the District Authority as per OM issued by MoEF&CC dated 01.05.2018.
<b>V</b>	PP to submit a bank guarantee of Rs. 153.75 lakhs to Maharashtra Pollution Control Board towards effective implementation of the EMP comprising remediation plan and Natural and Community Resource augmentation Plan.
<b>VI</b>	PP to submit CER as applicable as per MOEF & CC circular dated 1.5.2018 in consultation with Municipal Corporation.
<b>VII</b>	PP to ensure to comply with the conditions stipulated in the Office Memorandum issued by MoEF& CC dated 9th August, 2018.

**General Conditions:**

<b>I</b>	(i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP.
<b>II</b>	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
<b>III</b>	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
<b>IV</b>	Proper Housekeeping programmers shall be implemented.
<b>V</b>	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
<b>VI</b>	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
<b>VII</b>	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
<b>VIII</b>	Arrangement shall be made that effluent and storm water does not get mixed.

IX	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
X	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
XI	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
XII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XIII	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
XV	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
XVI	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XVII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XVIII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XIX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <a href="http://ec.maharashtra.gov.in">http://ec.maharashtra.gov.in</a>
XXI	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XXIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXIV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
XXVI	This EC is issued subject to the condition that the implementation of EMP, remediation plan and Natural and Community Resource Plan will be completed during the period for which the Bank Guarantee is given, otherwise the BG should be suitably extended up to implementation of EMP.



4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

  
Shri. Anil Diggikar (Member Secretary SEIAA)

**Copy to:**

1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. REGIONAL OFFICE MPCB CHANDRAPUR
10. REGIONAL OFFICE MIDC CHANDRAPUR
11. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
12. COLLECTOR OFFICE CHANDRAPUR