

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:March 5, 2019

To.

District Mining Officer, Buldhana

at Mouze: Palsoda-B: Nearest Gat No. 82 to 84, 86, 105. (Coordinate of boundary pillars is being mentioned in other information at point no. 54)

Subject: Environment Clearance for Kacheri River Bed Sand Mining Project by manual method Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 162nd meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 158th meetings.

2. It is noted that the proposal is considered by SEAC-I under screening category 1 (a) Cat B2 as per EIA Notification 2006.

Brief Information of the project submitted by you is as below:-

1.Name of Project	KacheriKacheri River Bed Sand Mining Project having lease area: 0.24 ha., (Nearest Gat No. 82 to 84, 86, 105) Mouze: Palsoda-B, Taluka: Sangrampur, District: Buldhana.
2.Type of institution	Government
3.Name of Project Proponent	District Mining Officer, Buldhana
4.Name of Consultant	Fulgro Environmental & Engineering Services (I) Pvt. Ltd., 27, Ashok Vatika, Khatipura Road, Jhotwara, Jaipur, Rajasthan, PIN Code: 302 012
5.Type of project	Mining Project
6.New project/expansion in existing project/modernization/diversification in existing project	New project
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	New project
8.Location of the project	Mouze: Palsoda-B: Nearest Gat No. 82 to 84, 86, 105. (Coordinate of boundary pillars is being mentioned in other information at point no. 54)
9.Taluka	Sangrampur
10.Village	Palsoda-B
Correspondence Name:	District Mining Officer, Buldhana
Room Number:	Gaun khanij Bhawan, Ground Floor, Collector Office, Buldhana, Maharashtra 443001
Floor:	Ground Floor
Building Name:	Office of The District Collector, Buldhana
Road/Street Name:	State Bank Chowk Road
Locality:	Collector Office, Buldhana, Maharashtra 443001
City:	Buldhana
11.Whether in Corporation / Municipal / other area	Government

15 | SI

Shri. Anil Diggikar (Member Secretary SEIAA)

Page 1 of 15

	District collector has consented to grant a mining lease after getting E.C				
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: District collector has consented to grant a mining lease after getting E.C				
	Approved Built-up Area: 0.00				
13.Note on the initiated work (If applicable)	NA				
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	N.O.C GIVEN BY GROUND WATER SURVEY AND DEVELOPMENT AGENCY				
15.Total Plot Area (sq. m.)	Mine Lease Area: 2400.00 sq. m. (0.24 Hectare)				
16.Deductions	NA				
17.Net Plot area	Mine Lease Area: 0.24 Hectare				
	FSI area (sq. m.): NOT APPLICABLE - RIVER BED SAND MINING PROJECT				
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): NOT APPLICABLE - RIVER BED SAND MINING PROJECT				
	Total BUA area (sq. m.): 0.00				
	Approved FSI area (sq. m.): NOT APPLICABLE - RIVER BED SAND MINING PROJECT				
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.): NOT APPLICABLE - RIVER BED SAND MINING PROJECT				
Jon 1	Date of Approval: 01-11-2018				
19.Total ground coverage (m2)	2400.00				
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	RIVER BED SAND MINING PROJECT				
21.Estimated cost of the project	266446.00				

Government of Maharashtra

22.Production Details									
Serial Number	Pro	duct	Existing	(MT/M)	Proposed (MT/M)	Total (MT/M)			
1		lable Sand in Brass	-	-		254 BRASS			
	23.Total Water Requirement								
		Source of	water	Water tank	er supply				
		Fresh water	er (CMD):	1.12					
		Recycled v Flushing (NA	. ^				
		Recycled w Gardening		NA	HOTAN				
		Swimming make up (NA G	र्धिकार देश	7			
Dry season	1:	Total Water Requirement (CMD)		1.12					
			Fire fighting - Underground water tank(CMD):		NA SOLO SOLO SOLO SOLO SOLO SOLO SOLO SOL				
		Fire fighting - Overhead water tank(CMD):		NA CONTRACTOR OF THE CONTRACTO					
		Excess trea	ated water	NA 55					
		Source of	water	Mining will	not be carried out in mor	nsoon season			
		Fresh water	er (CMD):	Mining will not be carried out in monsoon season					
		Recycled water - Flushing (CMD):		NA NA					
		Recycled water - Gardening (CMD):		NA					
		Swimming make up (NA NA					
Wet season	n:	Total Wate Requirement:		Mining will not be carried out in monsoon season					
		Fire fighting Undergrout tank(CMD	ınd water	NA					
		Fire fighting - Overhead water tank(CMD):		NA TO SILITO					
		Excess trea	ated water	NA					
Details of spool (If an		NA							

		24	.Detail	s of Tota	l water co	nsume	d				
Particula rs	Consumption (CMD)		1	Loss (CMD)			Effluent (CMD)				
Water Require I ment	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total		
Domestic	0.0	0.12	0.12	0.0	0.0	0.0	0.0	0.0	0.0		
Industrial Process	0.0	1.00	1.00	0.0	0.0	0.0	0.0	0.0	0.0		
Fresh water requireme nt	0.0	1.12	1.12	0.0	0.0	0.0	0.0	0.0	0.0		
			77)			7					
		Level of the water table:	Ground	10.0 - 20.0 r	n bgl	- Company	7				
		Size and no o tank(s) and Quantity:	of RWH	NA S	G.	300					
		Location of t tank(s):	he RWH	NA	NA 8						
25.Rain Wa Harvesting		Quantity of r	echarge	NA 1802 S							
(RWH)		Size of recha	rge pits	NA E							
		Budgetary al (Capital cost		NA							
		Budgetary allocation (O & M cost) :		NA OLY							
		Details of UC if any :	T tanks	NA							
				41774	17 Thus	7					
26.Storm w	zaton	Natural wate drainage pat		NA							
drainage	ater	Quantity of s water:	torm	NA MA							
		Size of SWD:		NA I I I I I I I I I I I I I I I I I I I							
		Sewage gene in KLD:	ration	0.09							
		STP technolo	ogy:	Portable toilets will be provided by Lessee and proper treatment of sewage waste will be ensured							
27.Sewage	e and	Capacity of S (CMD):	STP	NA							
Waste wa	ter	Location & a the STP:	rea of	NA							
		Budgetary al (Capital cost		0.30 lac							
		Budgetary al (O & M cost)		0.10 lac							

SEIAA Meeting No: 158 Meeting Date: February 27, 2019 (SEIAA-STATEMENT-0000002561)
SEIAA-MINUTES-0000001658
SEIAA-EC-0000001405

Page 4 of 15 | S

	28.Solid waste Management						
Waste generation in	Waste generation:	NO WASTE GENERATION					
the Pre Construction and Construction phase:	Disposal of the construction waste debris:	NA					
	Dry waste:	NO WASTE GENERATION					
	Wet waste:	NA					
Waste generation	Hazardous waste:	NA					
in the operation Phase:	Biomedical waste (If applicable):	NA					
	STP Sludge (Dry sludge):	NA					
	Others if any:	NA 7					
	Dry waste:	NO WASTE GENERATION					
	Wet waste:	NA					
	Hazardous waste:	NA					
Mode of Disposal of waste:	Biomedical waste (If applicable):	NA O					
	STP Sludge (Dry sludge):	NA NA					
	Others if any:	NA					
	Location(s):	NA TE ST					
Area requirement:	Area for the storage of waste & other material:	NA STATE OF THE ST					
	Area for machinery:	NA					
Budgetary allocation (Capital cost and	Capital cost:	NA VIEW IN THE STATE OF THE STA					
O&M cost):	O & M cost:	NA					

Government of Maharashtra

	29.Effluent Charecterestics							
Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)			
1	NA	NA	NA	NA	NA			
Amount of e	effluent generation	NA						
Capacity of	the ETP:	NA						
Amount of t recycled:	reated effluent	NA						
Amount of v	water send to the CETP:	NA						
Membership	p of CETP (if require):	NA NA						
Note on ETP technology to be used NA								
Disposal of	Disposal of the ETP sludge NA							



Government of Maharashtra

Page 6 of 15

			30.Ha	zardous	Waste D	etails			
Serial Number	Description		Cat	UOM	Existing	Proposed	Total	Method of Disposal	
1	N	ΙA	NA	NA	NA	NA	NA	NA	
			31.St	acks em	ission Do	etails			
Serial Number	Section	& units		ed with ntity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases	
1	N	ΙA	N	Ā	NA	NA	NA	NA	
			32.De	tails of I	Tuel to be	e used			
Serial Number	Туг	e of Fuel	Dr.	Existing		Propo	osed	Total	
1		Diesel	5	खिवव	। धरम्	AS PER REQ	UIREMENT	Fuel will be required for transportation of mineral.	
33.Source of	f Fuel	5	Fuel be me	will be requi et available l	red for vehic by private co	eles used for ntractor as v	transportati vehicles will	on of mineral and will be used on hire basis.	
34.Mode of	Transportat	ion of fuel to	site No fu	el will be sto	ored nearby	mine lease.	M		
		田	(-1-40	1):-0-		1		
		H	,	35.E	nergy	7			
		Source of participation supply:	power		cast- manua from sunrise		cess, Mining	operation will be	
		During Construction Phase: (Demand Load)		NA NA					
		DG set as Power back-up during construction phase		NA					
_		During Operation phase (Connected load):		NA	Mh	W			
Pov require		During Operation phase (Demand load):		NAME OF THE STATE					
		Transform	er:	NA					
		DG set as l back-up di operation	ıring	NATACHTES					
		Fuel used:	CI II	NA	uv		ш		
			Details of high tension line passing through the plot if any:		NO HIGH TENSION LINE PASSING THROUGH THE SAND SPOT				
		Energ	gy saving	y by non-	-convent	ional me	thod:		
NA									
		3	6.Detail	calculati	ions & %	of savin	g:		
Serial Number	E	nergy Cons	ervation Mo	easures			Saving	%	

SEIAA Meeting No: 158 Meeting Date: February 27, 2019 (SEIAA-STATEMENT-0000002561) SEIAA-MINUTES-0000001658 SEIAA-EC-0000001405

Page 7 of 15

1	NA						N	JA	
	37.Details of pollu					ontrol Syst	ems		
Source	-					Proposed to be installed			
There will be fugitive dust emissions only and the same will be suppressed by water sprinkling. Water sprinkling to suppress dust Budgetary	STORIO DE CONTROL DE C					Wate MENT OF MINI	7	to suppress dust	
(Capital o	cost and	O & M cos	7 70			MENT OF MINI			
	ŕ	nment	tal Mar	nageme	nt 1	olan Bud	getary	Allocation	
		-		7 1/3	- V	with Break-		,	
Serial Number	Attrib	outes	Parai	neter		Total Cost per annum (Rs. In Lacs)			
1	N	A	N	A	9	J5 NA			
		b) Operat	ion Phas		ith Break-u			
Serial Number	Compo	onent 🗸	Descr	iption	Сар	ital cost Rs. In Lacs		tional and Maintenance ost (Rs. in Lacs/yr)	
1	Air Pollutio	on Control	Fugitive Dust Generation		3	0.0	4	0.25	
2	Pollution M	lonitoring	(Riverbe	aul Road Development (Riverbed to stock yard)		0.0		0.10	
3	Water (Monit		Water Quality Assessment: (a) Surface Water (b) Groundwater (c) Ground water level measurement (pre & post Monsoon) The water quality monitoring will be carried out from a NABL/MoEF approved lab and in supervision					0.10	
4	Water Req	quirement	Requirement Water considering 6000 liter (number o	tter nt-1.12 KLD Tanker g Rs 400 for considering f working ~250)		0.0		0.18667	
5	Noise Mo	onitoring	Noise Moni	Level toring		0.0		0.05	

SEIAA Meeting No: 158 Meeting Date: February 27, 2019 (SEIAA-STATEMENT-0000002561) SEIAA-MINUTES-0000001658 SEIAA-EC-0000001405

Page 8 of 15

6	Transportation	Tarpauline cost	0.0	0.05
7	Periodic Monitoring of Ecological Environment	1. Not to cut trees that are larger in diameter than local regulations permit, or in the absence of regulations, greater than 90 cm. 2. Minimize clearing of vegetation. Leave in place smaller vegetation, topsoil, root stock, seeds and endangered or protected species and species used by local communities for commercial or subsistence use. 3. "Minimize the footprint." Use existing infrastructure to the extent possible to avoid or reduce clearing.	0.0	0.05
8	Soil Quality Monitoring	Soil Quality Monitoring (Once in two years) The Soil quality Monitoring will be carried out from a NABL/MoEF approved lab and in supervision of Environment Cell.	0.0	0.05
9	Portable Toilets	Portable toilets will be provided by Lessee	0.30	0.10
10	Green Belt Development and river bank binder grass	Afforestation program along the haul road and near by area in consultation with local forest department and concerned gram panchayat. Total area 0.0792 Ha (33%) considering 400 plants/ha (5m x5m canopy),	nent on the second of the seco	0.0792
11	Road development and road maintenance	Lump sum (from stockyard to the nearest village exit) If the amount exceeds as per the maintenance cost (road development) estimated by the concerned department then remaining fund will be beard by the concerned Gram Panchayat from their own fund)	o.o	0.10
12	Risk Assessment plan	Lump Sum	0.0	0.05

SEIAA Meeting No: 158 Meeting Date: February 27, 2019 (SEIAA-STATEMENT-0000002561)
SEIAA-MINUTES-0000001658
SEIAA-EC-0000001405

Page 9 of 15

	13	Environmental Awareness Program	i). All kind of Plastic ban program (ii) Providing dustbins at appropriate locations (iii) Natural resource conservation program	0.0	0.05
١	14	Total		0.30	1.21587

39.Storage of chemicals (inflamable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of	Means of transportation
NA	NA	NA	NA	NA	NA	NA	NA

40.Any Other Information

No Information Available

Government of Maharashtra

CRZ/ RRZ clearance obtain, if any:	NO CRZ CLEARANCE REQUIRED
Distance from Protected Areas / Critically Polluted areas / Eco-sensitiv areas/ inter-State boundaries	NA NA
Category as per schedule of EIA Notification sheet	1 (a) Cat B2
Court cases pending if any	PRESENTLY NO COURT CASES ARE PENDING REGARDING THIS SAND SPOT
Other Relevant Informations	1) Mining activity will be stricto-senso according to the sustainable sand mining guidelines, all NGT orders and directions will be followed, submission of schematic approved mining plan and environmental management plan will be compulsory for mine owner prior to take possession of sand spot for further activity. 2) Mining will be carried out by manual method 3) Coordinates: Pillar No. Latitude Longitude P-1 21° 4'9.44"N 76°44'45.73"E P-2 21° 4'9.22"N 76°44'45.90"E P-3 21° 4'7.02"N 76°44'44.13"E P-4 21° 4'4.67"N 76°44'43.11"E P-5 21° 4'4.90"N 76°44'36.95"E P-6 21° 4'7.24"N 76°44'43.96"E
Have you previously submitted Application online on MOEF Website.	No No
Date of online submission	रिष्यस्य मुद्रा

3. The proposal has been considered by SEIAA in its 158th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

Specific Conditions.	
I	PP to ensure no stream is diverted due to sand mining activity.
II	PP shall carry out sand mining by manual method only. No mechanical/electrical/power driven devices shall be used for sand mining.
III	PP to ensure that mining/ loading activity shall be restricted to day hours' time only. No mining activity shall be carried out after sunset and before sun rise.
IV	PP to ensure that, no vehicles should ply in the river bed.
v	PP to adhere to the provisions stipulated in the Sustainable Sand Mining Guidelines issued by MoEF&CC, Maharashtra Minor Mineral Extraction (Development and Regulation) Rules, 2013 and Sand Extraction Policy issued by Maharashtra Government in Revenue and Forest Department.
VI	PP to ensure strict compliance of all conditions stipulated in the Environmental Clearance. The District Collector and District Mining Officer shall be held responsible for the noncompliance of the conditions.
VII	PP to ensure that there is no damage to any fauna and its nesting close to the sand mining.
VIII	PP to ensure that adequate measures like maintenance of roads, sprinkling of water and plantation is carried out to reduce the dust particulate matter pollution.
IX	The District Collector and District Mining Officer shall ensure that there is no violation of any order with respect to the sand mining passed by the Competent Court. (Particularly, the directions given by Hon'ble Supreme Court of India vide order dated 27.02.2012 in Deepak Kumar case [SLP (C) Nos. 19628-19629 of 2009] and order dated 05.08.2013 of the Hon'ble National Green Tribunal in application No. 171/2013 be strictly followed.

SEIAA Meeting No: 158 Meeting Date: February 27, 2019 (SEIAA-STATEMENT-0000002561) SEIAA-MINUTES-0000001658 SEIAA-EC-0000001405

Page 11 of 15

X	PP to provide movable bio toilets to the workers working in the area and the sewage generated shall be properly collected and treated so as to confirm to the standards prescribed by MoEF&CC and CPCB.
XI	PP to ensure that no wild life habitat is infringed.
XII	PP to ensure that parking shall not be made on Public roads or in the river bed.
XIII	The sand transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.
XIV	PP to provide First Aid facility at the proposed mining site.
XV	The digital processing of the entire lease area in the district using remote sensing technique including GPS shall be monitored regularly.
XVI	a.District Collector and District Mining Officer to ensure the directions given by Hon'ble National Green Tribunal, Pune in Appeal No 10/2013 (WZ) dated 1st October 2013 as bellow- "However, we direct that when further auctioning process is required to be conducted, ordinarily, the sand beds falling between the sand beds which are now already auctioned shall be avoided unless there is special certification issued by the competent authority which would indicate absence of any environmental damage, having regard to precautionary principle which is required to be adopted. We mean to say, it should not happen that presently the sand beds are auctioned by keeping distance of 1 k.m. from each other and gap is filled up subsequently under one or another pretext." b) Distance between lease area to be marked as per actual shape and size, on Village Map or authenticated map available with Revenue Authority and ensure provisions regarding distance between two lease area and total lease area in the OM dated 24th December 2013 issued by MoEF. c) The validity of EC to the above mentioned sand block satisfying stipulated conditions is up to 30th September, 2019 only. d) This Environmental Clearance given is subject to the final order of application no. 520/2016 (Vikrant Tongad Vs Union of India & Oths) pending before Hon'ble NGT, e) Project proponent to follow the standard environmental conditions for sand mining, as per the sustainable sand mining management guidelines 2016, issued by MoEF & CC. f) Project proponent to ensure the strictly implementation of Environment management plan.

General Conditions:

General Conditions:	
I	District Collector and District Mining Officer to ensure the directions given by Hon'ble National Green Tribunal, Pune in Appeal No 10/2013 (WZ) dated 1st October 2013 as bellow-However, we direct that when further auctioning process is required to be conducted, ordinarily, the sand beds falling between the sand beds which are now already auctioned shall be avoided unless there is special certification issued by the competent authority which would indicate absence of any environmental damage, having regard to precautionary principle which is required to be adopted. We mean to say, it should not happen that presently the sand beds are auctioned by keeping distance of 1 k.m. from each other and gap is filled up subsequently under one or another pretext.
п	Distance between lease area to be marked as per actual shape and size, on Village Map or authenticated map available with Revenue Authority and ensure provisions regarding distance between two lease area and total lease area in the OM dated 24th December 2013 issued by MoEF
III	The validity of EC to the above mentioned sand block satisfying stipulated conditions is up to 30th September, 2019 only.
IV	Project proponent to follow the standard environmental conditions for sand mining of sustainable sand mining management guidelines 2016, issued by MoEF & CC.
V	Project proponent to ensure the strictly implementation of Environment management plan.
VI	District Collector to ensure that conditions stipulated in the Government Resolution (G.R.) dated 31.01.2018 issued by Revenue and Forest Department, Government of Maharashtra (GoM) is implemented in letter and spirit.
VII	Sand excavation is allowed only for the Reti Guts having sand deposition more than 2 m and excavation should be for layers above 2 m of sand deposit as recommended by GSDA.
VIII	The instructions of MoEF & CC in the Sustainable sand mining guidelines 2016 [regarding sand mining approval and tracking system and transport of excavated sand] should be followed.
IX	District Collector to ensure that every receipt given is serially scanned and registration number so generated must be written on such receipt to avoid duplication and unauthorized transportation of the sand.
X	Project Proponent to ensure that vehicles transporting sand should not be overloaded beyond stated capacity.
XI	The District collector should ensure that mining will be done strictly up to the depth recommended by GSDA.
XII	The green belt development /tree plantation will be made either on river bank or along road side.
XIII	Measures for prevention & control of soil erosion and management of silt shall be undertaken.
XIV	Project Proponent to ensure that there is no violation of the Supreme Court order and orders of the National Green Tribunal given in the related matters.
xv	Project Proponent & District Mining Officer will be held individually responsible for non compliance of the conditions stipulated in the Environmental clearance and shall be liable for legal action under Environment (Protection) Act of 1986.

Page 12 of 15

XVI	Transport of sand should be through vehicle which is properly covered with Tarpaulin and it should not be overloaded.
XVII	Project Proponent to ensure that the mining plan is approved by Director of Geology and Mining comprising study to show that annual replenishment of sand in the mining lease area is sufficient to sustain the mining operations at levels prescribed in the mining plan and that the transport infrastructure is adequate to transport the mined material.
XVIII	Provisions stipulated in Maharashtra Minor Minerals Extraction (development and Regulation) Rules 2013 and Government Resolution of Revenue and Forest Department dated 03.01.2018 shall be strictly fallowed by Project proponent.
XIX	The depth of sand layer to be mined, after retaining 2 m minimum layer below, should not be more than 2 meters as per Government Resolution of Revenue Department dated 03.01.2018 e.g. if the total depth of sand is 3 m, only up to one meter of sand shall be mined.
xx	Project Proponent or District Collector will take bank guarantee up to 2% of the total auction cost for the given auction period from the Lessee to ensure the compliance of the conditions stipulated. In case of violation of stipulated conditions by the Lessee, bank guarantee so obtained shall be forfeited and legal action under the law should initiated against such Lessee.
XXI	The distance 3 m or 10 % of the width of river whichever is more will be kept intact as a no mining zone.
XXII	No cutting of the trees shall be done while excavating the sand or while constructing the access road to sand ghat.
XXIII	All mining shall be carried out manually.
XXIV	Underwater mining shall not be permitted without the specific expert sanction of the State Government only for prevention of flood and increasing the capacity of reservoir if any
XXV	It shall be ensured that excavation of minor mineral does not disturb or change the underlying soil characteristics of the river bed /basin, where mining is carried out.
XXVI	It shall be ensured that mining does not in any way disturb the turbidity, velocity and flow pattern of the river water.
XXVII	It shall be ensured that there is no fauna dependent on the river bed or areas close to mining for its nesting is disturbed.
XXVIII	Turtle nesting units conservation is very important. Therefore sand mining in such areas is to be prohibited.
XXIX	Precise mining area will be jointly demarcated at site by officials of Mining/Revenue department prior to mining operations for all proposals under consideration. Such site plan, duly verified by competent authority shall be submitted to Environment Department.
XXX	All necessary statutory clearances shall be obtained before start of mining operations.
XXXI	No mining shall be carried out in the live streams.
XXXII	Mining shall be limited to day hours time only.
XXXIII	No mining shall be carried out in the safety zone of any bridge and/or embankment.
XXXIV	No mining shall be carried out in the vicinity of natural/ manmade archaeological sites.
XXXV	The lease holder shall obtain necessary prior permission of the competent authorities for drawal of requisite quantity of water (surface water and groundwater), if required for the project.
XXXVI	Waste water, if any, shall be properly collected and treated so as to conform to the standards prescribed by MoEF/CPCB.
XXXVII	No wildlife habitat will be infringed.
XXXVIII	Environmental clearance is subject to obtaining clearance under the Wildlife (Protection) Act, 1972 from the competent authority, if applicable to this project.
XXXIX	Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Horticulture Officer.
XL	Parking of vehicles should not be made on public places.
XLI	Transportation of materials shall be done by covering the trucks / tractors with tarpaulin or other suitable mechanism so that no spillage of mineral/dust takes place.
XLII	It shall be ensured that there is no leakage of oil and grease from the vehicles used for transportation.
XLIII	Special Measures shall be adopted to prevent the nearby settlements from the impacts of mining activities. Maintenance of roads through which transportation of minor minerals is to be undertaken, shall be carried-out regularly.
XLIV	Provision for first-aid, medical health care safe drinking water, and sanitation etc. shall be provided at site.
XLV	Ambient air quality will be monitored at the site and the nearest habitation regularly. Ambient air quality at the boundary of the precise mining area shall conform to the norms prescribed by MoEF & CC, GOI.
XLVI	Measures shall be taken for control of noise level to the limits prescribed by CPCB

XLVII	Any change in mining area, khasra /Gat numbers, entailing capacity addition with change in process and or mining technology, modernization and scope of working shall again require prior Environmental Clearance as per provisions of EIA Notification, 2006 (as amended).
XLVIII	SEAC appraised the proposals on the basis of information submitted by concerned District Mining Officer. Mining Officer shall submit the list of blocks satisfying conditions stipulated above to Revenue & Environment dept. The list of blocks and conditions stipulated above shall be made available in public domain.
XLIX	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Honi¿½ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
L	In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
LI	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason after consultation with SEIAA.
LII	In case of any deviation or alteration in the project proposal from the one submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
LIII	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
LIV	Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010



- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

- 1. SECRETARY MOEF & CC
- 2. IA- DIVISION MOEF & CC
- 3. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBA
- 4. REGIONAL OFFICE MOEF & CC NAGPUR
- 5. REGIONAL OFFICE MPCB AMRAVATI
- 6. REGIONAL OFFICE MIDC AMRAVATI
- 7. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- 8. COLLECTOR OFFICE AKOLA
- 9. COLLECTOR OFFICE AMRAVATI
- 10. COLLECTOR OFFICE BUILDHANA
- 11. COLLECTOR OFFICE WASHIM

12. COLLECTOR OFFICE YAVATMAL

SEIAA Meeting No: 158 Meeting Date: February 27, 2019 (SEIAA-**STATEMENT-0000002561**) **SEIAA-MINUTES-0000001658** SEIAA-EC-0000001405

Page 15 of