

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:September 14, 2019

To.

Calyx Lenora Realty LLP

at Sr.no. 155/1, 155/2/1/1, 157/2/2, Atulya Raghukul, near R.K.L Galaxy International School, Dighi Alandi airport road, Village:-Wadmukhwadi, Taluka:- Haveli, Dist:- Pune-412105.

Subject: Environment Clearance for Expansion of residential construction project Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-III, Maharashtra in its 89th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 174th meetings.

2. It is noted that the proposal is considered by SEAC-III under screening category 8 (a) B2 as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	Atulya Raghukul
2.Type of institution	Private
3.Name of Project Proponent	Calyx Lenora Realty LLP
4.Name of Consultant	Pollution and Ecology Control Services
5.Type of project	Housing project
6.New project/expansion in existing project/modernization/diversification in existing project	Expansion in existing project
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Previous EC vide no. SEAC III 2014/C.R.74/TC-3
8.Location of the project	Sr.no. 155/1, 155/2/1/1, 157/2/2, Atulya Raghukul, near R.K.L Galaxy International School, Dighi Alandi airport road, Village:-Wadmukhwadi, Taluka:- Haveli, Dist:- Pune-412105.
9.Taluka	Haveli
10.Village	Wadmukhwadi
Correspondence Name:	Mr. Nitin Jajoo
Room Number:	NA
Floor:	NA
Building Name:	Calyx House;millennium star ext. building
Road/Street Name:	Dhole Patil Road
Locality:	Camp
City:	Pune
11.Whether in Corporation / Municipal / other area	PCMC
12 IOD/IOA/O	In process
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number:
**	Approved Built-up Area:

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000002680) SEIAA-MINUTES-0000002426 SEIAA-EC-0000002000 - Con-

Shri. Anil Diggikar (Member Secretary SEIAA)

Page 1 of 14

13.Note on the initiated work (If applicable)	NA					
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	MHADA applicable					
15.Total Plot Area (sq. m.)	29000					
16.Deductions	3082.14					
17.Net Plot area	22550.46					
	FSI area (sq. m.): 52519.43 sqm					
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): 44303.04					
1021 1021	Total BUA area (sq. m.): 96822.47					
	Approved FSI area (sq. m.): 22450.66					
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.): 16848.75					
	Date of Approval: 12-08-2015					
19.Total ground coverage (m2)	10265					
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	39.6					
21.Estimated cost of the project	2780000000					



22.Production Details									
Serial Number	Pro			(MT/M)	Proposed (MT/M)) Total (MT/M)			
1	NA N.		Ā	NA	NA				
		2	3.Tota	l Wate	r Requireme	ent			
		Source of	water	PCMC					
		Fresh water	er (CMD):	754					
		Recycled w Flushing (374					
		Recycled w Gardening		19	HM				
		Swimming make up (0	Tefa Oz	A.4			
Dry season	:	Total Wate Requirement:		1147					
			ng - Ind water):	500					
		Fire fighting Overhead tank(CMD)	water	20/bldg					
		Excess trea	ated water	622					
		Source of	water	PCMC					
		Fresh water	er (CMD):	754					
		Recycled w Flushing (374					
		Recycled v Gardening	(CMD):	0					
		Swimming make up (04/4	Mhum				
Wet season	1:	Total Wate Requirement	ent (CMD)) 1128 rm m o m t o f					
	Fire fighting Undergroutank(CMD)	nd water	500						
		Fire fighting Overhead v tank(CMD)	water	20/bldg					
		Excess trea	ated water	641					
Details of S pool (If any		NA							

		24	.Detail	s of Tota	l water co	nsume	d				
Particula rs	Cons	sumption (CM	D)	I	Loss (CMD)			Effluent (CMD)			
Water Require ment	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total		
Domestic	0	754	754	0	75	75	0	679	679		
Gardening	0	19	19	19	19	19	0	0	0		
		Level of the water table:	Ground	Depth to gro	ound water tab	ole 12.40 r	meter below ç	ground level			
		Size and no otank(s) and Quantity:	of RWH	NA	W Color	7					
		Location of t tank(s):	he RWH	NA	1 थ हुए		7				
25.Rain V Harvestii		Quantity of r pits:	echarge	8		30.	EL.				
(RWH)	Circ of wookawaa nito			2m*2m*2m filter pit and 1m*1M*1m collection chamber diameter recharge bore well 0.175 m and depth of bore well 60m							
		Budgetary al (Capital cost		3.73 /- lakhs							
			location :	0.40/- lakhs							
	Details of UGT tanks if any :			Domestic: 1123.20 KL Flushing 374.40 KL Fire fighting: 500 KL							
		40	7.8	7	919		1				
20 01		Natural wate drainage pat		As per conto	our	Jun Jun	7				
26.Storm drainage	water	Quantity of swater:	torm	16339.52 cu	16339.52 cubic meter						
		Size of SWD: 400 mm to 600 mm									
				-40	-						
		Sewage gene in KLD:	ration	1010							
		STP technolo	gy:	MBBR							
27.Sewa	nge and	Capacity of S (CMD):	TP	2 STP I: 505	2 STP I: 505 KLD, STP II: 505 KLD,						
Waste w	0	Location & a the STP:	rea of	As per layou	t ; area 600 sc	Įm I					
		Budgetary al (Capital cost		240 /- lakhs							
		Budgetary al (O & M cost)		14.40/- lakh	S						

	28.Solid waste Management						
Waste generation in Waste generation:		1 % of total raw material					
the Pre Construction and Construction phase:	Disposal of the construction waste debris:	On the same site as filling material					
	Dry waste:	1344 kg/day					
	Wet waste:	2400 kg/day					
Waste generation	Hazardous waste:	NA					
in the operation Phase:	Biomedical waste (If applicable):	NA					
	STP Sludge (Dry sludge):	360 Kg/day					
	Others if any:	E waste : 1700 kg/year					
	Dry waste:	Through authorized vendor					
	Wet waste:	Through mechanical composting unit					
	Hazardous waste:	NA					
Mode of Disposal of waste:	Biomedical waste (If applicable):	NA ON					
	STP Sludge (Dry sludge):	Through mechanical composting unit					
	Others if any:	E waste: through authorized vendor					
	Location(s):	As per contour					
Area requirement:	Area for the storage of waste & other material:	33 sqm and 22 sqm					
	Area for machinery:	269 sqm and 3 sqm					
Budgetary allocation (Capital cost and	Capital cost:	42 /- Lakhs					
O&M cost):	O & M cost:	23.50/- lakhs					

Serial Number	Parameters pH	Unit	Inlet Effluent	Outlet Effluent			
1	рН		Charecterestics	Charecterestics	Effluent discharge standards (MPCB)		
	-	NA	7 -8.5	6.5 - 7.5	NA		
2	COD	mg/l	300-400	<30	Not to exceed 100 mg/l		
3	BOD	mg/l	250 -300	<10	Not to exceed 10 mg/l		
4	TSS	mg/l 350-450 <5 Not to exceed 50 m					
5	oil and grease	mg/l 10 <5 NA					
6	Total Nitorgen	mg/l	40-50	<10 or equal	NA		
7	Ammonical nitrogen	mg/l	5-7	<2 or equal	NA		
8	Feacal coliform	MPN/100	1000000	Nil	NA		
Amount of eff (CMD):	fluent generation	NA	क्ववविधिक क्र	Uzyy			
Capacity of th	he ETP:	NA	37	95.			
Amount of tre	eated effluent	NA	7	31.			
Amount of wa	ater send to the CETP:	NA					
Membership	of CETP (if require):	NA					
Note on ETP	technology to be used	NA STEED STEED					
Disposal of th	he ETP sludge	NA	The state of the s	L A			

			30.Ha	zardous	Waste D	etails			
Serial Number	Descr	iption	Cat	UOM	Existing	Proposed	Total	Method of Disposal	
1	N	ĪΑ	NA	NA	NA	NA	NA	NA	
	31.Stacks emission Details								
Serial Number	Section	Section & units Fuel Use Quar			Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases	
1	100KV	A-1 No.	16.9 lit./ł Loa	nr @ 75% ding	1	4.1 Mtr	0.1016	400	
2	180KV	A-2 Nos.		hr @ 75% ding	(2)	4.27Mtr	0.127	400	
,		7	32.De	tails of I	uel to b	e used			
Serial Number	Туг	e of Fuel): 6°	Existing	37	Proposed	7	Total	
1		HSD	100	NA		16.9 lit/hr	The second	16.9 lit/hr	
33.Source of	33. Source of Fuel BPCL /HP								
34.Mode of	Transportat	ion of fuel to	site By Ro	oad o	20.	A 2	E		
			8	=() 14		2	A		
		딮	41	35.E	nergy	1	F		
	Source of power supply:			MSEDCL	M S	15	R		
		During Co Phase: (De Load)		75 KW					
		DG set as back-up du constructi	uring	82.5 KVA					
Dov	vom .	During Op phase (Cor load):		3812					
	Power requirement: During Operation phase (Demand load):			2698 Ment of					
		Transform	er:	630 KVA X	4 and 315 K	VA X 1			
			Power uring phase:	180 KVA X	2 and 100 K	VA X 1	ra		
		Fuel used:		41.35 l/hr a	nt 75 % loadi	ng and 16.9	lit/hr at 75 %	6 loading	
	Details tension		high ne passing ne plot if	Yes					

Energy saving by non-conventional method:

- 1. Auto Timer control for external and common lighting
- 2. Use of CFL/LED lamps in all public/common areas3. Solar powered water heating
- 4. Electronic V3F drivers for Elevators
- 5. Solar PV panel power for common area lighting

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000002680) **SEIAA-MINUTES-0000002426** SEIAA-EC-0000002000

Page 7 of 14

Shri. Anil Diggikar (Member Secretary SEIAA)

		3	6.Detail	calculati	ons & % of	f savin	g:
Serial Number	E	nergy Cons	ervation M	easures			Saving %
1		Sola	r PV Panels				0.34 %
2		Timer L	ogic Control	ler			1.34%
3		Electronic '	V3F drive fo	r Lifts			0.62 %
4		Solar	water heate	ſ			21.80 %
		37	.Details	of pollut	ion contro	l Syste	ms
Source	Ex	isting pollu	ition contro	ol system		Pro	posed to be installed
Water pollution			NA	AM.	HM/L.		STP
Solid waste			NA		tet.	Jz	OWC
Noise pollution		7	NA	ATOMY	373	Acou	stic enclosure to DG Set
Budgetary		Capital co	st:	274.25 /- La	ıkhs	301.1	FL.
(Capital o		O & M cos	ti/	8.39 lakhs 1	o.a.	3	
38	.Envir	onmen	tal Mar	nageme	nt plan	Budg	etary Allocation
		(a)	Constru	ction pha	se (with B	reak-u	(p):
Serial Number	Attri	butes	Para	meter	Tot	al Cost p	oer annum (Rs. In Lacs)
1	Erosion	Control	measu	ppresion res and cading		\$ A	5.00
2		fety and ation	measures	e safety such safety boards etc	मुद्रा भ	ALC:	2.00
3		tion and hazard		anitation sures	$\mathcal{I}(\mathcal{I}_{hr})$	7	1.10
4		nmental toring	monitor analysis a	d water ring and nd soil and analysis	me	ni	1.50
•		b) Operat	ion Phas	e (with Br	eak-up):
Serial Number	Comp	onent	Descr	ription	Capital cost Lacs	Rs. In	Operational and Maintenance cost (Rs. in Lacs/yr)
1	S	ГР		of MBBR nology	240		14.40
2		waste gement	IO	<i>N</i> C	42		23.50
3		waste jement	70	WC	42		23.50
4	RV	VH	interna	l piping	3.73		0.40
5	Land		tree pla		22.50		1.60

39.Storage of chemicals (inflamable/explosive/hazardous/toxic substances)

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000002680) SEIAA-MINUTES-0000002426 SEIAA-EC-0000002000

Page 8 of 14

Shri. Anil Diggikar (Member Secretary SEIAA)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
NA	NA	NA	NA	NA	NA	NA	NA
40.Any Other Information							
No Information Availa	ble						



CRZ/ RRZ clearance obtain, if any:	NA
Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	NA
Category as per schedule of EIA Notification sheet	8 (a) B2
Court cases pending if any	NA
Other Relevant Informations	NA NA
Have you previously submitted Application online on MOEF Website.	No aalgo
Date of online submission	

3. The proposal has been considered by SEIAA in its 174th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to submit CER plan to Municipal Commissioner/District Collector and submit the acknowledgement to Member Secretary, SEIAA.
II	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
III	SEIAA decided to grant EC for: FSI: 52519.43 m2, Non-FSI: 44237.23 m2 and Total BUA: 96756.66 m2 (Approval no-BP/EC/wadmukwadi/02/2019, Date-11.06.2019)

General Conditions:

I	E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
п	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
Ш	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
IV	PP has to abide by the conditions stipulated by SEAC& SEIAA.
V	The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
VI	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
VII	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
VIII	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
IX	The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000002680) SEIAA-MINUTES-0000002426 SEIAA-EC-0000002000

Page 10 of

Shri. Anil Diggikar (Member Secretary SEIAA)

X	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
XI	Arrangement shall be made that waste water and storm water do not get mixed.
XII	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
XIII	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
XIV	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XV	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
XVI	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
XVII	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
XVIII	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
XIX	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
XX	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
XXI	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
XXII	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
XXIII	Ready mixed concrete must be used in building construction.
XXIV	Storm water control and its re-use as per CGWB and BIS standards for various applications.
XXV	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
XXVI	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
XXVII	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
XXVIII	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
XXIX	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
XXX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
XXXI	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
XXXII	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
XXXIII	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.

XXXIV	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
XXXV	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
XXXVI	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
XXXVII	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
XXXVIII	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
XXXIX	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
XL	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
XLI	Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
XLII	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
XLIII	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
XLIV	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
XLV	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
XLVI	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
XLVII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XLVIII	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
XLIX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.
L	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
П	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
LII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
LIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.

LIV

The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.



Government of Maharashtra

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000002680) SEIAA-MINUTES-0000002426 SEIAA-EC-0000002000

Page 13 of

|| Shri. Anil Diggikar (Member Secretary || SEIAA)

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

- 1. SECRETARY MOEF & CC
- 2. IA- DIVISION MOEF & CC
- 3. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 4. REGIONAL OFFICE MOEF & CC NAGPUR
- 5. MUNICIPAL COMMISSIONER PUNE
- 6. MUNICIPAL COMMISSIONER SATARA
- 7. REGIONAL OFFICE MPCB PUNE
- 8. REGIONAL OFFICE MIDC PUNE
- 9. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- 10. COLLECTOR OFFICE PUNE
- 11. COLLECTOR OFFICE SATARA
- 12. COLLECTOR OFFICE SOLAPUR

Con-

Page 14 of Shri. Anil Diggikar (Member Secretary 14 SEIAA)