

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:February 28, 2019

To, District Mining Officer, Amravati at Khasra no 482

Environment Clearance for Kural Purna Sand (Minor Mineral) Category 'B2'(M.L.Area -0.80 ha) Production Subject: Capacity of 1413 Brass/3 month at Khasra no 482 for Kural Purna Village, Tehsil – Chandur Baar, District -

Subject: Capacity of 1413 Brass/3 month at Khasra no 482 for Kural Purna Village, Tehsil – Chandur Baar, District -Amravati, State – Maharashtra.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 161st meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 157th meetings.

2. It is noted that the proposal is considered by SEAC-I under screening category 1 (a) B2 as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	Kural Purna Sand (Minor Mineral) Category 'B2'(M.L.Area -0.80 ha) Production Capacity of 1413 Brass/3 month at Khasra no 482 for Kural Purna Village, Tehsil – Chandur Baar, District - Amravati, State – Maharashtra. Resrved for Govt. of Maharashtra						
2.Type of institution	Government						
3.Name of Project Proponent	District Mining Officer, Amravati						
4.Name of Consultant	Global Management and Engineering Consultants International						
5.Type of project	Mining						
6.New project/expansion in existing project/modernization/diversification in existing project	New						
7.If expansion/diversification, whether environmental clearance has been obtained for existing project							
8.Location of the project	Khasra no 482						
9.Taluka	Chandur Bazar						
10.Village	Kural Purna , BP1 N21° 13' 42.00" E77° 40' 19.00", BP2 N21° 13' 43.82" E77° 40' 18.10", BP3 N21° 13' 50.77" E77° 40' 09.03", BP4 N21° 13' 50.40" E77° 40' 08.46", BP5 N21° 13' 43.37" E77° 40' 17.55", BP6 N21° 13' 41.61" E77° 40' 18.44"						
Correspondence Name:	District mining Ooficer, Amravati						
Room Number:	NA						
Floor:	NA						
Building Name:	Collectorate						
Road/Street Name:	NA						
Locality:	Amravati						
City:	Amravati						
11.Whether in Corporation / Municipal / other area	Other						

SEIAA Meeting No: 157 Meeting Date: February 21, 2019 (SEIAA-STATEMENT-0000002389) SEIAA-MINUTES-0000001387 SEIAA-EC-0000001082

	NA					
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: NA					
	Approved Built-up Area: 00					
13.Note on the initiated work (If applicable)	Na					
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	Nagpur					
15.Total Plot Area (sq. m.)	0.80 Ha					
16.Deductions	00					
17.Net Plot area	0.80 Ha					
	FSI area (sq. m.): NA					
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): 00					
	Total BUA area (sq. m.): 00					
	Approved FSI area (sq. m.): NA					
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.): NA					
500	Date of Approval: 23-10-2018					
19.Total ground coverage (m2)	NA					
20.Ground-coverage Percentage (%)						
(Note: Percentage of plot not open to sky)	NA					
21.Estimated cost of the project	2614500					
10 A						

SEIAA Meeting No: 157 Meeting Date: February 21, 2019 (SEIAA-STATEMENT-0000002389) SEIAA-MINUTES-0000001387 SEIAA-EC-0000001082



Page 2 of 13

Shri. Anil Diggikar (Member Secretary SEIAA)

	22.Production Details							
Serial Number	Pro	duct	Existing	(MT/M)	Proposed (MT/M)	Total (MT/M)		
1	Sa	ind	0	0	1413 Brass/3 month	1413 Brass/3 month		
		2	3.Tota	l Wate	r Requiremen	t		
		Source of	water	Purchase				
		Fresh wate	er (CMD):	1.4				
		Recycled w Flushing (NA				
		Recycled w Gardening		NA	HML			
Dry season:		Swimming make up ((NA	fef.			
		Total Water Requirement (CMD) :		1.4		72		
	Fire fighting - Underground water tank(CMD):		NA					
	Fire fightin Overhead v tank(CMD)	water	NA					
		Excess trea	ated water	NA	r F	X		
		Source of v	water	NA				
		Fresh wate	er (CMD):	NA				
		Recycled water - Flushing (CMD):		NA				
		Recycled water - Gardening (CMD):		NA				
		Swimming make up (NA				
Wet season:	Total Wate Requireme :		NA popt of					
	Fire fightin Undergrou tank(CMD)	nd water						
		Fire fightin Overhead v tank(CMD)	water	NATASATA				
		Excess trea	ated water	NA				
Details of S pool (If any		Not applica	ble					

		/		
6	2	**		
	/			
	C			

24.Details of Total water consumed											
Particula rs	Cons	umption (CM	D)	Loss (CMD)			Efi	fluent (CMD)			
Water Require ment	Existing	Proposed	Total	Existing	Existing Proposed Tot		Existing	Proposed	Total		
Domestic	00	0.9	0.9	00	0.18	0.18	00	0.72	0.72		
Fresh water requireme nt	00	0.4	0.4	00	0.4	0.4	00	00	00		
				\mathcal{M}	M						
		Level of the (water table:	Ground	NA	IUII	7					
		Size and no o tank(s) and Quantity:	of RWH	NA aa	धिष्णुदि		7				
		Location of tank(s):	he RWH	NA	22	23.	EL.				
25.Rain V Harvestii		Quantity of r pits:	echarge	NA	. O . A	E'AT	E				
(RWH)	(DWIII)		NA CONTRACTOR								
		Budgetary al (Capital cost		NA							
		Budgetary al (O & M cost)		NA							
		Details of UG if any :	T tanks	NA							
		M	3	्षस्य	yx.	- Thr	-1				
	-	Natural wate drainage pat		NA DEGOLULI							
26.Storm drainage	water	Quantity of s water:	torm	NA							
		Size of SWD:		NA TO TOO TO TO TO TO							
		Sewage gene in KLD:	ration	0.72							
		STP technolo	gy:	NACCOTRO							
27.Sewage and Waste water	hre an	Capacity of S (CMD):	ТР	NA							
		Location & a the STP:	rea of	NA							
		Budgetary al (Capital cost		NA							
		Budgetary al (O & M cost)		NA							

Page 4 of 13

	28.Solid waste Management					
Waste generation in	Waste generation:	NA				
the Pre Construction and Construction phase:	Disposal of the construction waste debris:	NA				
	Dry waste:	2.7 KG PER DAY				
	Wet waste:	NA				
Waste generation	Hazardous waste:	NA				
in the operation Phase:	Biomedical waste (If applicable):	NA				
	STP Sludge (Dry sludge):	NA				
	Others if any:	NA				
	Dry waste:	waste will be collected in waste bin and sent to nearest waste processing agency				
	Wet waste:	NA O				
Mode of Disposal	Hazardous waste:	NA				
of waste:	Biomedical waste (If applicable):	NA				
	STP Sludge (Dry sludge):	NA				
	Others if any:	NA				
	Location(s):	NA 5				
Area requirement:	Area for the storage of waste & other material:	NA				
	Area for machinery:	NA				
Budgetary allocation	Capital cost:	NA				
(Capital cost and O&M cost):	0 & M cost:	NA				

SEIAA Meeting No: 157 Meeting Date: February 21, 2019 (SEIAA-STATEMENT-0000002389) SEIAA-MINUTES-0000001387 SEIAA-EC-0000001082



Page 5 of 13

Shri. Anil Diggikar (Member Secretary SEIAA)

29.Effluent Charecterestics								
Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)			
1	NA	NA	NA	NA	NA			
Amount of e (CMD):	effluent generation	NA						
Capacity of the ETP: NA								
Amount of t recycled :	reated effluent	NA						
Amount of v	water send to the CETP:	NA						
Membership of CETP (if require): NA								
Note on ETP technology to be used NA								
Disposal of	the ETP sludge	NA		$\left(\right) $				



SEIAA Meeting No: 157 Meeting Date: February 21, 2019 (SEIAA-STATEMENT-0000002389) SEIAA-MINUTES-0000001387 SEIAA-EC-0000001082



Page 6 of 13

Shri. Anil Diggikar (Member Secretary SEIAA)

30.Hazardous Waste Details										
Serial Number	Desci	cription Cat		UOM	Existing	Proposed	Total	Method of Disposal		
1	Ν	JA	NA	NA	NA	NA	NA	NA		
			31.St	acks em	ission D	etails				
Serial Number	Section	n & units Fuel Us Quar			Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases		
1	Ν	JA	N	Ā	NA	NA	NA	NA		
			32.De	tails of I	Fuel to be	e used				
Serial Number	Туј	pe of Fuel	Dr.	Existing	MULT	Proposed		Total		
1		NA	<5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	NA	1800	NA	7	NA		
33.Source o		X	NA		<i>ري</i>	<u> N</u>	12			
34.Mode of	Transportat	tion of fuel to	site NA		6	6.	El 1			
		\rightarrow	F			A	Q			
		A	F N	35.E	nergy	A A	E			
		Source of j supply :	power	NA		9	B			
		During Con Phase: (De Load)		NA E						
		DG set as 1 back-up du constructio	iring	NA						
		During Op phase (Cor load):		NA						
Pov require		During Op phase (Der load):		NA						
		Transform	er:	NA						
		DG set as I back-up du operation	iring							
		Fuel used:		NA						
	Details of high tension line passing through the plot if any:			NATASILIA						
		Energ	gy saving	j by non	-convent	ional me	thod:			
NA										
		3	6.Detail	calculat	ions & %	of savin	g:			
Serial Number	Е	Energy Cons	ervation Mo	easures			Saving	%		
1			NA				NA			
		37.	.Details	of pollut	ion conti	rol Syste	ms			
					1					

SEIAA Meeting No: 157 Meeting Date: February 21, 2019 (SEIAA- STATEMENT-0000002389)		- En
SEIAA-MINUTES-0000001387		Shri. Anil Diggikar (Member Secretary
SEIAA-EC-0000001082	Page 7 of 13	SEIAA)

Source	Ex	Existing pollution control system					Proposed to be installed			
suspended particulate matter from unpaved road	nil						Water Sprinkling			
NA			NA				NA			
NA			NA					N	IA	
NA			NA					N	IA	
(Capital	allocation cost and cost):	Capital cos O & M cos		NA NA	M	N	L			
	٣	onment	al Mar	nage	me	nt j	olan Bi	udgetary	Alloca	ation
		a)	Construc	tion	pha	se (1	with Bre	ak-up):		
Serial Number	Attri	butes	Parai	neter	5	6	Total	Cost per annu	m (Rs. In I	.acs)
1	N	A S	N	A	Y	2		NA		
		b) Operat	ion P	has	e (wi	i th Brea l	k-up):		
Serial Number	Component		Description		Сар			ntional and Maintenance cost (Rs. in Lacs/yr)		
1	Monitor	ronment Environment ring (Air, Monitoring (Air, 0.328 il and Noise) Water, Soil and Noise)		0.328	E E	NA				
2	Water S	prinkling	Water Sprinkling			0.10 NA				
3		Haul road enance	Unpaved/ mainte	h.			NA			
4		al Health & ety	Occupation saf	al Healt ety	:h &	મુ	2.63 NA			
5	tarpa	aulin	tarpa	aulin)))(()	0.05		NA	
39.S	torage	of che	micals	(infl	lan	ıabl	e/expl	osive/haz	zardou	s/toxic
				sub						
Descri	-	Status	Location		Caj in	orage pacity MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
NA	Ą	NA	NA			NA	NA	NA	ANA	NA
			40. A	ny Ot	her	' Info	ormation	1		
No Informa	tion Availabl	e								

- China -
Shri. Anil Diggikar (Member Secretary

	RZ/ RRZ clearance otain, if any:	NA
Pro Cr: are are	stance from rotected Areas / ritically Polluted reas / Eco-sensitive reas/ inter-State pundaries	NA
scl	ategory as per hedule of EIA otification sheet	1 (a) B2
	ourt cases pending any	not nay
	ther Relevant formations	NA
sul Ap	ave you previously bmitted pplication online n MOEF Website.	Yes
	ate of online Ibmission	30-10-2018

3. The proposal has been considered by SEIAA in its 157th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:	H H H
Ι	PP to ensure no stream is diverted due to sand mining activity.
п	PP shall carry out sand mining by manual method only. No mechanical/electrical/power driven devices shall be used for sand mining.
ш	PP to ensure that mining/ loading activity shall be restricted to day hours' time only. No mining activity shall be carried out after sunset and before sun rise.
IV	PP to adhere to the provisions stipulated in the Sustainable Sand Mining Guidelines issued by MoEF&CC, Maharashtra Minor Mineral Extraction (Development and Regulation) Rules, 2013 and Sand Extraction Policy issued by Maharashtra Government in Revenue and Forest Department.
V	PP to ensure strict compliance of all conditions stipulated in the Environmental Clearance. The District Collector and District Mining Officer shall be held responsible for the noncompliance of the conditions.
VI	PP to ensure that there is no damage to any fauna and its nesting close to the sand mining.
VII	PP to ensure that adequate measures like maintenance of roads, sprinkling of water and plantation is carried out to reduce the dust particulate matter pollution.
VIII	8. The District Collector and District Mining Officer shall ensure that there is no violation of any order with respect to the sand mining passed by the Competent Court. (Particularly, the directions given by Hon'ble Supreme Court of India vide order dated 27.02.2012 in Deepak Kumar case [SLP (C) Nos. 19628-19629 of 2009] and order dated 05.08.2013 of the Hon'ble National Green Tribunal in application No. 171/2013 be strictly followed.
IX	9. PP to provide movable toilets to the workers working in the area and the sewage generated shall be properly collected and treated so as to confirm to the standards prescribed by MoEF&CC and CPCB.
X	PP to ensure that no wild life habitat is infringed.
XI	PP to ensure that parking shall not be made on Public roads or in the river bed.
XII	The sand transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.
XIII	PP to provide First Aid facility at the proposed mining site.
XIV	The digital processing of the entire lease area in the district using remote sensing technique including GPS shall be monitored regularly.

SEIAA Meeting No: 157 Meeting Date: February 21, 2019 (SEIAA-
STATEMENT-0000002389)
SEIAA-MINUTES-0000001387
SEIAA-EC-0000001082

Page 9 of 13

XV	a.District Collector and District Mining Officer to ensure the directions given by Hon'ble National Green Tribunal, Pune in Appeal No 10/2013 (WZ) dated 1st October 2013 as bellow- "However, we direct that when further auctioning process is required to be conducted, ordinarily, the sand beds falling between the sand beds which are now already auctioned shall be avoided unless there is special certification issued by the competent authority which would indicate absence of any environmental damage, having regard to precautionary principle which is required to be adopted. We mean to say, it should not happen that presently the sand beds are auctioned by keeping distance of 1 k.m. from each other and gap is filled up subsequently under one or another pretext." b) Distance between lease area to be marked as per actual shape and size, on Village Map or authenticated map available with Revenue Authority and ensure provisions regarding distance between two lease area and total lease area in the OM dated 24th December 2013 issued by MoEF. c) The validity of EC to the above mentioned sand block satisfying stipulated conditions is up to 30th September, 2019 only. d) This Environmental Clearance given is subject to the final order of application no. 520/2016 (Vikrant Tongad Vs Union of India & Oths) pending before Hon'ble NGT, e) Project proponent to follow the standard environmental conditions for sand mining, as per the sustainable sand mining management guidelines 2016, issued by MoEF & CC. f) Project proponent to ensure the strictly implementation of Environment management plan.
----	--

General Conditions:	Mut () THY (Them
I	District Collector and District Mining Officer to ensure the directions given by Hon'ble National Green Tribunal, Pune in Appeal No 10/2013 (WZ) dated 1st October 2013 as bellow- However, we direct that when further auctioning process is required to be conducted, ordinarily, the sand beds falling between the sand beds which are now already auctioned shall be avoided unless there is special certification issued by the competent authority which would indicate absence of any environmental damage, having regard to precautionary principle which is required to be adopted. We mean to say, it should not happen that presently the sand beds are auctioned by keeping distance of 1 k.m. from each other and gap is filled up subsequently under one or another pretext.
п	Distance between lease area to be marked as per actual shape and size, on Village Map or authenticated map available with Revenue Authority and ensure provisions regarding distance between two lease area and total lease area in the OM dated 24th December 2013 issued by MoEF
ш	The validity of EC to the above mentioned sand block satisfying stipulated conditions is up to 30th September, 2019 only.
IV	Project proponent to follow the standard environmental conditions for sand mining of sustainable sand mining management guidelines 2016, issued by MoEF & CC.
V	Project proponent to ensure the strictly implementation of Environment management plan.
VI	District Collector to ensure that conditions stipulated in the Government Resolution (G.R.) dated 31.01.2018 issued by Revenue and Forest Department, Government of Maharashtra (GoM) is implemented in letter and spirit.
VII	Sand excavation is allowed only for the Reti Guts having sand deposition more than 2 m and excavation should be for layers above 2 m of sand deposit as recommended by GSDA.
VIII	The instructions of MoEF & CC in the Sustainable sand mining guidelines 2016 [regarding sand mining approval and tracking system and transport of excavated sand] should be followed.
IX	District Collector to ensure that every receipt given is serially scanned and registration number so generated must be written on such receipt to avoid duplication and unauthorized transportation of the sand.
X	Project Proponent to ensure that vehicles transporting sand should not be overloaded beyond stated capacity.
XI	The District collector should ensure that mining will be done strictly up to the depth recommended by GSDA.
XII	The green belt development /tree plantation will be made either on river bank or along road side.
XIII	Measures for prevention & control of soil erosion and management of silt shall be undertaken.
XIV	Project Proponent to ensure that there is no violation of the Supreme Court order and orders of the National Green Tribunal given in the related matters.
XV	Project Proponent & District Mining Officer will be held individually responsible for non compliance of the conditions stipulated in the Environmental clearance and shall be liable for legal action under Environment (Protection) Act of 1986.
XVI	Transport of sand should be through vehicle which is properly covered with Tarpaulin and it should not be overloaded.
XVII	Project Proponent to ensure that the mining plan is approved by Director of Geology and Mining comprising study to show that annual replenishment of sand in the mining lease area is sufficient to sustain the mining operations at levels prescribed in the mining plan and that the transport infrastructure is adequate to transport the mined material.
XVIII	Provisions stipulated in Maharashtra Minor Minerals Extraction (development and Regulation) Rules 2013 and Government Resolution of Revenue and Forest Department dated 03.01.2018 shall be strictly fallowed by Project proponent.

SEIAA Meeting No: 157 Meeting Date: February 21, 2019 (SEIAA	4-
STATEMENT-0000002389)	
SEIAA-MINUTES-0000001387	
SEIAA-EC-0000001082	

Jan. Page 10 of
13Shri. Anil Diggikar (Member Secretary
SEIAA)

XIX	The depth of sand layer to be mined, after retaining 2 m minimum layer below, should not be more than 2 meters as per Government Resolution of Revenue Department dated 03.01.2018 e.g. if the total depth of sand is 3 m, only up to one meter of sand shall be mined.
XX	Project Proponent or District Collector will take bank guarantee up to 2% of the total auction cost for the given auction period from the Lessee to ensure the compliance of the conditions stipulated. In case of violation of stipulated conditions by the Lessee, bank guarantee so obtained shall be forfeited and legal action under the law should initiated against such Lessee.
XXI	The distance 3 m or 10 % of the width of river whichever is more will be kept intact as a no mining zone.
XXII	No cutting of the trees shall be done while excavating the sand or while constructing the access road to sand ghat.
XXIII	All mining shall be carried out manually.
XXIV	Underwater mining shall not be permitted without the specific expert sanction of the State Government only for prevention of flood and increasing the capacity of reservoir if any
XXV	It shall be ensured that excavation of minor mineral does not disturb or change the underlying soil characteristics of the river bed /basin, where mining is carried out.
XXVI	It shall be ensured that mining does not in any way disturb the turbidity, velocity and flow pattern of the river water.
XXVII	It shall be ensured that there is no fauna dependent on the river bed or areas close to mining for its nesting is disturbed.
XXVIII	Turtle nesting units conservation is very important. Therefore sand mining in such areas is to be prohibited.
XXIX	Precise mining area will be jointly demarcated at site by officials of Mining/Revenue department prior to mining operations for all proposals under consideration. Such site plan, duly verified by competent authority shall be submitted to Environment Department.
XXX	All necessary statutory clearances shall be obtained before start of mining operations.
XXXI	No mining shall be carried out in the live streams.
XXXII	Mining shall be limited to day hours time only.
XXXIII	No mining shall be carried out in the safety zone of any bridge and/or embankment.
XXXIV	No mining shall be carried out in the vicinity of natural/ manmade archaeological sites.
XXXV	The lease holder shall obtain necessary prior permission of the competent authorities for drawal of requisite quantity of water (surface water and groundwater), if required for the project.
XXXVI	Waste water, if any, shall be properly collected and treated so as to conform to the standards prescribed by MoEF/CPCB.
XXXVII	No wildlife habitat will be infringed.
XXXVIII	Environmental clearance is subject to obtaining clearance under the Wildlife (Protection) Act, 1972 from the competent authority, if applicable to this project.
XXXIX	Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Horticulture Officer.
XL	Parking of vehicles should not be made on public places.
XLI	Transportation of materials shall be done by covering the trucks / tractors with tarpaulin or other suitable mechanism so that no spillage of mineral/dust takes place.
XLII	It shall be ensured that there is no leakage of oil and grease from the vehicles used for transportation.
XLIII	Special Measures shall be adopted to prevent the nearby settlements from the impacts of mining activities. Maintenance of roads through which transportation of minor minerals is to be undertaken, shall be carried-out regularly.
XLIV	Provision for first-aid, medical health care safe drinking water, and sanitation etc. shall be provided at site.
XLV	Ambient air quality will be monitored at the site and the nearest habitation regularly. Ambient air quality at the boundary of the precise mining area shall conform to the norms prescribed by MoEF & CC, GOI.
XLVI	Measures shall be taken for control of noise level to the limits prescribed by CPCB
XLVII	Any change in mining area, khasra /Gat numbers, entailing capacity addition with change in process and or mining technology, modernization and scope of working shall again require prior Environmental Clearance as per provisions of EIA Notification, 2006 (as amended).
XLVIII	SEAC appraised the proposals on the basis of information submitted by concerned District Mining Officer. Mining Officer shall submit the list of blocks satisfying conditions stipulated above to Revenue & Environment dept. The list of blocks and conditions stipulated above shall be made available in public domain.



XLIX	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Honi¿½ ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
L	In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
LI	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason after consultation with SEIAA.
LII	In case of any deviation or alteration in the project proposal from the one submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
LIII	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
LIV	Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010



SEIAA Meeting No: 157 Meeting Date: February 21, 2019 (SEIAA-STATEMENT-0000002389) SEIAA-MINUTES-0000001387 SEIAA-EC-0000001082



Page 12 of Shri. Anil Diggikar (Member Secretary 13 SEIAA) 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune),New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

- 1. SECRETARY MOEF & CC
- **2.** IA- DIVISION MOEF & CC
- 3. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 4. REGIONAL OFFICE MOEF & CC NAGPUR
- 5. REGIONAL OFFICE MPCB AMRAVATI
- 6. REGIONAL OFFICE MIDC AMRAVATI
- 7. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- 8. COLLECTOR OFFICE AKOLA
- 9. COLLECTOR OFFICE AMRAVATI
- **10.** COLLECTOR OFFICE BULDHANA
- **11.** COLLECTOR OFFICE WASHIM



13

nent of

