



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: September 11, 2019

To,
MUNICIPAL CORPORATION OF GREATER MUMBAI
at AT JANATA COLONY , WORLI VILLAGE, G/SOUTH WARD, MUMBAI.

Subject: CRZ Clearance for PROVIDING & LAYING 300MM DIA RCMP 3 CLASS PIPE SEWER ALONG BUND WALL AT JANATA COLONY & CONNECTING IT TO 800MM DIA SEWER LINE ON VEER NARIMAN ROAD, WORLI VILLAGE, IN G/SOUTH WARD, IN MUMBAI BY MCGM.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered , by the Maharashtra Coastal Zone Management Authority, Maharashtra in its th meeting and recommend the project for CRZ Clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 174th meetings.


2. It is noted that the proposal is considered by Maharashtra Coastal Zone Management Authority as per CRZ Notification 2011.

Brief Information of the project submitted by you is as below :-

1.Name of Project	PROVIDING & LAYING 300MM DIA RCMP 3 CLASS PIPE SEWER ALONG BUND WALL AT JANATA COLONY & CONNECTING IT TO 800MM DIA SEWER LINE ON VEER NARIMAN ROAD, WORLI VILLAGE, IN G/SOUTH WARD, IN MUMBAI BY MCGM.
2.Type of institution	Government
3.Name of Project Proponent	MUNICIPAL CORPORATION OF GREATER MUMBAI
4.Name of Consultant	M/S AQURA ENVIRO PROJECTS PVT LTD
5.Type of project	NA
6.New project/expansion in existing project/modernization/diversification in existing project	NEW PROJECT
7.If expansion/diversification, whether CRZ Clearance has been obtained for existing project	MCZMA Authority decided to recommend the proposal from CRZ point of View to SEIAA.
8.Location of the project	AT JANATA COLONY , WORLI VILLAGE, G/SOUTH WARD, MUMBAI.
9.Taluka	MUMBAI CITY,G/S WARD
10.Village	WORLI,
Correspondence Name:	SANTOSH N. MUJUMDAR
Room Number:	NA
Floor:	2ND FLOOR
Building Name:	ENGINEERING HUB BUILDING
Road/Street Name:	DR. E. MOZES ROAD
Locality:	WORLI
City:	MUMBAI
11.Whether in Corporation / Municipal / other area	MUNICIPAL CORPORATION OF GREATER MUMBAI

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-000003794)
SEIAA-MINUTES-0000002440
SEIAA-EC-0000001976

Page 1 of 10


Shri. Anil Diggikar (Member Secretary SEIAA)

12.IOD/IOA/Concession/Plan Approval Number	NA
	IOD/IOA/Concession/Plan Approval Number: NA
	Approved Built-up Area: 00
13.Note on the initiated work (If applicable)	NA
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	NA
15.Total Plot Area (sq. m.)	Area required for the work: 3060.00 Sq.m.
16.Deductions	NA
17.Net Plot area	NA
18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): NA
	Non FSI area (sq. m.): NA
	Total BUA area (sq. m.): 00
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.): NA
	Approved Non FSI area (sq. m.): NA
	Date of Approval: 04-07-2018
19.Total ground coverage (m2)	NA
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	NA
21.Estimated cost of the project	23900000



Government of Maharashtra

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	NA	NA	NA	NA

23. Total Water Requirement

Dry season:	Source of water	NA
	Fresh water (CMD):	NA
	Recycled water - Flushing (CMD):	NA
	Recycled water - Gardening (CMD):	NA
	Swimming pool make up (Cum):	NA
	Total Water Requirement (CMD) :	NA
	Fire fighting - Underground water tank(CMD):	NA
	Fire fighting - Overhead water tank(CMD):	NA
	Excess treated water	NA
Wet season:	Source of water	NA
	Fresh water (CMD):	NA
	Recycled water - Flushing (CMD):	NA
	Recycled water - Gardening (CMD):	NA
	Swimming pool make up (Cum):	NA
	Total Water Requirement (CMD) :	NA
	Fire fighting - Underground water tank(CMD):	NA
	Fire fighting - Overhead water tank(CMD):	NA
	Excess treated water	NA
Details of Swimming pool (If any)	Not applicable	

24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	NA	NA	NA	NA	NA	NA	NA	NA	NA

25.Rain Water Harvesting (RWH)	Level of the Ground water table:	NA
	Size and no of RWH tank(s) and Quantity:	NA
	Location of the RWH tank(s):	NA
	Quantity of recharge pits:	NA
	Size of recharge pits :	NA
	Budgetary allocation (Capital cost) :	NA
	Budgetary allocation (O & M cost) :	NA
	Details of UGT tanks if any :	NA

26.Storm water drainage	Natural water drainage pattern:	NA
	Quantity of storm water:	NA
	Size of SWD:	NA


27.Sewage and Waste water	Sewage generation in KLD:	NA
	STP technology:	NA
	Capacity of STP (CMD):	NA
	Location & area of the STP:	NA
	Budgetary allocation (Capital cost):	NA
	Budgetary allocation (O & M cost):	NA

28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	183.00 CUM
	Disposal of the construction waste debris:	After refilling the excavated earth in trenches the excess earth will be disposed of to the dumping ground of MCGM.
Waste generation in the operation Phase:	Dry waste:	NA
	Wet waste:	NA
	Hazardous waste:	NA
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	NA
	Others if any:	NA
Mode of Disposal of waste:	Dry waste:	BY TRANSIT VEHICLE
	Wet waste:	NA
	Hazardous waste:	NA
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	NA
	Others if any:	NA
Area requirement:	Location(s):	NA
	Area for the storage of waste & other material:	NA
	Area for machinery:	NA
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	NA
	O & M cost:	NA

Government of
Maharashtra

29.Effluent Charecterestics					
Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)
1	NA	NA	NA	NA	NA
Amount of effluent generation (CMD):		NA			
Capacity of the ETP:		NA			
Amount of treated effluent recycled :		NA			
Amount of water send to the CETP:		NA			
Membership of CETP (if require):		NA			
Note on ETP technology to be used		NA			
Disposal of the ETP sludge		NA			



Government of Maharashtra

30.Hazardous Waste Details							
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	NA	NA	NA	NA	NA	NA	NA
31.Stacks emission Details							
Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases	
1	NA	NA	NA	NA	NA	NA	
32.Details of Fuel to be used							
Serial Number	Type of Fuel	Existing	Proposed	Total			
1	DIESEL	00	100 LTR	100 LTR			
33.Source of Fuel		NEARBY PETROL PUMP					
34.Mode of Transportation of fuel to site		VEHICLE					
35.Energy							
Power requirement:	Source of power supply :	Diesel operator compressor and other allied machinery					
	During Construction Phase: (Demand Load)	NOT APPLICABLE					
	DG set as Power back-up during construction phase	NOT APPLICABLE					
	During Operation phase (Connected load):	NOT APPLICABLE					
	During Operation phase (Demand load):	NOT APPLICABLE					
	Transformer:	NOT APPLICABLE					
	DG set as Power back-up during operation phase:	NOT APPLICABLE					
	Fuel used:	NOT APPLICABLE					
	Details of high tension line passing through the plot if any:	NOT APPLICABLE					
Energy saving by non-conventional method:							
NOT APPLICABLE							
36.Detail calculations & % of saving:							
Serial Number	Energy Conservation Measures				Saving %		
1	NOT APPLICABLE				NOT APPLICABLE		
37.Details of pollution control Systems							

Source	Existing pollution control system	Proposed to be installed					
NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE					
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	NOT APPLICABLE					
	O & M cost:	NOT APPLICABLE					
38.Environmental Management plan Budgetary Allocation							
a) Construction phase (with Break-up):							
Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)				
1	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE				
b) Operation Phase (with Break-up):							
Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)			
1	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE			
39.Storage of chemicals (inflamable/explosive/hazardous/toxic substances)							
Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE
40.Any Other Information							
No Information Available							

**Government of
Maharashtra**

	CRZ/ RRZ clearance obtain, if any:	MCZMA RECOMMENDED THE SUBJECT PROPOSAL FROM CRZ POINT OF
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	NOT APPLICABLE
	Category as per schedule of EIA Notification sheet	NOT APPLICABLE
	Court cases pending if any	NOT APPLICABLE
	Other Relevant Informations	NOT APPLICABLE
	Have you previously submitted Application online on MOEF Website.	No
	Date of online submission	-

3. The proposal has been considered by SEIAA in its 174th meeting & decided to accord CRZ Clearance to project proponent under the provisions of Environment Impact Assessment Notification, 2006 & CRZ Notification 2011 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP should ensure that proposed activities in CRZ areas are as per provisions of CRZ Notification, 2011 (amended time to time).
II	PP should restore the sites after laying of the sewer lines. Debris should not be disposed of in CRZ area.
III	PP to ensure period monitoring of the sewer lines.
IV	All other required permissions should be obtained before the commencement of the project.
V	This is only CRZ clearance.

General Conditions:

I	The SEIAA reserves the right to revoke this recommendation, if the conditions stipulated are not complied with to the satisfaction of the MCZMA or Environment Department.
II	The SEIAA or any other competent authority, may stipulate any additional conditions subsequently, if deemed necessary, for environmental protection, which shall be complied with
III	A copy of the recommendation letter shall be marked to the concerned local body/ local NGO, if any, from whom any suggestion/ representation has been received while processing the proposal
IV	The environmental safeguard measures should be implemented in letter and spirit
V	The Clearance from CRZ point of view is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act

4. The CRZ Clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the CRZ Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
7. This Clearance will be valid for 5 years from the date of issue of recommendation for commencement of construction & operation.
8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
10. Any appeal against this CRZ Clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. MUNICIPAL COMMISSIONER MUMBAI
10. MUNICIPAL COMMISSIONER NAVI MUMBAI
11. REGIONAL OFFICE MPCB MUMBAI
12. REGIONAL OFFICE MPCB NAVI MUMBAI
13. REGIONAL OFFICE MIDC ANDHERI
14. REGIONAL OFFICE MIDC KOPER KHAIRANE NAVI MUMBAI
15. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
16. COLLECTOR OFFICE MUMBAI
17. COLLECTOR OFFICE MUMBAI SUB-URBAN