

### STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:October 5, 2021

To,

**Mr.Vishal Suresh Pawar** 

at S. No. 40, H. No. 1/1 + 1/2 + 1/3/1, YEWALEWADI, PUNE

Subject: Environment Clearance for Proposed Residential Project

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-III, Maharashtra in its 100th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 226 Day-1th meetings.

2. It is noted that the proposal is considered by SEAC-III under screening category Category B as per EIA Notification 2006.

Brief Information of the project submitted by you is as below:-

1.Name of Project	Sai Dwarika - Phase III and IV			
2.Type of institution	Private			
3.Name of Project Proponent	Mr.Vishal Suresh Pawar			
4.Name of Consultant	Mr. Rajesh Srivastava - Pollution and Ecology Constrol Services (PECS)			
5.Type of project	Housing Project			
6.New project/expansion in existing project/modernization/diversification in existing project	New			
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Not applicable			
8.Location of the project	S. No. 40, H. No. 1/1 + 1/2 + 1/3/1, YEWALEWADI, PUNE			
9.Taluka	Haveli			
10.Village	Yewalewadi			
Correspondence Name:	Mr.Vishal Suresh Pawar			
Room Number:	B-3			
Floor:	-			
<b>Building Name:</b>	KPCT Mall			
Road/Street Name:	Fatimanagar			
Locality:	Adjacent to Vishal Mega Mart			
City:	Pune - 411013			
11.Whether in Corporation / Municipal / other area	PMC			
40 TOD (TO ) (O)	Sanction Plan			
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: CC/3296/17			
**	Approved Built-up Area: 19357.2			

SEIAA Meeting No: 226 Day-1 Meeting Date: August 5, 2021 ( SEIAA-STATEMENT-0000003825 ) SEIAA-MINUTES-0000003406 SEIAA-EC-0000002362 Malar

Manisha Patankar Mhaiskar (Member Page 1 of 13 Secretary SEIAA)

13.Note on the initiated work (If applicable)	Work initiated and construction of Total BUA 19315.42 sqm completed as per Sanction Plan vide no. CC/3296/17 dated $09/03/2018$
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	N.A.
15.Total Plot Area (sq. m.)	10000
16.Deductions	1524.08
17.Net Plot area	8475.92
	FSI area (sq. m.): 13320.65
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): 9047.41
	Total BUA area (sq. m.): 22368.06
	Approved FSI area (sq. m.): 10800.21
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.): 8556.99
Jok	Date of Approval: 09-03-2018
19.Total ground coverage (m2)	1317.65
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	16% विवाधिक
21.Estimated cost of the project	331027519



		22.F	roduct	tion Details				
Serial Number	Product Existin		(MT/M)	Proposed (MT/M)	Total (MT/M)			
1	Not applicable Not app		plicable	Not applicable	Not applicable			
	7	23.Tota	l Wate	r Requirement	ţ			
	Source of		PMC	-				
	Fresh wat	Fresh water (CMD):						
	Recycled Flushing		54.45					
	Recycled Gardening		611	HM L.				
	Swimming make up		733	Tefa Oza				
Dry season:	Total Wat Requirem :	er ent (CMD)	169.35		7			
	Undergro	Fire fighting - Underground water tank(CMD):						
	Fire fight Overhead tank(CMI	water	20 cum per building					
Excess treated water			86.88	75	K			
	Source of	water	PMC	AS R				
	Fresh wat	er (CMD):	108.9	108.9				
	Recycled Flushing		54.45	194	<b>*</b>			
	Recycled Gardening		0	HX. JIXX	7			
	Swimming make up (		0-14	1 Thum				
Wet season:	Total Wat Requirem :	er ent (CMD)	163.35	mont	of			
	Fire fight Undergro tank(CMI	und water	As per NO	IIIGIIL	UI			
	Overhead	Fire fighting - Overhead water tank(CMD):		building	<b>'a</b>			
	Excess tre	eated water	87.66					
Details of Sw pool (If any)	vimming N.A.							

		2	4.Detail	s of Tota	l water o	consume	d				
Particula rs	Consumption (CMD)		Loss (CMD)			Effluent (CMD)					
Water Require ment	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total		
Domestic	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
		Level of th		10m BGL							
		Size and notank(s) and Quantity:		N.A.	HOZ	77					
		Location o tank(s):	f the RWH	N.A.	TETEON		7				
25.Rain V		Quantity o pits:	f recharge	4 Nos.	b	301.	3				
Harvestii (RWH)	ıg	Size of rec	harge pits	2m X 1.5m	2m X 1.5m X 2m						
		Budgetary (Capital co		Rs. 250000							
		Budgetary (O & M cos	allocation	Rs. 20000 per annum							
	Details of UGT tanks if any :		Domestic = 120 cum Drinking = 25 cum Fire = As per NOC								
		7/	7110	<u></u>	0	4	7				
Natural water drainage pattern:			South to No	orth		7					
26.Storm water drainage		Quantity o water:	f storm	320cum/da	y Dry	W					
		Size of SW	D:	450mm - 600mm							
Sewage generation KLD: STP technology:		neration	147.33 KLI		anı						
		STP techno	ology:	MBBR							
27.Sewage and Waste water	Capacity o (CMD):	f STP	STP Capacity = 150 KLD; 1 Nos.								
	0	Location & the STP:	area of	Shown on I	own on Plan						
		Budgetary (Capital co	allocation ost):	Rs. 2350000							
		Budgetary (O & M cos		Rs. 250000 per annum							

	28.Solid waste Management					
Waste generation in	Waste generation:	5 kg/day				
the Pre Construction and Construction phase:	Disposal of the construction waste debris:	Through authorised agency				
	Dry waste:	242 kg/day				
	Wet waste:	376.53 kg/day				
Waste generation	Hazardous waste:	Negligible				
in the operation Phase:	Biomedical waste (If applicable):	N.A.				
	STP Sludge (Dry sludge):	13.53 kg/day				
	Others if any:	E Waste = 1.7 kg/day				
	Dry waste:	Handed over to Authorized Agency				
	Wet waste:	In-situ Composting				
	Hazardous waste:	N.A.				
Mode of Disposal of waste:	Biomedical waste (If applicable):	N.A.				
	STP Sludge (Dry sludge):	In-situ Composting				
	Others if any:	E Waste Handed over to Authorized Dismantler/Recycler				
	Location(s):	Shown on Plan				
Area requirement:	Area for the storage of waste & other material:	60 sqm				
	Area for machinery:	Considered in Above Area				
Budgetary allocation (Capital cost and	Capital cost:	Rs. 1500000				
O&M cost):	O & M cost:	Rs. 150000 per annum				

29.Effluent Charecterestics							
Serial Number	Parameters	Unit	Unit Inlet Effluent Outlet Effluent Effluent Charecterestics Charecterestics stan				
1	Not applicable	Not applicable	I Not applicable I Not applicable I Not applic				
Amount of e	effluent generation	Not applicable					
Capacity of	Capacity of the ETP: Not applicable						
Amount of treated effluent recycled:		Not applicable					
Amount of v	water send to the CETP:	Not applicable					
Membershi	p of CETP (if require):	Not applicable					
Note on ETP technology to be used Not applicable							
Disposal of the ETP sludge Not applicable							



			30.На	zardous	Waste D	etails		
Serial Number	Descr	ription	Cat UOM		Existing	Proposed	Total	Method of Disposal
1	Not ap	Not applicable Not applicable		Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
			31.St	tacks em	ission D	etails		
Serial Number	Soction & linite			Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases	
1	Not ap	plicable	Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
			32.De	tails of I	Fuel to b	e used		
Serial Number	Туј	pe of Fuel	4	Existing	र्विष्ठ	Proposed	7	Total
1	Not	applicable	- 02	Not applicabl	e 1	Not applicabl	e	Not applicable
33.Source of		4		pplicable		19/2		
34.Mode of	Transportat	tion of fuel to	site Not a	pplicable		3		
		B	A A	105	20	1 =	E	
			1	35.E	nergy	y	3	
		Source of supply:	power	MSEDCL		た	五	
			nstruction emand	53 KW		S	GT.	
		DG set as back-up d constructi	uring	62.5 kVA	मुद्रा थ	A THE	7	
Dov	vom	During Opphase (Corload):	eration nnected	1153 KW	10 h	M,		
Power requirement:  During Operation phase (Demand load):		482 KW						
Transforme  DG set as P back-up du operation p		er:	630 kVA X 1 Nos.					
		back-up d	uring 🔲	125 kVA X 1 Nos.				
		Fuel used:		HSD	d B			
t		Details of tension lir through th any:	e passing	N.A.				

### **Energy saving by non-conventional method:**

- 1. Most of the common area & external lighting are proposed to work on high energy efficient lamps(LED) as specified in bureau of energy efficiency which again results in saving in general consumption
- 2. Low loss Transformers due to which 6.22% losses are saved against conventional transformer.
- 3. Power Capacitors are proposed for load power factor correction and to maintain a healthy power situation. This also results in less demand load factor for the project.
- 4. Solar PV, Hot Water, Solar Street Lights, Energy Efficient Motors are proposed



### 36.Detail calculations & % of saving: Serial **Energy Conservation Measures** Saving % Number 15% 1 Percentage Energy Saving 37. Details of pollution control Systems **Existing pollution control system** Proposed to be installed **Source** Not Not applicable Not applicable applicable **Budgetary allocation Capital cost:** Rs. 3575000 (Capital cost and O & M cost: Rs. 41500 per annum O&M cost): 38. Environmental Management plan Budgetary Allocation a) Construction phase (with Break-up): Serial **Attributes Parameter** Total Cost per annum (Rs. In Lacs) Number Water for Water Requirement 1 3 Construction & labour Site Sanitation & Health & Safety 2 Safety Pollution Control & Environmental 3 3 Monitoring Monitoring 0.5 4 Disinfection Health & Safety 5 Health Check-Up Health & Safety 0.5 b) Operation Phase (with Break-up): Capital cost Rs. In **Operational and Maintenance Serial** Component Description Number cost (Rs. in Lacs/yr) Lacs Rain Water Harvesting **RWH Pits** 2.5 0.2 Sewage Treatment Waste Water 23.5 2 2.5 Plant Management Organic Waste Solid Waste 3 15 1.5 Composting Management Landscape 4 Tree Plantation 17.75 1.78 Development **Energy Conservation** 35.75 5 **Energy Saving** 0.42 **Environmental** Pollution Control Monitoring 39. Storage of chemicals (inflamable/explosive/hazardous/toxic substances) Maximum Quantity of **Storage** Consumption Storage Means of Source of Description **Status** Location **Capacity** / Month in at any Supply transportation in MT MT point of time in MT Not Not Not Not Not applicable Not applicable Not applicable Not applicable applicable applicable applicable applicable **40.Any Other Information**

SEIAA Meeting No: 226 Day-1 Meeting Date: August 5, 2021 ( SEIAA-STATEMENT-0000003825 ) SEIAA-MINUTES-0000003406 SEIAA-EC-0000002362 Malar

**Page 8 of 13** 

Manisha Patankar Mhaiskar (Member Secretary SEIAA)



CRZ/ RRZ clearance obtain, if any:	N.A.
Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	N.A.
Category as per schedule of EIA Notification sheet	Category B
Court cases pending if any	N.A.
Other Relevant Informations	N.A.
Have you previously submitted Application online on MOEF Website.	No aalgo
Date of online submission	

<sup>3.</sup> The proposal has been considered by SEIAA in its 226 Day-1th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

### **Specific Conditions:**

I	PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
II	PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
III	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
IV	This EC will be subject to final order of Hon. NGT in O.A. 20/2020

General Conditions:

a) Construction Phase :- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material. II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority. III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board. IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured. V. Arrangement shall be made that waste water and storm water do not get mixed. VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices. VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority. VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project. IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control. X. The Energy Conservation Building code shall be strictly adhered to. XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site. XII.
Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved. XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants. XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance. Protection and Preservation of Trees Act, 1975 as a mended curring the valuality of Environment Clearance. XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards. XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance. XVII. Vehicles hird for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages. Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages. XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB. XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharachta Pollution Control React XX Regular supervision of the above and other measures for sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board. XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person. B) Operation phase:- I. a) The solid waste generated should be properly collected and segregated, b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dryfnert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material. II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016. III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this. IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement. V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms. VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized. VII. PP to provide adequate electric charging points for electric vehicles (EVs). VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept. IX. A separate environment management cell with qualified staff shall be set up for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes. XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://parivesh.nic.in XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department on Let I we for the property of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year. XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent. XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Tonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO2, NO2 (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain. C) General EC Conditions:- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA. II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site. III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance. IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copi as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail. VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any. VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on

SEIAA Meeting No: 226 Day-1 Meeting Date: August 5, 2021 ( SEIAA-STATEMENT-0000003825 ) SEIAA-MINUTES-0000003406 SEIAA-EC-0000002362

Page 11 of Manis

Manisha Patankar Mhaiskar (Member Secretary SEIAA)

Rai



- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Malar

Manisha Patankar Mhaiskar (Member Secretary SEIAA)

### Copy to:

- 1. SECRETARY MOEF & CC
- 2. IA- DIVISION MOEF & CC
- 3. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 4. REGIONAL OFFICE MOEF & CC NAGPUR
- 5. MUNICIPAL COMMISSIONER PUNE
- 6. MUNICIPAL COMMISSIONER SATARA
- 7. REGIONAL OFFICE MPCB PUNE
- 8. REGIONAL OFFICE MIDC PUNE
- 9. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- 10. COLLECTOR OFFICE PUNE
- 11. COLLECTOR OFFICE SATARA
- 12. COLLECTOR OFFICE SOLAPUR

aharashtra

Malar