



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: November 10, 2020

To,
VAIBHAV PRAKASH LONDHE
at Survey No. 428(P)

Subject: Environment Clearance for Stone Quarry (Minor Mineral), Survey No. 428(P), Village - Bhandgaon, Taluka - Daund, District - Pune

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 186th -Day-1th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 208th meetings.


2. It is noted that the proposal is considered by SEAC-I under screening category Category B2, Schedule 1(a) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-


1.Name of Project	Stone Quarry at Survey No. 428(P), Village - Bhandgaon, Taluka - Daund, District - Pune
2.Type of institution	Private
3.Name of Project Proponent	VAIBHAV PRAKASH LONDHE
4.Name of Consultant	Srushti Seva Private Limited, Nagpur
5.Type of project	Mining Project
6.New project/expansion in existing project/modernization/diversification in existing project	New Project
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Not Applicable
8.Location of the project	Survey No. 428(P)
9.Taluka	Daund
10.Village	Bhandgaon
Correspondence Name:	VAIBHAV PRAKASH LONDHE
Room Number:	-
Floor:	-
Building Name:	-
Road/Street Name:	-
Locality:	At Post - Shindavane Road, Village-Uruli Kanchan, Tahsil- Haveli, Dist Pune
City:	-
11.Whether in Corporation / Municipal / other area	Other area
12.IOD/IOA/Concession/Plan Approval Number	Not applicable IOD/IOA/Concession/Plan Approval Number: Not applicable Approved Built-up Area:

SEIAA Meeting No: 208 Meeting Date: September 14, 2020 (
SEIAA-STATEMENT-000003858)
SEIAA-MINUTES-000003359
SEIAA-EC-000002336

Page 1 of 14


Manisha Patankar Mhaikar (Member Secretary SEIAA)

13.Note on the initiated work (If applicable)	Not applicable
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	Not applicable
15.Total Plot Area (sq. m.)	2.88 Ha
16.Deductions	-
17.Net Plot area	2.88 Ha
18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable
	Non FSI area (sq. m.): Not applicable
	Total BUA area (sq. m.):
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.): Not applicable
	Approved Non FSI area (sq. m.): Not applicable
	Date of Approval: 17-07-2019
19.Total ground coverage (m2)	Not applicable
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21.Estimated cost of the project	6000000



Government of Maharashtra

Manisha Patankar Mhaikar


Manisha Patankar Mhaikar (Member Secretary SEIAA)

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Stone (Minor Mineral)	Nil	6375	6375

23. Total Water Requirement

Dry season:	Source of water	Purchased water & Pit Water
	Fresh water (CMD):	5.0
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	5.0
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable
Wet season:	Source of water	Purchased water & Pit Water
	Fresh water (CMD):	5.0
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	5.0
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable
Details of Swimming pool (If any)	Not applicable	



24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	Nil	1.0	1.0	Nil	0.2	0.2	Nil	0.8	0.8
Gardening	Nil	4.0	4.0	Nil	4.0	4.0	Nil	Nil	Nil
Fresh water requirement	Nil	5.0	5.0	Nil	4.2	4.2	Nil	0.8	0.8

25.Rain Water Harvesting (RWH)	Level of the Ground water table:	10 m
	Size and no of RWH tank(s) and Quantity:	Mine Pit
	Location of the RWH tank(s):	Within mining lease area
	Quantity of recharge pits:	-
	Size of recharge pits :	-
	Budgetary allocation (Capital cost) :	-
	Budgetary allocation (O & M cost) :	-
	Details of UGT tanks if any :	Not Applicable


26.Storm water drainage	Natural water drainage pattern:	Not Applicable. However, the rain water will be channelized to the natural water courses like gullies and depression through appropriate drainage system.
	Quantity of storm water:	-
	Size of SWD:	-

27.Sewage and Waste water	Sewage generation in KLD:	0.8
	STP technology:	Mobile STP
	Capacity of STP (CMD):	1 No. Capacity 2 KLD
	Location & area of the STP:	Within Mining Lease area
	Budgetary allocation (Capital cost):	Rs. 2 lakhs
	Budgetary allocation (O & M cost):	Rs. 30,000/-

28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	Not Applicable
	Disposal of the construction waste debris:	Not Applicable
Waste generation in the operation Phase:	Dry waste:	No waste in form of rejects shall be generated during mining process
	Wet waste:	Nil
	Hazardous waste:	Not Applicable
	Biomedical waste (If applicable):	Not Applicable
	STP Sludge (Dry sludge):	-
	Others if any:	Not Applicable
Mode of Disposal of waste:	Dry waste:	Not Applicable
	Wet waste:	Not Applicable
	Hazardous waste:	Not Applicable
	Biomedical waste (If applicable):	Not Applicable
	STP Sludge (Dry sludge):	Not Applicable
	Others if any:	Not Applicable
Area requirement:	Location(s):	-
	Area for the storage of waste & other material:	No waste shall be generated during mining process and therefore no Mineral Stacking Area shall be required.
	Area for machinery:	-
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Not Applicable
	O & M cost:	Not Applicable

Government of Maharashtra



29.Effluent Charecterestics

Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)
1	-	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Amount of effluent generation (CMD):		Not Applicable			
Capacity of the ETP:		Not Applicable			
Amount of treated effluent recycled :		Not Applicable			
Amount of water send to the CETP:		Not Applicable			
Membership of CETP (if require):		Not Applicable			
Note on ETP technology to be used		Not Applicable			
Disposal of the ETP sludge		Not Applicable			



Government of Maharashtra

30.Hazardous Waste Details

Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

31.Stacks emission Details

Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

32.Details of Fuel to be used

Serial Number	Type of Fuel	Existing	Proposed	Total
1	-	Not Applicable	Not Applicable	Not Applicable

33.Source of Fuel Not Applicable

34.Mode of Transportation of fuel to site Not Applicable

35.Energy

Power requirement:	Source of power supply :	Maharashtra State Power Distribution Company Limited
	During Construction Phase: (Demand Load)	Not Applicable
	DG set as Power back-up during construction phase	-
	During Operation phase (Connected load):	10 KW for mine office
	During Operation phase (Demand load):	10 KW for mine office
	Transformer:	10 KW for mine office
	DG set as Power back-up during operation phase:	No
	Fuel used:	-
	Details of high tension line passing through the plot if any:	No high tension line passing through the lease area

Energy saving by non-conventional method:

Solar Energy

36.Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	Solar Lamps	5

37.Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
Air Pollution	Nil	Sprinkling on the haul roads. The closed conduit type of crusher with sprinkler arrangement to prevent the escape of fug. A thick green is maintained around the lease area and on both sides of the haul roads.
Water Pollution	Nil	Construction of Garland Drain & Bund
Noise Pollution	Nil	Preventive Maintenance of all heavy machineries,
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	-
	O & M cost:	-

38.Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):


Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	Not applicable	Not applicable	Not applicable

b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Air Pollution	Sprinkling on the haul roads. The closed conduit type of crusher with sprinkler arrangement to prevent the escape of fug. A thick green is maintained around the lease area and on both sides of the haul roads.	3.0	1.0
2	Water Pollution	Construction of Garland drain, stone hedge wall around the lease area, Mobile STP 2KLD	3.0	1.0
3	Noise Pollution	Preventive Maintenance of all heavy machineries,	-	0.5
4	Occupational health and safety	Periodic health check ups of workers and safety equipment	1.0	0.5

39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation



Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
40.Any Other Information							
No Information Available							



Government of Maharashtra

Manisha Patankar Mhaiskar

**Manisha Patankar Mhaiskar (Member
Secretary SEIAA)**

	CRZ/ RRZ clearance obtain, if any:	Not Applicable
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	Not Applicable
	Category as per schedule of EIA Notification sheet	Category B2, Schedule 1(a)
	Court cases pending if any	No
	Other Relevant Informations	-
	Have you previously submitted Application online on MOEF Website.	No
	Date of online submission	-

3. The proposal has been considered by SEIAA in its 208th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:


Specific Conditions:

I	PP to submit layout to the SEIAA of total land owned by them showing proposed quarry area, dump area, internal roads, safety zone, approach road etc.
II	PP to get proposed mine area and 7.5 meter wide safety zone demarcated in presence of DMO before taking any effective steps on site.
III	PP to develop green belt by planting 1500 nos. of indigenous trees in 7.5 meter wide safety zone on the periphery of the proposed area with facility of drip irrigation and 2500 nos. of indigenous trees along the approach road before taking any effective steps on site.
IV	PP to provide dry compound wall of around one meter along with barbed wire fencing to the mining lease area to ensure safety of animals and humans.
V	PP to appoint qualified fore man as a Mine Manager approved by Director General of Mines to ensure safety of the staff/labors appointed at mine site.
VI	PP to prepare adequate capacity approach roads to the proposed mine area so as to ensure safe plying of the heavy vehicles engaged on mine site for transport of mined material and to avoid any unforeseen accident. PP to plant trees along the road.
VII	PP to provide movable toilets/ bio toilets to the workers working in the area and the sewage generated shall be properly collected and treated so as to conform to the standards prescribed by MoEF&CC and CPCB.
VIII	PP to provide First Aid facility at the proposed mining site.
IX	PP proposes Jackhammer drilling in proposed quarry. The jackhammer drills produces more noise and do not have inbuilt water injection system. PP to ensure protective measures are provided to reduce noise exposure and dust emission due to drilling and blasting activity.
X	PP to implement mine closure plan as approved by the competent Authority. PP to provide dry wall of around one meter along with barbed wire fencing to the mining lease area to ensure safety of animals and humans.
XI	PP along with revenue and forest department shall conduct a joint tree survey on site and if any trees needs to be cut PP shall ensure to obtain tree cutting permission from the Competent Authority and ensure compensatory afforestation and transplantation of trees in consultation with the Forest/Revenue department.
XII	The mining lease holder shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc.
XIII	PP to obtain all necessary NOC's/Permissions from the competent Authority before commencing any work on proposed site.
XIV	PP to ensure that no mining shall be done below the depth as approved in the mining plan.


XV	PP to ensure that, the quarrying is proposed above the level of aquifer to avoid the ground water contamination/degradation of water quality of aquifer. PP to take adequate measures/precautions to avoid contamination /degradation of ground water.
XVI	PP to ensure no water stream is diverted due to proposed quarrying activity.
XVII	PP to ensure that mining/ loading activity shall be restricted to day hours' time only. No mining activity shall be carried out after sunset and before sun rise.
XVIII	PP to provide adequate channels to guide the rain water to reach the mined pit and to avoid any unforeseen incident.
XIX	PP to adhere to the provisions stipulated Maharashtra Minor Mineral Extraction (Development and Regulation) Rules, 2013, guidelines issued by MoEF&CC and any other legal requirements as applicable to the proposed activity.
XX	PP to ensure strict compliance of all conditions stipulated in the Environmental Clearance. The District Collector and District Mining Officer shall strictly monitor the compliance of the conditions stipulated in the Environment Clearance letter.
XXI	PP to ensure that there is no damage to any fauna and its nesting close to the proposed mining area.
XXII	PP to ensure that, the overburden be stored on site and shall be used for refilling of mine pit.
XXIII	PP to ensure that adequate measures like maintenance of roads, sprinkling of water and plantation is carried out to reduce the dust particulate matter pollution.
XXIV	PP to ensure that public roads are not used for parking purpose. Parking shall be on pre decided place only.
XXV	The transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.
XXVI	PP to provide solar energy, Gents/Ladies sanitation, safe drinking water facility facility in the Z.P. School in village Bhadgaon, Tq. Daund from their CER funds of RSs 4 Lakhs in consultation with the District Authority.
XXVII	The District Collector shall ensure proper approach road to the proposed quarry area before granting final mining lease.
XXVIII	The District Collector shall ensure that, the proposed quarry area doesn't falls in the Eco Sensitive area notified by the Government before granting final mining lease.
XXIX	If the proposed stone quarry mining site is situated within distance of 10 KMs from the Notified Wild Life Sanctuary , then, The District Collector shall ensure that, final mining lease to the PP is issued only after clearance from concern Competent Authority of Forest Department (Wild Life) for cutting of tress and non-forest use of the land
XXX	PP to ensure additional air quality monitoring station around the periphery of village.
XXXI	No hill cutting should be allowed during the quarrying.
XXXII	Blasting, crushing and transportation of crushed material should be carried out under covered conditions to avoid any kind of dust pollution.
XXXIII	PP shall employ dust suppression measures by use of water sprinklers, foggers etc.
XXXIV	The PP shall undertake 2 rows of tree plantation along the lease boundary. Dust absorbing trees shall be planted.
XXXV	PP to ensure that, as submitted in detail in SEIAA meeting, all mitigation and monitoring measures to be followed especially around the vicinity of nearest Village/ human settlement.

General Conditions:

Government of
Maharashtra



I	<p>1. The validity period of the EC will be for 7 years as per MoEF&CC Notification dated 29th April, 2015 but limited to period of lease. 2. No hill cutting should be allowed during the quarrying. No aquifers should be disturbed either by blasting or by quarrying. 3. Blasting crushing & transportation of crushed material should be carried out under covered conditions to avoid any kind of dust pollution. 4. PP shall employ dust suppression measures by use of water sprinklers, foggers etc. 5. The PP shall undertake 2 rows of tree plantation along the lease boundary. Dust absorbing trees shall be planted. 6. Quarrying allowed only in the recharge zone of hills, not in run off or storage zone. For this purpose, GSDA should be involved to carry out intensive geophysical survey to identify such recharge zone where quarrying can be allowed. 7. The mining plan shall be approved first before initiating any mining operations. 8. Discharge of sewage from quarry sites should be strictly controlled 9. The quarries to maintain benches of 60 slope in the cut, 6 m depth in cut and 6 m for the bench. 10. No dumping of material shall be allowed in the water resources of Nallas. 11. No quarrying should be allowed in the run-off zone of hilly areas. 12. After mining extraction is completed, the existing pits on site must be filled up and the closure must be supervised and certified by the District Mining Officer. 13. No quarry shall be allowed within safe distance from any habitation or human activity. 13. District Collector will take bank guarantee of Rs. 2,00,000/- OR upto 2% of the annual royalty, whichever is higher, for the given lease from the lease holder to ensure the compliance of the conditions stipulated. In case of violation of stipulated conditions by project proponent bank guarantee so obtained shall be forfeited and legal action under the law should be initiated against such project proponent. 14. It shall be ensured that there is no fauna dependent on the areas close to mining for its nesting. 15. To prevent dust / particulate matter pollution, the lease holder shall take up tree plantation in an area 10 m from the boundary of the leased area and also on either side of the road leading to the quarry from the already surfaced road. 16. District Collector to ensure that the provisions stipulated in Maharashtra Minor Minerals Extraction (development and Regulation) Rules shall be strictly adhered to. 17. The configuration of benches should be: 60 degrees slope in the cut, 6 mt depth for cut and 6 mt width for the bench. PP shall ensure that no quarrying is carried out in forest or zudpi jungle. No water sources shall be affected due to quarrying activity. All labor engaged in quarrying will be provided with protective gears like mask, helmets, boots etc. 18. District Collector to ensure that distance between one lease area and another lease area or clusters of lease area is more than 500 m. 19. Project Proponent to ensure that vehicles transporting stone should not be overloaded beyond stated capacity. also to ensure that there is no violation of the Hon'ble NGT, Hon'ble Supreme Court order given in related matters. 20. PP to prepare Mine closure plan and get it approved by the competent authority, PP will be held responsible personally for non-compliance of the conditions stipulated in the Environmental clearance and shall be liable for legal action under Environment (Protection) Act of 1986. 21. Transport of stone should be by vehicles which are properly covered with Tarpaulin and it should not be overloaded. 22. The lease holder shall undertake adequate safeguard measures during extraction of material and ensure that due to this activity, the hydro-geological regime of the surrounding area is not affected. The depth of quarrying should be above the levels of aquifers to avoid the contamination/ degradation of water quality of aquifers. Regular monitoring of ground water level and quality shall be carried out around the mine lease area during the mining operation. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity; necessary corrective measures shall be carried out. District Collector/mining officer shall ensure this. 23. Effective safeguards, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. Water sprinkling shall also be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard. The status of implementation of measures taken shall be reported to Environment Department. 24. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.</p>
II	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
III	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
IV	Proper Housekeeping programmers shall be implemented.
V	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
VI	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
VII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
VIII	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
IX	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.



X	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XI	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
XII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XIV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.



Government of Maharashtra

Manisha Patankar Mhaikar

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.


6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Manisha Patankar Mhaiskar (Member Secretary SEIAA)

Copy to:

1. SECRETARY MOEF & CC
2. IA- DIVISION MOEF & CC
3. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
4. REGIONAL OFFICE MOEF & CC NAGPUR
5. MUNICIPAL COMMISSIONER PUNE
6. MUNICIPAL COMMISSIONER SATARA
7. REGIONAL OFFICE MPCB PUNE
8. REGIONAL OFFICE MIDC PUNE
9. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
10. COLLECTOR OFFICE PUNE
11. COLLECTOR OFFICE SATARA
12. COLLECTOR OFFICE SOLAPUR

