



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: July 8, 2021

To,
The Registrar, Maharashtra National Law University, Nagpur
at KH No. 140/2 at Waranga, Wardha Road, Nagpur

Subject: Environment Clearance for Proposed Construction of Maharashtra National Law University, at KH No. 140/2 at Waranga, Wardha Road, Nagpur

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-III, Maharashtra in its 113th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 217-Ath meetings.

2. It is noted that the proposal is considered by SEAC-III under screening category B1 (8 (b) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	Proposed Construction of Maharashtra National Law University, at KH No. 140/2 at Waranga, Wardha Road, Nagpur
2.Type of institution	Government
3.Name of Project Proponent	The Registrar, Maharashtra National Law University, Nagpur
4.Name of Consultant	ABC Techno Labs India Pvt. Ltd. ; Head office : ABC Tower no 400, 13th Street, SIDCO Industrial Estate- North Phase, Ambattur Chennai - 600 098; Regional Office : A-355, Balaji Bhavan, Plot 42 A, Sect 11, CBD Belapur, Navi Mumbai 400614 ;Tel : 022-2758 0044/55; Email ID: mumbai@abctechnolab.com
5.Type of project	Educational Institute
6.New project/expansion in existing project/modernization/diversification in existing project	NEW
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Not applicable
8.Location of the project	KH No. 140/2 at Waranga, Wardha Road, Nagpur
9.Taluka	Nagpur (Rural)
10.Village	Mauza-Waranga
Correspondence Name:	The Registrar, Maharashtra National Law University, Nagpur
Room Number:	NA
Floor:	NA
Building Name:	Moraj Design & Decorator (DnD) Building,
Road/Street Name:	Near HP OIL Depot, Wardha Road
Locality:	Khapri, Tehsil -Nagpur Rural
City:	Nagpur
11.Whether in Corporation / Municipal / other area	Nagpur Metropolitan Region Development Authority

SEIAA Meeting No: 217-A Meeting Date: March 12, 2021 (SEIAA-STATEMENT-000003303)
SEIAA-MINUTES-000003374
SEIAA-EC-000002354

Page 1 of 14

Manisha Patankar Mhaikar (Member Secretary SEIAA)

12.IOD/IOA/Concession/Plan Approval Number	In Process
	IOD/IOA/Concession/Plan Approval Number: --
	Approved Built-up Area:
13.Note on the initiated work (If applicable)	No work initiated
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	0
15.Total Plot Area (sq. m.)	240097.517
16.Deductions	5559.68
17.Net Plot area	234537.837
18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): 154266
	Non FSI area (sq. m.): 59886
	Total BUA area (sq. m.): 214152
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.):
	Approved Non FSI area (sq. m.):
	Date of Approval: 02-08-2019
19.Total ground coverage (m2)	70916
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	29.8
21.Estimated cost of the project	8790000000

Government of Maharashtra

M. Patankar

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Not applicable	Not applicable	Not applicable	Not applicable

23. Total Water Requirement

Dry season:	Source of water	Wakeshwar dam, Pond (1 & 2) & Borewell
	Fresh water (CMD):	368
	Recycled water - Flushing (CMD):	72
	Recycled water - Gardening (CMD):	218
	Swimming pool make up (Cum):	2010 KL
	Total Water Requirement (CMD) :	658 KLD (excluding swimming pool)
	Fire fighting - Underground water tank(CMD):	500 KL
	Fire fighting - Overhead water tank(CMD):	410 KL
	Excess treated water	0
Wet season:	Source of water	Wakeshwar dam, Pond (1 &2) and Borewell
	Fresh water (CMD):	368
	Recycled water - Flushing (CMD):	72
	Recycled water - Gardening (CMD):	44
	Swimming pool make up (Cum):	2010 KL
	Total Water Requirement (CMD) :	484 KLD (excluding swimming pool)
	Fire fighting - Underground water tank(CMD):	500 KL
	Fire fighting - Overhead water tank(CMD):	410 KL
	Excess treated water	32 KL
Details of Swimming pool (If any)	2010 KL water will be available in proposed swimming pool. The Source of this water will be output of WTP. The requirement is of one time after 3-5 years water can be changed.	

24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Fresh water requirement	0	440	440	0	42	42	0	378	378
Cooling tower & thermopack	0	248	248	0	0	0	0	0	0
Gardening	0	218	218	0	0	0	0	0	0

25.Rain Water Harvesting (RWH)	Level of the Ground water table:	20 m depth
	Size and no of RWH tank(s) and Quantity:	7 nos. + (6 mt X 7 mt.) = 737 KL. Pond I is 35,000 kl & for pond II 10,000 KL
	Location of the RWH tank(s):	3 tanks are proposed near to Block J , H , 2 tanks near to block L & block M and 1 will be near to block P , 1 will be near to block Q
	Quantity of recharge pits:	NA
	Size of recharge pits :	NA
	Budgetary allocation (Capital cost) :	9 Crores
	Budgetary allocation (O & M cost) :	5 Lakhs
	Details of UGT tanks if any :	Total 4 UGT Tanks are proposed . Raw water (700 KL) , Treated water(350 KL) , Pond Water (350 KL) , Treated sewage tank (500 KL) & Dam water storage tank (500 Kl) . , In total 2400 KL water will be stored in these UGT tanks.
26.Storm water drainage	Natural water drainage pattern:	--
	Quantity of storm water:	121479 KL
	Size of SWD:	600 M by 1M plus vegetated swales

27.Sewage and Waste water	Sewage generation in KLD:	378
	STP technology:	DEWATS with VORTEX System
	Capacity of STP (CMD):	total 5= 1X 120 KLD, 1X57 KLD, 1X30 kLD, 1X 50KLD, 1 X 130 KLD
	Location & area of the STP:	120 KLD= Girls Hostel single occupancy 02, 57 KLD = near to dining block, 30 KLD= Near acadamic building and 130 KLD= Faculty
	Budgetary allocation (Capital cost):	2.85 crores
	Budgetary allocation (O & M cost):	15 Lakks



Government of Maharashtra


Manisha Patankar Mhaiskar

Manisha Patankar Mhaiskar (Member Secretary SEIAA)

28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	150 kg/day
	Disposal of the construction waste debris:	Disposal of construction waste will be done as per construction & demolition waste disposal rule 2016
Waste generation in the operation Phase:	Dry waste:	775 Kg/day
	Wet waste:	525 Kg/day
	Hazardous waste:	300 kl /year
	Biomedical waste (If applicable):	20 kg/day
	STP Sludge (Dry sludge):	94 kg /day
	Others if any:	E-Waste -negligible
Mode of Disposal of waste:	Dry waste:	It will be handed over to authorised vendor
	Wet waste:	Organic waste Converter will be used to convert wet waste into Compost
	Hazardous waste:	It will be handed over to MPCB Authorized Recycler
	Biomedical waste (If applicable):	It will be handed over to PCB BMW authorized vendor
	STP Sludge (Dry sludge):	It will be utilised as a manure
	Others if any:	NA
Area requirement:	Location(s):	Near to dairy
	Area for the storage of waste & other material:	--
	Area for machinery:	10 X 7
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	15 Lakhs
	O & M cost:	5 Lakhs

Government of Maharashtra



29. Effluent Characteristics

Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	pH	--	6.0-8.5	5.5-9.0	6.5-9.0
2	TSS	mg/lit	250-400	<10	<100
3	TSS	mg/lit	250-400	<10	<100
4	COD	mg/lit	350-450	<60	<250
5	BOD	mg/lit	200-250	<10	<30
Amount of effluent generation (CMD):		Not applicable			
Capacity of the ETP:		Not applicable			
Amount of treated effluent recycled :		Not applicable			
Amount of water send to the CETP:		Not applicable			
Membership of CETP (if require):		Not applicable			
Note on ETP technology to be used		Not applicable			
Disposal of the ETP sludge		Not applicable			

Government of
Maharashtra



30.Hazardous Waste Details							
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Used oil	5.1	KL/Years	0	300	300	It will be handed over to PCB authorized vendor
31.Stacks emission Details							
Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases	
1	DG Stack	HSD (20 KLX2 nos)	1	30 mt	0.35 mt	--	
32.Details of Fuel to be used							
Serial Number	Type of Fuel	Existing	Proposed	Total			
1	Diesel (HSD)	0	40 KL (considering in power failure of 48 hrs)	40 KL (considering in power failure of 48 hrs)			
33.Source of Fuel		Near by oil depot					
34.Mode of Transportation of fuel to site		By Road					
35.Energy							
Power requirement:	Source of power supply :	MSEDCL					
	During Construction Phase: (Demand Load)	630 kvA					
	DG set as Power back-up during construction phase	630 kvA X 1 Nos					
	During Operation phase (Connected load):	7966 kW					
	During Operation phase (Demand load):	3708 kW					
	Transformer:	6 X 630 KvA, 2 x 500 kvA, 2 X 1600 kvA					
	DG set as Power back-up during operation phase:	2 X 1010 kvA + 2 X 2000 kvA					
	Fuel used:	HSD					
	Details of high tension line passing through the plot if any:	NA					
Energy saving by non-conventional method:							
Energy Saving will be achieved by using LED efficient lights, passive cooling systems, energy efficient air conditioning, by adopting passive architectural measures (buildings are completely insulated, mutually shaded and 100 % day light buildings) low energy consuming sewage treatment plants . To off set 100 % of energy requirement 5 mW Solar PV plant will be installed (On Grid system)							

36.Detail calculations & % of saving:				
Serial Number	Energy Conservation Measures	Saving %		
1	Lighting (in comparison with conventional measures)	44 %		
2	Equipment (in comparison with conventional measures)	40 %		
3	HVAC (in comparison with conventional measures)	55 %		
37.Details of pollution control Systems				
Source	Existing pollution control system	Proposed to be installed		
Not applicable	Not applicable	Not applicable		
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	4500 lacs		
	O & M cost:	50 lacs		
38.Environmental Management plan Budgetary Allocation				
a) Construction phase (with Break-up):				
Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)	
1	Dust Control	Dust Suppression	20	
2	Site sanitation & safety	Sanitation	15	
3	Pollution Control	Environmental monitoring	4	
4	Occupational health	Health Check up	2	
5	Pollution Control	Disinfection	1	
b) Operation Phase (with Break-up):				
Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Waste Water Management	STP	285	15
2	Waste Management	OWC	15	5
3	Green Belt	Tree Plantation	50	12
4	Energy Conservation measure	Solar PV system + Energy efficient equipment	4500	50
5	Water Conservation	Rain Water Harvesting	900	5
6	Pollution Control	Air, Water , Waste water & soil Monitoring	--	3
7	Pollution Control	Air, Water , Waste water & soil Monitoring	--	3
8	Drainage System	Laying of Storm & Sewer line up to final disposal point	15	4
39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)				

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Diesel	Proposed	DG & HSD Yard (near BLK B)	20 Kl	20 Kl	12.75 kl	Near by oil depot	By road
40.Any Other Information							
No Information Available							



Government of Maharashtra

M. Patankar

	CRZ/ RRZ clearance obtain, if any:	Not Applicable
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	None in 10 km radius of Project Site
	Category as per schedule of EIA Notification sheet	B1 (8 (b))
	Court cases pending if any	NO
	Other Relevant Informations	No
	Have you previously submitted Application online on MOEF Website.	No
	Date of online submission	-

3. The proposal has been considered by SEIAA in its 217-Ath meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:


I	SEAC Conditions- 1.PP has proposed health and wellness Centre as a part of CER. PP to submit affidavit mentioning that all the residents of adjoining villages will be treated free of cost as the objective of the CER is to give facilities and utilities to the residents of villages in the vicinity and not for the benefit of PP. 2. PP has proposed provision of ambulance (costing Rs.40 Lakh) as a part of CER. PP to submit affidavit that the ambulance will be made available to the people in the villages of vicinity for emergency use as and when requested, free of cost. 3. PP has proposed plantation of 400 trees (costing Rs. 5000/- per tree) as a part of CER. Provision of Rs. 5000/- per tree shall include one year old sapling, tree guard and cost of watering till it survives and 100% survival shall be ensured. 4. PP to submit details of locations where the trees will be planted. PP to submit details of waste water treatment system proposed to achieve zero liquid discharge (ZLD).
II	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
III	SEIAA after deliberation decided to grant Environment Clearance for FSI-122086.683 m2, Non-FSI-57640.727 m2 and Total BUA-179727.41 m2 (Plan Approval no.EE/NMRDA/3253, dated-31.12.2019)

General Conditions:


Government of Maharashtra

I	<p>a) Construction Phase :- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material. II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority. III. Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board. IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured. V. Arrangement shall be made that waste water and storm water do not get mixed. VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices. VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority. VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project. IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control. X. The Energy Conservation Building code shall be strictly adhered to. XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site. XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved. XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants. XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance. XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards. XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance. XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages. XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB. XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board. XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.</p>
---	--

Government of Maharashtra



II	<p>Operation phase:- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material. II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016. III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this. IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement. V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms. VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized. VII. PP to provide adequate electric charging points for electric vehicles (EVs). VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept. IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards. X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes. XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://parivesh.nic.in XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year. XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent. XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.</p>
III	<p>) General EC Conditions:- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA. II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site. III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance. IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail. VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA. as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.</p>



4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.


6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Manisha Patankar Mhaiskar (Member Secretary SEIAA)

Copy to:

1. SECRETARY MOEF & CC
2. IA- DIVISION MOEF & CC
3. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
4. REGIONAL OFFICE MOEF & CC NAGPUR
5. MUNICIPAL COMMISSIONER NAGPUR
6. REGIONAL OFFICE MPCB NAGPUR
7. REGIONAL OFFICE MIDC NAGPUR
8. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
9. COLLECTOR OFFICE BHANDARA
10. COLLECTOR OFFICE NAGPUR
11. COLLECTOR OFFICE WARDHA
12. COLLECTOR OFFICE GADCHIROLI

